



# HART ENVIRONMENTAL RESOURCES

4139 Chico Ct. Springfield, OH 45502 (937) 325-8777 [hartenv@woh.rr.com](mailto:hartenv@woh.rr.com)

**PHASE I ENVIRONMENTAL  
SITE ASSESSMENT  
OF  
420 WEST COLUMBUS STREET  
WEST LIBERTY, OHIO 43357**



**Prepared For:**

**The Village of West Liberty  
Attn: Ms. Cindy Boyd  
P.O. Box 187  
West Liberty, Ohio 43357  
&**

**H&H Environmental  
Attn: Mr. Gary Rister  
2699 East County Road 50  
Tiffin, Ohio 44883**

**31 October 2024  
J241822**



# HART ENVIRONMENTAL RESOURCES

4139 Chico Ct. Springfield, OH 45502 (937) 325-8777 [hartenv@woh.rr.com](mailto:hartenv@woh.rr.com)

Oct 31, 2024

Attn: Ms. Cindy Boyd  
The Village of West Liberty  
P.O. Box 187  
West Liberty, Ohio 43357

Mr. Gary Rister  
H&H Environmental  
2699 East County Road 50  
Tiffin, Ohio 44883

Re: 420 West Columbus Street  
West Liberty, Ohio 43357

Dear Ms. Boyd and Mr. Rister,

Hart Environmental Resources has performed a Phase I Environmental Site Assessment in general accordance with the EPA All Appropriate Inquiry (AAI) Rule and ASTM E1527-21 (Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process) on the property listed as 420 West Columbus Street, West Liberty, Ohio. Any exceptions to or deletions from this practice are described in Section 2.5 of this report.

No information has been deleted, omitted or changed that would otherwise have caused the user of this report to reach a different conclusion. Hart Environmental Resources realizes that you are depending upon the overall completeness, accuracy and conclusion in this report and hereby certifies that this is a report, which you can rely upon.

Sincerely,

Ralph G. Ranard  
Environmental Inspector  
*Registered Associate Environmental Professional  
Asbestos Hazards Evaluation Specialist, Ohio, #ES-36260*

Reviewed By:

Lynda M. Hart, REM  
President  
*Registered Environmental Manager #7928  
Asbestos Hazards Evaluation Specialist, Ohio, #ES-32558*



## TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<b>1.0 EXECUTIVE SUMMARY</b> .....	1
<b>2.0 INTRODUCTION</b> .....	2
Purpose .....	2
Scope of Services .....	2
Significant Assumptions .....	2
Special Terms and Conditions .....	3
Limitations and Exceptions of Assessment .....	3
Data Gaps .....	3
Previous Environmental Assessments .....	3
User Reliance .....	3
<b>3.0 SITE DESCRIPTION</b> .....	4
Location and Legal Description .....	4
Site and Vicinity Characteristics .....	4
Structures, Roads and other Improvements on Site .....	4
Environmental Liens or Specialized Knowledge or Experience ....	4
Current Uses of Property .....	4
Past Uses of Property .....	4
Current Uses of Adjoining Property .....	4
<b>4.0 RECORDS REVIEW</b> .....	5
Target Property .....	5
Surrounding Properties .....	5
CERLIS NFRAP .....	5
SEMS 8R Archived Sites .....	5
RCRA-NonGen .....	5
LUST-OH .....	6
Hist LF-LD-OH .....	6
Debris EPA SWRCY .....	6
Physical Setting .....	7
Topography/Surface Features .....	7
Soils .....	7
Hydrogeology .....	7
Zoning/Flood Zone .....	7
Radon .....	7
Historical Use Information .....	7
Aerial Photographs .....	8
Sanborn Maps .....	8
City Directories .....	8
City Directories for Adjoining Properties .....	8
Historical Topographic Maps .....	8
Ownership History .....	8
<b>5.0 INFORMATION FROM SITE RECONNAISSANCE</b> .....	9
Hazardous Substance and/or Petroleum Products with Uses.....	9
Hazardous, Petroleum and/or Unidentified Substance Containers ...	9
Storage Tanks .....	9
Indication of PCBs .....	9

Indications of Solid Waste Disposal or Hazardous Substance .....	9
Structures .....	9
Drains and Sumps .....	9
Utilities .....	10
Wastewater .....	10
Wells .....	10
Pits, Ponds and Lagoons .....	10
Stained Soil/Distressed Vegetation .....	10
Odors .....	10
Drums .....	10
Vapor Intrusion .....	10
Asbestos .....	10
Lead-based Paint .....	10
Lead Solder .....	11
Mold .....	11
Wetlands .....	11
<b>6.0 INFORMATION FROM INTERVIEWS .....</b>	<b>12</b>
<b>7.0 FINDINGS &amp; OPINIONS .....</b>	<b>13</b>
<b>8.0 CONCLUSIONS .....</b>	<b>14</b>

## **APPENDICES**

APPENDIX 1:	SITE MAPS
APPENDIX 2:	SITE PLAN
APPENDIX 3:	SITE PHOTOGRAPHS
APPENDIX 4:	AERIAL PHOTOGRAPHS & SANBORN MAPS
APPENDIX 5:	ENVIRONMENTAL DATABASE REPORT
APPENDIX 6:	ON-SITE SURVEY
APPENDIX 7:	MISCELLANEOUS DOCUMENTS
	COUNTY TAX RECORDS
	RADON INFORMATION
	CITY DIRECTORIES
	FIRE DEPARTMENT RESPONSE
	ASBESTOS REPORT
APPENDIX 8:	ENVIROMENTAL PROFESSIONAL DECLARATION & INSPECTOR QUALIFICATIONS

## **1.0 EXECUTIVE SUMMARY**

This Phase I Environmental Site Assessment (ESA) was performed on the property listed as 420 West Columbus Street, West Liberty, Ohio for Ms. Cindy Boyd, with the Village of West Liberty, and Mr. Gary Rister, with H&H Environmental. The Phase I ESA was conducted in accordance with ASTM E1527-21 (Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process) and the EPA All Appropriate Inquiries Rule. The purpose of this Phase I ESA was to identify any recognized environmental conditions (RECs) associated with the target property using all appropriate inquiries to identify previous owners and uses of the site.

A REC is defined as "the presence or likely presence of any hazardous substances or petroleum products on a site under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the site or into the ground, groundwater, or surface water of the site. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de minimis conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions.

The Phase I Environmental Site Assessment described in the remainder of this document consisted of an inspection of the target property, a review of the history of the site, a review of environmental data sources maintained by Federal, State and Tribal agencies, and of the physical setting of the target property.

This assessment has revealed one Recognized Environmental Conditions (RECs) regarding the subject property, which is florescent light ballasts observed on the first and second floors. Due to the unstable condition of the structure and heavy debris, these ballasts could not be reached and analyzed as PCB ballasts. However, since the EPA banned PCBs in 1979, and the schoolhouse shut-down shortly thereafter, it is reasonable to conclude these ballasts contain PCBs.

## **2.0 INTRODUCTION**

### **2.1 Purpose**

The assessment was designed to provide an objective, independent, professional opinion of the potential environmental risks, if any, associated with the subject property. The purpose of this environmental assessment was to identify recognized environmental conditions at the subject property. "Recognized environmental conditions" means the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. The term is not intended to include de minimis conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions.

The identification of recognized environmental conditions in connection with the subject property may impose an environmental liability on owners or operators of the site, reduce the value of the site, or restrict the use or marketability of the site, and therefore, further investigation may be warranted to evaluate the scope and extent of potential environmental liabilities.

### **2.2 Scope of Services**

This assessment was performed in accordance with the scope of services outlined in the American Society for Testing and Materials (ASTM) E 1527-21, Standard Practice for Environmental Site Assessments. There are no exceptions or deletions from the ASTM Practice E 1527-21. Hart Environmental Resources performed the services, for the Phase I Environmental Site Assessment, in a manner consistent with the level of care and skill ordinarily exercised by firms similar to Hart Environmental Resources, which are currently providing similar services. The scope of this assessment includes the following:

- Records Review - Review of records (environmental database, local and state records, historical records, etc.).
- Site Reconnaissance - A visit and inspection of the subject property.
- Interviews - Interviews conducted with present and past owners (if feasible), operators and occupants of the subject property; and with local and/or state government officials.
- Report Preparation - the evaluation of information and the preparation of the report including the findings, conclusions and recommendations, if any, for additional investigation(s). Typically, a Phase I ESA does not include sampling or testing of air, soil, groundwater, surface water, or building materials. These activities would be carried out in a Phase II ESA, if warranted.

### **2.3 Significant Assumptions**

There is a possibility that even with the proper application of these methodologies that there may be conditions that exist on the subject property that could not be identified within the scope of the assessment or which were not reasonably identifiable from the available information. Hart

Environmental Resources believes that the information obtained from the record review and the interviews concerning the subject property is reliable. However, Hart Environmental Resources cannot and does not warrant or guarantee that the information provided by these sources is accurate or complete. The methodologies of this assessment are not intended to produce all-inclusive or comprehensive results, but rather to provide the User with information relating to the subject property.

#### **2.4 Special Terms and Conditions**

This report was prepared in accordance to ASTM E1527-21 protocol. Performance of the Phase I ESA included a visual inspection of adjacent and nearby properties. It did not, however, include a physical presence onto all the adjacent and nearby sites.

#### **2.5 Limitations and Exceptions of Assessment**

Hart Environmental Resources warrants that the work performed was conducted in accordance with ASTM Designation: E 1527-21 Standard Practice for Environmental Site Assessments, as well as generally accepted standards of competent professionals practicing in the area of environmental site assessments.

This report has been prepared for the exclusive use of the Users, and should not be reproduced or disseminated without the written approval of Hart Environmental Resources and the User. Hart Environmental Resources has retained a copy of this report. No additions or deletions are permitted without the express written consent of Hart Environmental Resources. Use of this report in whole or in part by parties other than the Users is prohibited.

#### **2.6 Data Gaps**

Based on the information obtained during this Phase I ESA, it is the professional opinion of Hart Environmental Resources that historical data failure, as defined in the ASTM guidelines, has occurred in attempting to document the history of the subject property back to earlier of the first developed usage of the property in five-year increments. However, based on the information obtained, the lack of documentation is not deemed critical and did not affect the ability to identify potential REC(s) associated with the subject property. There are no other data gaps associated with this report.

#### **2.7 Previous Environmental Assessments**

No previous environmental assessments are known.

#### **2.8 User Reliance**

This report is for the use and benefit of, and may be relied upon by Client and any of its affiliates, and third parties authorized by Client and Hart Environmental Resources, including the lender(s) in connection with a secured financing of the property, and their respective successors and assigns.

### **3.0 SITE DESCRIPTION**

#### **3.1 Location and Legal Description**

The target property is located at 420 West Columbus Street, West Liberty, Ohio. The property is situated on one parcel, which is 20-144-12-07-006-000. The legal description is “0004 104 105 106”.

#### **3.2 Site and Vicinity Characteristics**

Total acreage for the site is 0.550 acres, according to a measurement from Google Maps. This area of West Liberty is residential homes. The site has land use code of “499-Other Commercial Structures”. The subject site is basically flat, with a slight gradient to the southwest.

#### **3.3 Structures, Roads, and other Improvements on Site**

There is one structure on the site, which is a 6,216 sq. ft. stone building, that was built in 1916. An asphalt parking lot is found to the east of the building. Access to the property is from West Columbus Street, to the south, and an alley, to the east.

#### **3.4 Environmental Liens or Specialized Knowledge or Experience**

No environmental liens or specialized environmental knowledge or experience is known.

#### **3.5 Current Uses of Property**

The property is currently vacant.

#### **3.6 Past Uses of Property**

The property was a school from 1916 to the 1980s. Then it was used as a storage facility.

#### **3.7 Current Uses of Adjoining Properties**

West Columbus Street borders the target property to the south. Adjacent to the south are residential homes. To the west is the former West Liberty High School, which is now a vacant building. To the north is a vacant lot, which was formerly the parking lot for the high school. To the east is an alley, followed by residential homes.



## 4.0 RECORDS REVIEW

A review was made of publicly available records. The following environmental databases were searched within the ASTM mandated search distance from the subject property.

### 4.1 Standard Environmental Record Sources, Federal and State

#### 4.1.1 Target Property

No Environmental Records are associated with the target property.

#### 4.1.2 Surrounding Properties

Environmental databases were searched for properties within the mandated ASTM radius from the subject site. The following records were found for nearby sites.

##### 4.1.2.1 CERCLIS NFRAP

The CERCLIS sites with No Further Remedial Action Planned (NFRAP) from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. There is one site within approximately 0.5 miles of the target property.

#	Name	Address	Elev.	Dist. (mi)	Direction	Status <sup>1</sup>
1	Hobart Corp W. Liberty Plant	Co Rd 189 ½ mile off 68	↓	0.259	ESE	NFRAP

<sup>1</sup> Status NFRAP = No Further Remedial Action Planned

*This site received state funding in 1990 to clean-up the property. This down-gradient site should have no impact to the target property.*

##### 4.1.2.2 SEMS 8R Archived Sites

SEMS sites with No Further Remedial Action Planned (NFRAP) from the EPA which has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. There is one site within approximately 0.5 miles of the target property.

#	Name	Address	Elev.	Dist. (mi)	Direction
1	Hobart Corp W. Liberty Plant	Co Rd 189 ½ mile off 68	↓	0.259	ESE

<sup>1</sup> Status NFRAP = No Further Remedial Action Planned

*This site received state funding in 1990 to clean-up the property. This down-gradient site should have no impact to the target property.*

##### 4.1.2.3 RCRA NonGen

RCRAInfo is EPA's comprehensive information system, providing access to data supporting The Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the

Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste. There is one site within approximately 0.25 miles of the target property.

#	Name	Address	Elev.	Dist. (mi)	Dir.	Status <sup>1</sup>	Compliance
1	Holdren Brothers Inc.	301 Runkle St.	↓	0.198	SE	NV/I	

<sup>1</sup> Status V = Violation NV/I = No Violation/Inspection

*The above down-gradient site has not had any RCRA violations, and should have no impact to the target property.*

#### 4.1.2.4 LUST-OH

The Leaking Underground Storage Tank Incident Reports contain an inventory of reported actual or possible leaking underground storage tank incidents. The data come from the Department of Commerce Division of State Fire Marshal's List of Reported Petroleum Underground Storage Tank Release Incidents. There are four sites within approximately 0.5 miles of the target property.

#	Name	Address	Elev	Dist. (mi)	Direction	Status <sup>1</sup>
1	Wagner Prop	202 N. Detroit St.	↓	0.246	E	NFA
2	Wagner Prop	W. Columbus & Detroit St.		0.256	E	
3	Millers Marathon	207 N. Detroit St.		0.257	E	
4	Liberty Oil & Gas	122 S. Detroit PO Box 815		0.292	ESE	

<sup>1</sup> Status NFA = No Further Action TR1 = Tier 1 Source Investigation DIS = Leak Disproved CLO = Closure

*All the above sites have been given a "No Further Action" status from the State Fire Marshal's Office (BUSTR). All these down-gradient sites are in a direction and distance that none of these leak incidents should impact the target property. (The EPA is also tracking this information in their EPA LUST database, which is referenced in the Envirosite Government Records Report in appendix 5.)*

#### 4.1.2.5 HIST LF-LD-OH

Database developed from Ohio EPA staff notebooks and other information dating from the mid-1970s. There is one site within approximately 0.5 miles of the target property.

#	Name	Address	Elev.	Dist. (mi)	Direction
1	West Liberty Dump	40.15.30, 83.45.13	↓	0.499	ENE

*The above down-gradient site has not had any RCRA violations, and should have no impact to the target property.*

#### 4.1.2.6 DEBRIS EPA SWRCY

EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris. There is one site within approximately 0.5 miles of the target property.

#	Name	Address	Elev.	Dist. (mi)	Direction
1	Villag of West Liberty	201 N. Detroit St.	↓	0.257	E

*The above down-gradient site has not had any RCRA violations, and should have no impact to the target property.*

## **4.2 Physical Setting**

### **4.2.1 Topography/Surface Features**

The site is basically flat, with a slight gradient to the southwest. The majority of storm runoff would flow in this direction.

### **4.2.2 Soils**

According to the web soil survey for the USDA Natural Resources Conservation Service (in appendix 1.7) there are two soil types for this property, which are composed of the following:

<b>Soil Type</b>	<b>%</b>	<b>Description</b>
Elliott Silt Loam, 2 to 6% slopes	0.4	Loamy outwash, well drained
Miamian Silt Loam, 12 to 18 % slopes, eroded	99.6	Loess over loamy till, well drained
<b>Total</b>	100.0	

### **4.2.3 Hydrogeology**

According to the Logan County Health Department, groundwater flow for the area is in a general southwest direction. There is no known groundwater contamination in the immediate area. This site is connected to a municipal water supply. Various Federal, State and Local agencies maintain groundwater well records. Information on these wells is found in the environmental database report, in appendix 5, beginning on page 97.

### **4.2.4 Zoning/Flood Zone**

This site is zoned commercial. It is in flood zone X, which is an area of minimal flood hazard. A copy of the FEMA flood map is in Appendix 1.

### **4.2.5 Radon**

The Ohio EPA files contain 473 readings within the 43357-zip code. The average radon reading for below ground levels is 11.4 pCi/L, which is higher than the EPA regulatory limit of 4.0 pCi/L. The structure does have a poorly ventilated basement.

## **4.3 Historical Use Information**

The history of the site was developed based on interviews with the Logan County government offices. An examination of historical aerial photographs, and Sanborn Maps (if available). City Directories were not ordered as this is a residential neighborhood

#### **4.3.1 Aerial Photographs**

1959 – The earliest aerial photograph is blurry, but shows the target site as it stands today. The schoolhouse was built in 1916. The adjoining to the west is the West Liberty High School, which was built in 1955. The other adjoining properties are residential homes.

1972, 1981, 1989, 1994, 2000, 2004, 2006, 2011, 2016, 2021 – The target property and adjacent sites are like those of today.

#### **4.3.2 Sanborn Maps**

Two Sanborn Maps were found from 1927 and 1948. The schoolhouse was built in 1916, and has not changed. Very little has changed concerning the adjoining properties from 1927 to today, with the exception the West Liberty High School was rebuilt in 1955, in the exact same location.

#### **4.3.3 City Directories**

City Directories were not ordered for this site since the target site has not changed since 1916.

#### **4.3.4 City Directories for Adjoining Properties**

City Directories were not ordered for adjoining properties since they are residential homes.




#### **4.3.5 Historical Topographic Maps**

Historic topographic maps provide information related to physical land configuration such as elevation, ground slope, surface water and other features. While most buildings in densely developed urban center are not depicted, topographic maps typically show structures equal to or larger than the size of a single-family residence in rural areas. Other notable features such as woods, pipelines, and municipal boundaries are often marked on topographic maps.

There were several historical topographic maps found from 1915, 1944, 1950, 1960, 1962, 1966, 1986 and 1992. The 1986 map does not show structures, but rather the West Liberty street layout. The 1950, 1962, 1966, and 1992 maps also do not show structures, but do indicate the target site and surrounding area has been developed. The 1915, 1944, and 1960 maps do show a single structure on the target site.

#### **4.3.6 Ownership History**

The following property deed transfers were found for ownership in the Logan County Recorder's website. The website does not display the actual deed, only the metadata concerning the deed. A certified title search will be conducted separate from this assessment by a title search firm.

<b>Date</b>	<b>Previous Owner</b>	<b>Current Owner</b>	<b>Deeds Found</b>
<b>Parcel Number XXXX</b>			
Unk	Unknown	Ziessler John J and Doris A	
23 Dec 96	Ziessler John J and Doris A	Twelve Baskets Ministries Inc	
20 Dec 17	Twelve Baskets Ministries Inc	O'Donnell Scott D	

## **5.0 INFORMATION FROM SITE RECONNAISSANCE**

The site reconnaissance was performed on 28 October, 2024 by Ralph Ranard. The subject site is located at 420 West Columbus Street, West Liberty, Ohio. The facility is currently closed, but was a former school building till the 1980s, then a storage facility.

### **5.1 Hazardous Substance and/or Petroleum Products with Identified Uses**

None was observed.

### **5.2 Hazardous, Petroleum and/or Unidentified Substance in Unidentified Containers**

None was observed.

### **5.3 Storage Tanks**

No above ground or underground storage tanks, or vent pipes, to indicate the presence of USTs, were observed.

### **5.4 Indication of PCBs**

Florescent light ballasts were observed in a few areas inside the school. The school has been abandoned since the early 1980s and due to the heavy debris, and the roof, attic and second floor collapse inside the building, none of the light fixtures could be safely reached. Most of the first rooms could not even be observed, due to unstable conditions in the rooms and hallway. The basement was the only floor that could be completely observed, and it had no light ballast fixtures. The light ballasts fixtures were observed on the first floor, and could be seen on the second floor where the ceiling had collapsed. PCBs were banned by the EPA in 1979. Since ballasts could last for several years while in use, it is reasonable to accept that the ballasts inside the building contain PCBs. Estimate six rooms per floor, with ten light ballast fixtures per room, for a total of 120 PCB ballasts in the school. In addition, there are many mercury-vapor containing light bulbs that need proper disposal.

### **5.5 Indications of Solid Waste Disposal or Hazardous Substance/Petroleum Releases**

There were no signs of solid waste disposal or hazardous substance/petroleum release.

### **5.6 Structures**

One structure, built in 1916, is on the property.

### **5.7 Drains and Sumps**

Due to the heavy debris and ceiling collapse, most of the floor area was not observable. From the area that was safe to enter and had unobstructed floors, no floor drains were observed. There was one storm drain found on the east side of the building. It had a lot a vegetation growth inside the drain, but had no odors.

## **5.8 Utilities**

The structure is connected to public utilities, although they have been disconnected since the early 1980s. No septic systems or cesspools are present on the property.

## **5.9 Waste Water**

Only domestic wastewater, handled by the municipal sanitary system, was generated at the site.

## **5.10 Wells**

No monitoring or drinking wells were observed.

## **5.11 Pits, Ponds, Lagoons**

No standing surface water or pools containing liquids likely to be hazardous substances or petroleum products were observed.

## **5.12 Stained Soil/Distressed Vegetation**

No distressed vegetation, stained soil or stained pavement was observed.

## **5.13 Odors**

No odors were detected indicative of potential RECs at the site.

## **5.14 Drums**

None were observed.

## **5.15 Vapor Intrusion**

Vapor intrusion involves the potential for chemicals in soil or groundwater to volatilize, enter buildings and create indoor air quality concerns. The previous activities at the target property and adjacent sites did not involve volatile solvents. Vapor intrusion is not viewed as an issue.

## *Non-ASTM Items*

## **5.16 Asbestos**

H&H Environmental performed an asbestos survey of the building in May 2022. Several areas of the school tested positive for asbestos to include the transite roof, 9" x 9" floor tiles and mastic, ceiling tiles, TSI pipe insulation and transite ceiling/electrical panel material. The survey is in appendix 7.

## **5.17 Lead-based Paint**

As the structure was built in 1916, lead-based paint may be present.

### **5.18 Lead Solder**

Galvanized piping was found in the basement. No copper piping was found, and no lead solder was observed.

### **5.19 Microbial Contamination (Mold)**

Several areas in the basement displayed the visual presence of mold on the walls and debris content.

### **5.20 Wetlands**

There are no wetlands, or vegetation associated with wetlands, on the property.

## **6.0 INFORMATION FROM INTERVIEWS**

### **6.1 West Liberty Village Property Managers**

Ms. Cindy Boyd, the current Village of West Liberty Clerk, provided input for this report, and Mr. Bill Detrick, the West Liberty Street Supervisor, provided the on-site walkthrough. Mr. Detrick stated this site was last used as a schoolhouse in the early 1980s. Thereafter, it was used as a storage facility. He said he had not entered this building for almost a year, and was surprised at the extent of further roof collapse inside the structure. He stated there were only a few areas inside the structure that were reasonably safe to enter. Mr. Detrick said in the early days of the school it was heated with a coal boiler, but when the High School was built as the adjoining property in 1955, the boiler was removed. The High School contained several boilers and ran a steam pipe underground to the schoolhouse. Mr. Detrick opened the steam pipe access portal between the buildings, and the steam pipe was wrapped in fiberglass insulation. In addition, he pointed out the windows in the schoolhouse were replaced shortly before the schoolhouse closed. From a distance they appear to be vinyl windows. Mr. Detrick stated that currently Mr. Scott O'Donnell owns the property, but has given permission for the Village of West Liberty to manage the property. The long-term goal is to have the building demolished, and then turn-over the property to the Village. Other than the asbestos in the building, Mr. Detrick, nor Ms. Boyd, have any additional environmental concerns with this property.

### **6.2 Logan County Health Department**

According to the Logan County Health Department, there are no known drinking water problems with the subject site or adjacent properties. The subject site is connected to a municipal drinking water supply, although it has been shut-off since the 1980s.

### **6.3 Fire Department**

The West Liberty Volunteer Fire Department was contacted for a review of their records for the site. The focus of the inquiry was for tanks, spills, fires, or hazmat incidents at the site. The focus excluded medical runs or false fire alarms. Fire Chief Darin Leach stated he was unaware of any hazardous issues with the schoolhouse, with the exception of the asbestos and the unstable condition of the structure. He said no records of any emergency runs, or USTs, were found for the property.

### **6.4 Logan County Emergency Management Office**

The Emergency Management Office for Logan County was contacted for a review of their records for the site. None were found.

### **6.5 Ohio EPA Southwest District Office**

The Ohio EPA Southwest District Office was contacted for a review of their records. They did not have any additional information on this site. A further review of the Ohio eDocuments database did not turn-up any additional documents.



## **7.0 FINDINGS & OPINIONS**

The target property contains a two-story schoolhouse building, built in 1916. The building has not been used as a schoolhouse since the early 1980s. In later years it was used as a storage facility. The structure is in dangerous condition as the roof has collapsed down into the first floor, and the first floor is unstable. In addition, large heavy stones are falling off the west side of the exterior of the building.

No hazardous waste is used or generated. No above ground or underground storage tanks were observed on the property. There are no records of any storage tanks existing at the site.

There were no signs of oil spillage, distressed vegetation or stained soil. The inside of the building was full of building debris from the roof collapse. The building was used as a storage facility before the roof collapse, and has a lot of destroyed items throughout the structure. The Logan County Health Department knows of no contamination of the groundwater supply in the immediate area. The site is connected to a municipal water supply, although it has been turned-off since the 1980s. The site is in a minimal hazard flood zone. It does not contain wetlands.

The subject site has no environmental records associated with activities conducted at the facility. There are several nearby sites with environmental records. None, though, should have an impact on the subject property.

## **8.0 CONCLUSIONS**

Hart Environmental Resources has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-21 of the property located at 420 West Columbus Street., West Liberty, Ohio. Any exceptions to or deletions from this practice are described in Section 2.5 of this report.

This assessment has revealed one Recognized Environmental Conditions (RECs) regarding the subject property, which is florescent light ballasts observed on the first and second floors. Due to the unstable condition of the structure and heavy debris, these ballasts could not be reached and analyzed as PCB ballasts. However, since the EPA banned PCBs in 1979, and the schoolhouse shut-down shortly thereafter, it is reasonable to conclude these ballasts contain PCBs.

# **APPENDIX 1**

## **SITE MAPS**

**Street Map**  
**Appendix 1.1**



**420 West Columbus Street**  
**West Liberty, Ohio 43357**

County Auditor Map Appendix 1.2



20-144-12-07-006-000

420 West Columbus Street  
West Liberty, Ohio 43357  
is comprised of one parcel  
for a total of 0.550 acres

Aerial Map  
Appendix 1.3



# National Flood Hazard Layer FIRMette



83°45'58"W 40°15'27"N



Basemap Imagery Source: USGS National Map 2023

## FEMA Map Appendix 1.4



### Legend

SEE THIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL 1

**SPECIAL FLOOD HAZARD AREAS**  
 Without Base Flood Elevation (BFE) Zone A, Zone X  
 With BFE or Depth Zone AE, AO, AH, Regulatory Floodway

0.2% Annual Chance Flood Hazard of 1% annual chance flood with a depth less than one foot or with areas of less than one square mile

Future Conditions 1% Annual Chance Flood Hazard Zone X  
 Area with Reduced Flood Risk due to Levee. See Notes. Zone X  
 Area with Flood Risk due to Levee

**OTHER AREAS OF FLOOD HAZARD**

NO SCREEN Area of Minimal Flood Hazard Zone X  
 Effective LOMRS

Area of Undetermined Flood Hazard Zone D

**GENERAL STRUCTURES**  
 Channel, Culvert, or Storm Sewer  
 Levee, Dike, or Floodwall

Cross Sections with 1% Annual Chance Water Surface Elevation

Coastal Transect

Base Flood Elevation Line (BFE)

Limit of Study

Jurisdiction Boundary

Coastal Transect Baseline

Profile Baseline

Hydrographic Feature

Digital Data Available

No Digital Data Available

Unmapped

**MAP PANELS**



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps. If it is not used as described below, the basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 10/19/2024 at 9:58 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

# National Wetlands Inventory Map Appendix 1.5



420 W. Columbus St., West Liberty



U.S. Fish and Wildlife Service  
National Wetlands Inventory



U.S. Fish and Wildlife Service National Wetlands Inventory  
West Liberty, WV

This map is for general reference only. The U.S. Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

- Wetlands**
-  Estuarine and Marine Deepwater
  -  Estuarine and Marine Wetland
  -  Freshwater Emergent Wetland
  -  Freshwater Forested/Shrub Wetland
  -  Freshwater Pond
  -  Lake
  -  Other
  -  Riverine

October 19, 2024

National Wetlands Inventory (NWI)  
This page was produced by the NWI mapper



Topo Map  
Appendix 1.6



1,109 ft

1,132 ft

1,136 ft



1,109 ft



1,110 ft


1,099 ft

1,095 ft

1,088 ft

1,089 ft

Hist. Topo Map  
Appendix 1.7



Edition of 1915

40'15"  
83'45"

Mechanics

BELLEFONTAINE, Ohio

1915



40 83°45' 1:50,000 FT.

ARMY MAP SERVICE, U.S. ARMY, WASHINGTON, D.C. (1088) 1044

6/44 SX

LEGEND



LOGGED OFF



BRUSH


(MECHANICSBURG)

BELLEFONTAINE, OHIO

N4015.W8345/15

1944


L  
P  
D  
R



1950



1960



McKee

NEW YORK

68

508

NEW YORK

Mad

T5R13



275

West Liberty

1100

River




Detwiler  
1100 (Private)

507


Mad

1100

1962



1966



1986



Fairview  
Cem

68

West  
Liberty



1992



## Custom Soil Resource Report for:

*420 West Columbus Street  
West Liberty, Ohio 43357*




United States  
Department of  
Agriculture

**NRCS**

Natural  
Resources  
Conservation  
Service

A product of the National  
Cooperative Soil Survey, a  
joint effort of the United  
States Department of  
Agriculture and other  
Federal agencies, State  
agencies including the  
Agricultural Experiment  
Stations, and local  
participants












# Logan County, Ohio



# Custom Soil Resource Report Soil Map



## MAP LEGEND

- Area of Interest (AOI)**
  -  Area of Interest (AOI)
- Soils**
  -  Soil Map Unit Polygons
  -  Soil Map Unit Lines
  -  Soil Map Unit Points
- Special Point Features**
  -  Blowout
  -  Borrow Pit
  -  Clay Spot
  -  Closed Depression
  -  Gravel Pit
  -  Gravelly Spot
  -  Landfill
  -  Lava Flow
  -  Marsh or swamp
  -  Mine or Quarry
  -  Miscellaneous Water
  -  Perennial Water
  -  Rock Outcrop
  -  Saline Spot
  -  Sandy Spot
  -  Severely Eroded Spot
  -  Sinkhole
  -  Slide or Slip
  -  Sodic Spot

## MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

**Warning:** Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
 Web Soil Survey URL:  
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Logan County, Ohio  
 Survey Area Data: Version 22, Aug 28, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 21, 2023—Aug 8, 2023

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
EmB	Eldean silt loam, 2 to 6 percent slopes	0.0	0.4%
MhD2	Miamian silt loam, 12 to 18 percent slopes, eroded	0.5	99.6%
<b>Totals for Area of Interest</b>		<b>0.6</b>	<b>100.0%</b>

# **APPENDIX 2**

## **SITE PLAN**

Site Plan 31 Oct 24

Appendix 2.1

420 West Columbus Street  
West Liberty, Ohio 43357



Vacant Lot

Vacant Former  
School Bldg.

Storm Drain ●

Steam Pipe Access ●

Fallen Stone ●

Residential

West Columbus Street


Residential

**APPENDIX 3**

**SITE**  
**PHOTOGRAPHS**



# Picture Orientation Appendix 3.1



9-15

4

20

3

5

19

6

7

8

2

16

1

17

18



On/Towards Property



Away from Property



1 420 West Columbus Street, West Liberty, Ohio is the site of a former school building, which was built in 1916. The south side of the building.



2 This is a two-story stone building with a full basement. The southeast corner of the building.



3 The northeast corner of the building.




4 The northwest corner of the building.




- 5 On the west side of the building is a storm drain. It has vegetation growing in the drain, but it has no odors.



- 6 The steam pipe access portal between the two schools.



7 On the west side of the building, the stone is pulling away from the structure.



8 The building had replacement windows installed prior to the school closing in the early 1980s.



- 9 The roof, attic, second floor, and part of the first floor have collapsed into the basement. Older light fixtures could not be reached to check the ballasts either due to potential falling materials or too much debris on the floor to place a ladder.



- 10 Ceiling and other debris throughout the structure.



**11** Another room in which the light fixtures could not be reached.



**12** Some florescent light bulbs scattered in the basement.



13 Galvanized piping was seen in the basement. No lead solder was observed.



14 Another collapsed room.





- 15** The second floor hallway. This area was not explored as the floor had large holes under the debris, and was sagging when walked on.



- 16** The adjoining site to the west is the former West Liberty High School. The building is vacant and privately owned.



**17** The adjoining properties to the south, and across West Columbus Street, are residential homes.



**18** The adjoining property to the east is a residential home.



**19** The adjoining properties to the northeast are residential homes.



**20** The adjoining property to the north is a vacant lot that was formerly the parking lot for the two schools.

## **APPENDIX 4**

# **AERIAL PHOTOGRAPHS & SANBORN MAPS**

Aerials  
Appendix 4.1




1959



1972



1981



1989







2000








Image USDA/FPAC/GEO




**2011**



2016



2021





WATER FACILITIES: wells  
FIRE DEPARTMENT: organized volunteer Chief & 8 men, partly paid. Waterworks fire engine 250 gallon wagon, 200 feet water hose, 100 feet 1 1/2 inch hose, 100 feet additional hose, 1 horse team & ladder truck, 2 sets of ladders, 200 feet chain hose, 2 1/2 inch stream, 2 ladders, fire alarm by telephone & bell on town hall, no fire limit, streets mostly paved, grades nearly level. Public lights electric.

### INDEX

STREETS	Block	Block	Block	Block	
Baird	201-222	1	Washington	15-31	
"	203-207	1	"	107-107	
"	207-227	2	White	15-40	
"	201-215	1	SPECIALS		
"	205-244	4	Bethel Memorial Church	2	
Columbus	100-117	1	Christian Church	2	
"	201-220	2	Church of God	2	
"	206-211	2	Chris. J. H. Coal Co.	1	
"	201-208	2	East End Greenhouse	6	
"	207-223	4	Fire Department	1	
Detroit	27-125	3	I. O. O. F. Hall	2	
"	156-246	2	L	2	
Fuson	101-112	1	Long, J. A. Co., The, Produce	2	
"	151-22	1	M	4	
Leonard	201-211	3	Mad River Farmers Exchange Co., The	4	
Liberty	101-112	2	Masonic Hall	3	
			Methodist Episcopal Church	4	
			Methodist Episcopal Church	4	

NOTE: House numbers given are arbitrary.






WEST LIBERTY, OHIO  
NOV. 1948

3

3



## **APPENDIX 5**

# **ENVIRONMENTAL DATA BASE REPORTS**



## Government Records Report | 2024

Order Number: 102379

Report Generated: 10/14/2024

Project Name:

Project Number:

Old School  
420 W Columbus St  
West Liberty, OH 43357

with [Envirosite Atlas](#)

---

Contact us at:  
(866) 211-2028  
[envirositecorp.com](http://envirositecorp.com)

Section	Page
<u>Executive Summary</u> .....	<u>1</u>
<u>Executive Summary by Distance</u> .....	<u>2</u>
<u>Executive Summary by Database</u> .....	<u>3</u>
<u>Property Proximity Map</u> .....	<u>9</u>
<u>Area Map</u> .....	<u>10</u>
<u>Map Findings Summary</u> .....	<u>11</u>
<u>Map Findings</u> .....	<u>18</u>
<u>Unmappable Summary</u> .....	<u>53</u>
<u>Environmental Records Searched</u> .....	<u>54</u>
<u>Geological Landscape Section</u> .....	<u>76</u>
<u>Geological Landscape Section Soil Map</u> .....	<u>79</u>
<u>Geological Landscape Section Summary</u> .....	<u>80</u>
<u>Geological Findings Map</u> .....	<u>99</u>
<u>Geological Landscape Section Map Findings</u> .....	<u>100</u>
<u>Geological Landscape Section Map Findings Radon</u> .....	<u>147</u>
<u>Geological Landscape Records Searched</u> .....	<u>148</u>

### **Disclaimer - Copyright and Trademark Notice**

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of EnviroSite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND EnviroSite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to EnviroSite. EnviroSite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. EnviroSite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of EnviroSite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to EnviroSite, and contain copyrighted material and trademarks of EnviroSite. All other trademarks used herein are the property of their respective owners. All rights of EnviroSite as to the Reports are reserved.

Envirosite Corporation has conducted a search of all reasonably ascertainable records in accordance with EPA's AAI (40 CFR Part 312) requirements and the ASTM E-1527-21 Environmental Site Assessments standard.

**SUBJECT PROPERTY INFORMATION:**

**ADDRESS:**

Old School  
420 W Columbus St  
West Liberty, OH 43357

**COORDINATES:**

Latitude (North):	40.253665 - 40°15'13.2"
Longitude (West):	-83.760832 - -83°45'39"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	265195.39
UTM Y (Meters):	4459569.18
State Plane Coordinates:	3401 - Ohio North (US Survey Feet)
X Coordinate (Feet):	1616570.508 E
Y Coordinate (Feet):	216405.257 N

**ELEVATION:**

Elevation: 1104 ft. above sea level

**USGS TOPOGRAPHIC MAP ASSOCIATED WITH SUBJECT PROPERTY:**

Subject Property Map: 40083-C7 Bellefontaine, OH  
Most Recent Revision: 2019

<u>MAP ID</u>	<u>SITE NAME</u>	<u>ADDRESS</u>	<u>DATABASE(S)</u>	<u>RELATIVE ELEVATION</u>	<u>DIRECTION / DISTANCE</u>
<b>1</b>	HOLDREN BROTHERS INC	301 RUNKLE ST	ECHO, FRS, HIST MANIFEST - NY, RCRA_NONGEN	Lower	SE / 0.198 mi., 1044 ft.
<b>A2</b>	WAGNER PROP	202 N. DETROIT STREET	LUST - OH	Lower	E / 0.246 mi., 1301 ft.
<b>A3</b>	WAGNER PROP	W COLUMBUS & DETROIT	EPA LUST, LUST - OH	Lower	E / 0.256 mi., 1352 ft.
<b>A4</b>	Village of West Liberty	201 N Detroit St	DEBRIS EPA SWRCY	Lower	E / 0.257 mi., 1359 ft.
<b>A5</b>	MILLERS MARATHON   MILLER BROTH...	207 N DETROIT ST	ARCHIVE UST - OH, EPA LUST, EPA UST, FRS, ...	Lower	E / 0.257 mi., 1359 ft.
<b>B6</b>	HOBART CORP W LIBERTY PLT	CO RD 189 1 2MI OFF HWY 6...	CERCLIS NFRAP, SEMS_8R_ARCHIVED SITES	Lower	ESE / 0.259 mi., 1370 ft.
<b>B7</b>	LIBERTY OIL & GAS, INC.	122 S DETROIT PO BOX 815	ARCHIVE UST - OH, EPA LUST, EPA UST, LUST ...	Lower	ESE / 0.292 mi., 1543 ft.
<b>8</b>	WEST LIBERTY DUMP	40 15 30, 83 45 13	HIST LF-LD - OH	Lower	ENE / 0.499 mi., 2635 ft.

**SUBJECT PROPERTY SEARCH RESULTS:**

The subject property was not listed in any of the databases searched by EnviroSite Corporation.

**SEARCH RESULTS:**

**FEDERAL CERCLIS LIST**

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013. **1 SITE FOUND WITHIN .5 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B6	HOBART CORP W LIBERTY PLT - ID: OHD065979916	CO RD 189 1/2MI OFF HWY 68 Status: NFRAP-Site does not qualify for the NPL based on existing information	ESE / 0.259 mi., 1370 ft. Date: 1990-02-07	39

SEMS\_8R\_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMs. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. **1 SITE FOUND WITHIN .5 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B6	HOBART CORP W LIBERTY PLT - ID: 0504410	CO RD 189 1/2MI OFF HWY 68 Status: NFRAP-Site does not qualify for the NPL based on existing information	ESE / 0.259 mi., 1370 ft. Date: N/A	39

**FEDERAL RCRA GENERATORS LIST**

RCRA\_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **1 SITE FOUND WITHIN .25 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
1	HOLDREN BROTHERS INC - ID: OHD004299467	301 RUNKLE ST Status: No Violation/Inspections	SE / 0.198 mi., 1044 ft. Date: N/A	18

**FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS**

EPA LUST: Releases listed in the EPA UST Finder database **3 SITES FOUND WITHIN .5 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
A3	WAGNER PROP	W COLUMBUS & DETROIT	E / 0.256 mi., 1352 ft.	23
A5	MILLERS MARATHON   MILLER BROTHERS SOHIO	207 N DETROIT ST	E / 0.257 mi., 1359 ft.	25
B7	LIBERTY OIL & GAS, INC.	122 S DETROIT PO BOX 815	ESE / 0.292 mi., 1543 ft.	42

LUST - OH: Listing of leaking tanks **4 SITES FOUND WITHIN .5 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
A2	WAGNER PROP - ID: 46009949-N00001	202 N. DETROIT STREET Status: Inactive - NFA: No Further Action	E / 0.246 mi., 1301 ft. Date: 1992-06-25	22

**FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)**

LUST - OH: Listing of leaking tanks **4 SITES FOUND WITHIN .5 MILE**

**LOWER ELEVATION (cont.)**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
A3	WAGNER PROP - ID: 46009949-N00001	W COLUMBUS & DETROIT Status: Inactive - NFA: No Further Action	E / 0.256 mi., 1352 ft. Date: 2000-06-20	23
A5	MILLERS MARATHON   MILLER BROTHERS SOHIO - ID: 46000203-N00001	207 N DETROIT ST Status: Inactive - NFA: No Further Action	E / 0.257 mi., 1359 ft. Date: 2001-04-23	25
B7	LIBERTY OIL & GAS, INC. - ID: 46000061-N00001 - ID: 46000061-N00002	122 S DETROIT PO BOX 815 Status: Inactive - NFA: No Further Action Status: Inactive - NFA: No Further Action	ESE / 0.292 mi., 1543 ft. Date: 2003-10-31 Date: 2008-07-24	42

**STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS**

HIST LF-LD - OH: Database developed from Ohio EPA staff notebooks and other information dating from the mid-1970s. **1 SITE FOUND WITHIN .5 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
8	WEST LIBERTY DUMP	40 15 30, 83 45 13	ENE / 0.499 mi., 2635 ft.	51

**OTHER ASCERTAINABLE RECORDS**

DEBRIS EPA SWRCY: EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris. **1 SITE FOUND WITHIN .5 MILE**

**LOWER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
A4	Village of West Liberty	201 N Detroit St	E / 0.257 mi., 1359 ft.	24

No unmappable sites reported.

**DATABASE(S) WITH NO MAPPED SITES:**

**FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS**

AST PBS	ASTs at Bulk Petroleum Terminals
EPA UST	EPA UST Finder database
FEMA UST	FEMA Underground Storage Tanks
HIST INDIAN UST R4	Historical Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN UST R6	Historical Underground Storage Tanks on Indian Land in EPA Region 6
HIST INDIAN UST R7	Historical Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN UST R1	Underground Storage Tanks on Indian Land in EPA Region 1
INDIAN UST R10	Underground Storage Tanks on Indian Land in EPA Region 10
INDIAN UST R2	Underground Storage Tanks on Indian Land in EPA Region 2
INDIAN UST R4	Underground Storage Tanks on Indian Land in EPA Region 4
INDIAN UST R5	Underground Storage Tanks on Indian Land in EPA Region 5
INDIAN UST R6	Underground Storage Tanks on Indian Land in EPA Region 6
INDIAN UST R7	Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN UST R8	Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN UST R9	Underground Storage Tanks on Indian Land in EPA Region 9
ARCHIVE UST - OH	Archived Underground Storage Tanks
UST - OH	Underground Storage Tanks



**FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST**

ARCHIVED RCRA TSDF	Archived Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities
RCRA_TSDF	Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities

**FEDERAL CERCLIS LIST**

CERCLIS-HIST	Comprehensive Environmental Response Compensation and Liability Act
EPA SAA	EPA Superfund Alternative Approach
FEDERAL FACILITY	Federal Facility sites
SEMS_8R_ACTIVE SITES	Sites on SEMS Active Site Inventory

**FEDERAL RCRA CORRACTS FACILITIES LIST**

CORRACTS	Hazardous Waste Corrective Action
HIST CORRACTS 2	Historical Hazardous Waste Corrective Action

**FEDERAL DELISTED NPL SITE LIST**

DELISTED NPL	Delisted National Priority List
DELISTED PROPOSED NPL	Delisted proposed National Priority List
SEMS_DELETED NPL	Sites Deleted from National Priorities List

**FEDERAL RCRA GENERATORS LIST**

EJ HAZ WASTE	Hazardous Waste Facilities
HIST RCRA_CESQG	Historical Resource Conservation and Recovery Act_Conditionally Exempt Small Quantity Generators
HIST RCRA_LOG	Historical Resource Conservation and Recovery Act_ Large Quantity Generators
HIST RCRA_NONGEN	Historical Resource Conservation and Recovery Act_Non Generators
HIST RCRA_SQG	Historical Resource Conservation and Recovery Act_Small Quantity Generators
RCRA_LOG	Resource Conservation and Recovery Act_ Large Quantity Generators
RCRA_SQG	Resource Conservation and Recovery Act_Small Quantity Generators
RCRA_VSQG	Resource Conservation and Recovery Act_Very Small Quantity Generator

**FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS**

EPA LF MOP	EPA Landfill Methane Outreach Project Database
------------	--

**FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS**

HIST INDIAN LUST R4	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN LUST R8	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land in EPA Region 1
INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land in EPA Region 10
INDIAN LUST R2	Leaking Underground Storage Tanks on Indian Land in EPA Region 2
INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land in EPA Region 4
INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land in EPA Region 5
INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land in EPA Region 6
INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land in EPA Region 9
LAST - OH	Leaking Aboveground Storage Tanks
UNREG LTANKS - OH	Oil and Other releases

**FEDERAL ERNS LIST**

ERNS	Emergency Response Notification System
------	--

**FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES**

FED E C	Engineering Controls
FED I C	Institutional Controls
RCRA IC_EC	RCRA sites with Institutional and Engineering Controls

**FEDERAL NPL SITE LIST**

NPL	National Priority List
NPL EPA R1 GIS	GIS for EPA Region 1 NPL
NPL EPA R3 GIS	GIS for EPA Region 3 NPL
NPL EPA R6 GIS	GIS for EPA Region 6 NPL
NPL EPA R8 GIS	GIS for EPA Region 8 NPL
NPL EPA R9 GIS	GIS for EPA Region 9 NPL
PART NPL	Part National Priority List
PROPOSED NPL	Proposed National Priority List
SEMS_FINAL NPL	Sites included on the Final National Priorities List
SEMS_PROPOSED NPL	Sites Proposed to be Added to the National Priorities List

**STATE AND TRIBAL BROWNFIELD SITES**

TRIBAL BROWNFIELDS	Tribal Brownfields
BROWNFIELDS - OH	Brownfields

**STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES**

E C - OH	Engineering Controls
I C - OH	Institutional Controls
IC LUC - OH	Land Use and Institutional Control

**STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS**

HIST LF - OH	Historical Landfills
SWF/LF - OH	Solid Waste Facilities and Landfills

**STATE AND TRIBAL VOLUNTARY CLEANUP SITES**

VCP - OH	Voluntary Cleanup Program
----------	---------------------------

**LOCAL BROWNFIELD LISTS**

BROWNFIELDS-ACRES	EPA ACRES Brownfields
EJ BROWNFIELDS	Brownfields Sites
FED BROWNFIELDS	Federal Brownfields
HIST FED BROWNFIELDS	Historical Federal Brownfields

**LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES**

FED CDL	DOJ Clandestine Drug Labs
US HIST CDL	Historical Clandestine Drug Labs

**LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES**

HIST INDIAN ODI R8	Historical Open Dump Inventory
INDIAN ODI R8	Open Dump Inventory
ODI	Open Dump Inventory
TRIBAL ODI	Indian Open Dump Inventory Sites
SWRCY - OH	Solid Waste Recycling

**RECORDS OF EMERGENCY RELEASE REPORTS**

HMIRS (DOT)	Hazardous Materials Information Reporting Systems
SPILLS - OH	Emergency Response Database

**LOCAL LAND RECORDS**

LIENS 2	CERCLA Lien Information
---------	-------------------------

**OTHER ASCERTAINABLE RECORDS**

AFS	Air Facility Systems
ALT FUELING	Alternative Fueling Stations
ARENAS	ARENAS
ARENAS 2	ARENAS (additional)
BRS	Biennial Reporting Systems
CHURCHES	CHURCHES
COAL ASH DOE	Coal Ash: Department of Energy
COAL ASH EPA	Coal Ash: Environmental Protection Agency

**OTHER ASCERTAINABLE RECORDS (cont.)**


COAL GAS	Coal Gas Plants
COLLEGES	COLLEGES
COLLEGES 2	COLLEGES 2
CONSENT (DECREES)	Superfund Consent Decree
CORRECTIVE ACTIONS_2020	Wastes - Hazardous Waste - Corrective Action
DAYCARE	DAYCARE
DEBRIS EPA LF	EPA Disaster Debris Landfill Sites
DOD	Department of Defense
DOT OPS	Department of Transportation Office of Pipeline Safety
ECHO	EPA Enforcement and Compliance History Online
EJ CHURCH	CHURCHES
EJ HOSPITALS	Hospitals List
EJ SCHOOLS	Schools List
EJ TOXIC RELEASE	Toxic Release Inventory
ENOI	Electronic Notice of Intent
EPA FUELS	EPA Fuels Registration, Reporting, and Compliance List
EPA OSC	EPA On-Site Coordinator
EPA WATCH	EPA Watch List
FA HWF	Financial Assurance for Hazardous Waste Facilities
FEDLAND	Federal Lands
FRS	Facility Index Systems
FTTS	FIFRA/TSCA Tracking System
FTTS INSP	FIFRA/TSCA Tracking System: Inspections
FUDS	Formerly Used Defense Sites
GOV MANSIONS	Governors Mansions
HIST AFS	Historical Air Facility Systems
HIST AFS 2	Historical Air Facility Systems
HIST DOD	Department of Defense historical sites
HIST LEAD_SMELTER	Historical Lead Smelter Sites
HIST MLTS	Historical Material Licensing Tracking Systems
HIST PCB TRANS	Historical Polychlorinated Biphenyl (PCB) Facilities
HIST PCS ENF	Historical Enforced Permit Compliance Facilities
HIST PCS FACILITY	Historical Permit Compliance Facilities
HIST SSTS	Historical Section 7 Tracking Systems
HOSPITALS	HOSPITALS
HWC DOCKET	Hazardous Waste Compliance Docket
ICIS	Integrated Compliance Information System
INACTIVE PCS	Inactive Permit Compliance Facilities
INDIAN RESERVATION	American Indian Lands
LUCIS	Land Use Control Information Systems
LUCIS 2	Land Use Control Information Systems 2
MANIFEST EPA	EPA Hazardous Waste Manifests
MGP	Manufactured Gas Plant Sites
MINE OPERATIONS	Mines list from USGS
MINES	Mines
MINES USGS	Mines list from USGS
MLTS	Material Licensing Tracking Systems
NPL AOC	Areas related to NPL remediation sites
NPL LIENS	National Priority List Liens
NURSING HOMES	NURSING HOMES
PADS	PCB Activity Database Systems
PCB TRANSFORMER	Polychlorinated Biphenyl (PCB) Waste
PCS ENF	Enforced Permit Compliance Facilities
PCS FACILITY	Permit Compliance Facilities
PFAS FED SITES	PFAS Federal Sites
PFAS INDUSTRY	PFAS Industry
PFAS MANIFEST	PFAS Manifest
PFAS NPL	PFAS NPL Sites

**OTHER ASCERTAINABLE RECORDS (cont.)**

PFAS PROD	PFAS Production
PFAS SPILLS	PFAS Spill Sites
PFAS TRIS	PFAS TRIS Sites
PFAS UCMR3	PFAS UCMR Samples
PFAS WQP	PFAS Water Quality Portal
PRISONS	PRISONS
RAATS	RCRA Administrative Action Tracking Systems
RADINFO	Radiation Information Systems
RMP	Risk Management Plans
ROD	Record of Decision
SCHOOLS PRIVATE	SCHOOLS PRIVATE
SCHOOLS PUBLIC	SCHOOLS PUBLIC
SCRD DRYCLEANERS	SCRD Drycleaners
SEMS_SMELTER	Sites on SEMS Potential Smelter Activity
SSTS	Section 7 Tracking Systems
STORMWATER	Storm Water Permits
TOSCA-PLANT	Toxic Substance Control Act: Plants
TRIS	Toxic Release Inventory Systems
UMTRA	Uranium Mill Tailing Sites
VAPOR	EPA Vapor Intrusion
AIRS - OH	Air Permits
COAL ASH - OH	Coal Ash Disposal Facilities
COAL ASH 2 - OH	Coal Ash Disposal Facilities
CRO - OH	Cessation of Regulated Operations
DAYCARE - OH	Daycare listing
DERR - OH	Division of Emergency & Remedial Response's Database
DRYCLEANERS - OH	Drycleaners
HIST NPDES - OH	Historical National Pollutant Discharge Elimination System
HIST USD - OH	Urban Setting Designation Sites: Withdrawn
MINES - OH	Coal & Industrial Mines
MINES 2 - OH	Coal Mine openings
MINES AUM - OH	Abandoned Mines
NPDES - OH	State Wastewater and NPDES Permits
PFAS - OH	PFAS Water Samples
SLUDGE - OH	Sludge
STORMWATER - OH	State NPDES Stormwater Permits
TOWN GAS - OH	Town Gas
UIC - OH	Underground Injection Controls
USD - OH	Urban Setting Designation Sites

SUBJECT NAME: Old School  
 ADDRESS: 420 W Columbus St, West Liberty, OH, 43357  
 LAT/LONG: 40.253665 / -83.760832


PREPARED FOR: Hart Environmental Resources  
 ORDER #: 102379  
 REPORT DATE: October 14, 2024



- |                              |                          |                              |                                  |
|------------------------------|--------------------------|------------------------------|----------------------------------|
| Subject Property             | Equal/Higher Elevation   | Lower Elevation              | Department of Defense (No Data)  |
| DFIRM Floodzone 100          | DFIRM Floodzone 500      | Federal Lands (No Data)      | FEMA FloodZone 100 (No Data)     |
| FEMA FloodZone 500 (No Data) | Historical DOD (No Data) | Indian Reservation (No Data) | National Priority List (No Data) |
| NWI                          | WetLands                 |                              |                                  |

SUBJECT NAME: Old School  
 ADDRESS: 420 W Columbus St, West Liberty, OH, 43357  
 LAT/LONG: 40.253665 / -83.760832

PREPARED FOR: Hart Environmental Resources  
 ORDER #: 102379  
 REPORT DATE: October 14, 2024



- |   |                              |   |                          |   |                              |   |                                  |
|---|------------------------------|---|--------------------------|---|------------------------------|---|----------------------------------|
| + | Subject Property             | ● | Equal/Higher Elevation   | ● | Lower Elevation              | ■ | Department of Defense (No Data)  |
| ⊘ | DFIRM Floodzone 100          | ⊘ | DFIRM Floodzone 500      | ■ | Federal Lands (No Data)      | ⊘ | FEMA FloodZone 100 (No Data)     |
| ⊘ | FEMA FloodZone 500 (No Data) | ■ | Historical DOD (No Data) | ⊘ | Indian Reservation (No Data) | ■ | National Priority List (No Data) |
| ⊘ | NWI                          | ⊘ | WetLands                 |   |                              |   |                                  |

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

**FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS**

AST PBS		0.250	0	0	--	--	--	0
EPA UST		0.250	0	0	--	--	--	0
FEMA UST		0.250	0	0	--	--	--	0
HIST INDIAN UST R4		0.250	0	0	--	--	--	0
HIST INDIAN UST R6		0.250	0	0	--	--	--	0
HIST INDIAN UST R7		0.250	0	0	--	--	--	0
INDIAN UST R1		0.250	0	0	--	--	--	0
INDIAN UST R10		0.250	0	0	--	--	--	0
INDIAN UST R2		0.250	0	0	--	--	--	0
INDIAN UST R4		0.250	0	0	--	--	--	0
INDIAN UST R5		0.250	0	0	--	--	--	0
INDIAN UST R6		0.250	0	0	--	--	--	0
INDIAN UST R7		0.250	0	0	--	--	--	0
INDIAN UST R8		0.250	0	0	--	--	--	0
INDIAN UST R9		0.250	0	0	--	--	--	0
ARCHIVE UST - OH		0.250	0	0	--	--	--	0
UST - OH		0.250	0	0	--	--	--	0

**FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST**

ARCHIVED RCRA TSDF		0.500	0	0	0	--	--	0
RCRA_TSDF		0.500	0	0	0	--	--	0

**FEDERAL CERCLIS LIST**

CERCLIS NFRAP		0.500	0	0	1	--	--	1
CERCLIS-HIST		0.500	0	0	0	--	--	0
EPA SAA		0.500	0	0	0	--	--	0
FEDERAL FACILITY		1.000	0	0	0	0	--	0
SEMS_8R_ACTIVE SITES		0.500	0	0	0	--	--	0
SEMS_8R_ARCHIVED SITES		0.500	0	0	1	--	--	1

**FEDERAL RCRA CORRACTS FACILITIES LIST**

CORRACTS		1.000	0	0	0	0	--	0
HIST CORRACTS 2		1.000	0	0	0	0	--	0

**FEDERAL DELISTED NPL SITE LIST**

DELISTED NPL		1.000	0	0	0	0	--	0
DELISTED PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_DELETED NPL		1.000	0	0	0	0	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

**FEDERAL RCRA GENERATORS LIST**

EJ HAZ WASTE		0.250	0	0	--	--	--	0
HIST RCRA_CESQG		0.250	0	0	--	--	--	0
HIST RCRA_LQG		0.250	0	0	--	--	--	0
HIST RCRA_NONGEN		0.250	0	0	--	--	--	0
HIST RCRA_SQG		0.250	0	0	--	--	--	0
RCRA_LQG		0.250	0	0	--	--	--	0
RCRA_NONGEN		0.250	0	1	--	--	--	1
RCRA_SQG		0.250	0	0	--	--	--	0
RCRA_VSQG		0.250	0	0	--	--	--	0

**FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS**

EPA LF MOP		0.500	0	0	0	--	--	0
------------	--	-------	---	---	---	----	----	---

**FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS**

EPA LUST		0.500	0	0	3	--	--	3
HIST INDIAN LUST R4		0.500	0	0	0	--	--	0
HIST INDIAN LUST R8		0.500	0	0	0	--	--	0
INDIAN LUST R1		0.500	0	0	0	--	--	0
INDIAN LUST R10		0.500	0	0	0	--	--	0
INDIAN LUST R2		0.500	0	0	0	--	--	0
INDIAN LUST R4		0.500	0	0	0	--	--	0
INDIAN LUST R5		0.500	0	0	0	--	--	0
INDIAN LUST R6		0.500	0	0	0	--	--	0
INDIAN LUST R7		0.500	0	0	0	--	--	0
INDIAN LUST R8		0.500	0	0	0	--	--	0
INDIAN LUST R9		0.500	0	0	0	--	--	0
LAST - OH		0.500	0	0	0	--	--	0
LUST - OH		0.500	0	1	3	--	--	4
UNREG LTANKS - OH		0.500	0	0	0	--	--	0

**FEDERAL ERNS LIST**

ERNS		SP	0	--	--	--	--	0
------	--	----	---	----	----	----	----	---

**FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES**

FED E C		0.500	0	0	0	--	--	0
FED I C		0.500	0	0	0	--	--	0
RCRA IC_EC		0.250	0	0	--	--	--	0



<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

**FEDERAL NPL SITE LIST**

NPL		1.000	0	0	0	0	--	0
NPL EPA R1 GIS		1.000	0	0	0	0	--	0
NPL EPA R3 GIS		1.000	0	0	0	0	--	0
NPL EPA R6 GIS		1.000	0	0	0	0	--	0
NPL EPA R8 GIS		1.000	0	0	0	0	--	0
NPL EPA R9 GIS		1.000	0	0	0	0	--	0
PART NPL		1.000	0	0	0	0	--	0
PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_FINAL NPL		1.000	0	0	0	0	--	0
SEMS_PROPOSED NPL		1.000	0	0	0	0	--	0

**STATE AND TRIBAL BROWNFIELD SITES**

TRIBAL BROWNFIELDS		0.500	0	0	0	--	--	0
BROWNFIELDS - OH		0.500	0	0	0	--	--	0

**STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES**

E C - OH		0.500	0	0	0	--	--	0
I C - OH		0.500	0	0	0	--	--	0
IC LUC - OH		0.500	0	0	0	--	--	0

**STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS**

HIST LF - OH		0.500	0	0	0	--	--	0
HIST LF-LD - OH		0.500	0	0	1	--	--	1
SWF/LF - OH		0.500	0	0	0	--	--	0

**STATE AND TRIBAL VOLUNTARY CLEANUP SITES**

VCP - OH		0.500	0	0	0	--	--	0
----------	--	-------	---	---	---	----	----	---

**LOCAL BROWNFIELD LISTS**

BROWNFIELDS-ACRES		0.500	0	0	0	--	--	0
EJ BROWNFIELDS		0.500	0	0	0	--	--	0
FED BROWNFIELDS		0.500	0	0	0	--	--	0
HIST FED BROWNFIELDS		0.500	0	0	0	--	--	0

**LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES**

FED CDL		SP	0	--	--	--	--	0
US HIST CDL		SP	0	--	--	--	--	0

**LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES**

HIST INDIAN ODI R8		0.500	0	0	0	--	--	0
--------------------	--	-------	---	---	---	----	----	---

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

**LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES (cont.)**

INDIAN ODI R8		0.500	0	0	0	--	--	0
ODI		0.500	0	0	0	--	--	0
TRIBAL ODI		0.500	0	0	0	--	--	0
SWRCY - OH		0.500	0	0	0	--	--	0

**RECORDS OF EMERGENCY RELEASE REPORTS**

HMIRS (DOT)		SP	0	--	--	--	--	0
SPILLS - OH		0.125	0	--	--	--	--	0

**LOCAL LAND RECORDS**

LIENS 2		SP	0	--	--	--	--	0
---------	--	----	---	----	----	----	----	---

**OTHER ASCERTAINABLE RECORDS**

AFS		SP	0	--	--	--	--	0
ALT FUELING		0.250	0	0	--	--	--	0
ARENAS		SP	0	--	--	--	--	0
ARENAS 2		SP	0	--	--	--	--	0
BRS		SP	0	--	--	--	--	0
CHURCHES		SP	0	--	--	--	--	0
COAL ASH DOE		0.500	0	0	0	--	--	0
COAL ASH EPA		0.500	0	0	0	--	--	0
COAL GAS		1.000	0	0	0	0	--	0
COLLEGES		SP	0	--	--	--	--	0
COLLEGES 2		SP	0	--	--	--	--	0
CONSENT (DECREES)		1.000	0	0	0	0	--	0
CORRECTIVE ACTIONS_2020		0.500	0	0	0	--	--	0
DAYCARE		SP	0	--	--	--	--	0
DEBRIS EPA LF		0.500	0	0	0	--	--	0
DEBRIS EPA SWRCY		0.500	0	0	1	--	--	1
DOD		1.000	0	0	0	0	--	0
DOT OPS		SP	0	--	--	--	--	0
ECHO		SP	0	--	--	--	--	0
EJ CHURCH		SP	0	--	--	--	--	0
EJ HOSPITALS		SP	0	--	--	--	--	0
EJ SCHOOLS		SP	0	--	--	--	--	0
EJ TOXIC RELEASE		SP	0	--	--	--	--	0
ENOI		SP	0	--	--	--	--	0
EPA FUELS		SP	0	--	--	--	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
<b>OTHER ASCERTAINABLE RECORDS (cont.)</b>								
EPA OSC		0.125	0	--	--	--	--	0
EPA WATCH		SP	0	--	--	--	--	0
FA HWF		SP	0	--	--	--	--	0
FEDLAND		1.000	0	0	0	0	--	0
FRS		SP	0	--	--	--	--	0
FTTS		SP	0	--	--	--	--	0
FTTS INSP		SP	0	--	--	--	--	0
FUDS		1.000	0	0	0	0	--	0
GOV MANSIONS		SP	0	--	--	--	--	0
HIST AFS		SP	0	--	--	--	--	0
HIST AFS 2		SP	0	--	--	--	--	0
HIST DOD		1.000	0	0	0	0	--	0
HIST LEAD_SMELTER		SP	0	--	--	--	--	0
HIST MLTS		SP	0	--	--	--	--	0
HIST PCB TRANS		SP	0	--	--	--	--	0
HIST PCS ENF		SP	0	--	--	--	--	0
HIST PCS FACILITY		SP	0	--	--	--	--	0
HIST SSTS		SP	0	--	--	--	--	0
HOSPITALS		SP	0	--	--	--	--	0
HWC DOCKET		SP	0	--	--	--	--	0
ICIS		SP	0	--	--	--	--	0
INACTIVE PCS		SP	0	--	--	--	--	0
INDIAN RESERVATION		1.000	0	0	0	0	--	0
LUCIS		0.500	0	0	0	--	--	0
LUCIS 2		0.500	0	0	0	--	--	0
MANIFEST EPA		0.250	0	0	--	--	--	0
MGP		1.000	0	0	0	0	--	0
MINE OPERATIONS		0.250	0	0	--	--	--	0
MINES		0.250	0	0	--	--	--	0
MINES USGS		0.250	0	0	--	--	--	0
MLTS		SP	0	--	--	--	--	0
NPL AOC		1.000	0	0	0	0	--	0
NPL LIENS		SP	0	--	--	--	--	0
NURSING HOMES		SP	0	--	--	--	--	0
PADS		SP	0	--	--	--	--	0
PCB TRANSFORMER		SP	0	--	--	--	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

**OTHER ASCERTAINABLE RECORDS (cont.)**

PCS ENF		SP	0	--	--	--	--	0
PCS FACILITY		SP	0	--	--	--	--	0
PFAS FED SITES		0.500	0	0	0	--	--	0
PFAS INDUSTRY		0.500	0	0	0	--	--	0
PFAS MANIFEST		0.500	0	0	0	--	--	0
PFAS NPL		0.500	0	0	0	--	--	0
PFAS PROD		0.500	0	0	0	--	--	0
PFAS SPILLS		0.500	0	0	0	--	--	0
PFAS TRIS		0.500	0	0	0	--	--	0
PFAS UCMR3		0.500	0	0	0	--	--	0
PFAS WQP		0.500	0	0	0	--	--	0
PRISONS		SP	0	--	--	--	--	0
RAATS		SP	0	--	--	--	--	0
RADINFO		SP	0	--	--	--	--	0
RMP		0.500	0	0	0	--	--	0
ROD		1.000	0	0	0	0	--	0
SCHOOLS PRIVATE		SP	0	--	--	--	--	0
SCHOOLS PUBLIC		SP	0	--	--	--	--	0
SCRD DRYCLEANERS		0.250	0	0	--	--	--	0
SEMS_SMELTER		SP	0	--	--	--	--	0
SSTS		SP	0	--	--	--	--	0
STORMWATER		SP	0	--	--	--	--	0
TOSCA-PLANT		SP	0	--	--	--	--	0
TRIS		SP	0	--	--	--	--	0
UMTRA		0.500	0	0	0	--	--	0
VAPOR		0.500	0	0	0	--	--	0
AIRS - OH		SP	0	--	--	--	--	0
COAL ASH - OH		0.500	0	0	0	--	--	0
COAL ASH 2 - OH		0.500	0	0	0	--	--	0
CRO - OH		0.250	0	0	--	--	--	0
DAYCARE - OH		SP	0	--	--	--	--	0
DERR - OH		0.500	0	0	0	--	--	0
DRYCLEANERS - OH		0.250	0	0	--	--	--	0
HIST NPDES - OH		SP	0	--	--	--	--	0
HIST USD - OH		SP	0	--	--	--	--	0
MINES - OH		0.250	0	0	--	--	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u>&lt;1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt;1</u>	<u>TOTAL MAPPED</u>
-----------------	-----------------------------	--	----------------	------------------	------------------	----------------	--------------	-------------------------

OTHER ASCERTAINABLE RECORDS (cont.)

MINES 2 - OH		0.250	0	0	--	--	--	0
MINES AUM - OH		0.250	0	0	--	--	--	0
NPDES - OH		SP	0	--	--	--	--	0
PFAS - OH		0.500	0	0	0	--	--	0
SLUDGE - OH		0.500	0	0	0	--	--	0
STORMWATER - OH		SP	0	--	--	--	--	0
TOWN GAS - OH		1.000	0	0	0	0	--	0
UIC - OH		SP	0	--	--	--	--	0
USD - OH		SP	0	--	--	--	--	0

Map Id: 1  
 Direction: SE  
 Distance: 0.198 mi., 1044 ft.  
 Elevation: 1081 ft.  
 Relative: Lower

**Site Name :** HOLDREN BROTHERS INC  
 301 RUNKLE ST  
 WEST LIBERTY, OH 43357

**Database(s) :** [ECHO, FRS, HIST MANIFEST - NY,  
 RCRA\_NONGEN]

EnviroSite ID: 5344978  
 EPA ID: N/R

## ECHO

Facility Name : HOLDREN BROTHERS INC  
 Facility Address : 301 RUNKLE ST, WEST LIBERTY, OH 43357  
 County : LOGAN

Last Inspection Date : N/R  
 Registry ID : 110004595787  
 FIPS Code : 39091  
 EPA Region : 05  
 Inspection Count : 0  
 Last Inspection Days : N/R  
 Informal Count : 0  
 Last Informal Action Date : N/R  
 Formal Action Count : 0  
 Last Formal Action Date : N/R  
 Total Penalties : 0  
 Penalty Count : N/R  
 Last Penalty Date : N/R  
 Last Penalty Amount : N/R  
 QTRS IN NC : 0  
 Programs IN SNC : 0  
 Current Compliance Status : No Violation Identified  
 Three-Year Compliance Status : \_\_\_\_\_  
 Collection Method : ADDRESS MATCHING-HOUSE NUMBER  
 Reference Point : CENTER OF A FACILITY OR STATION  
 Accuracy Meters : 30  
 Derived Tribes : N/R  
 Derived HUC : 05080001  
 Derived WBD : 050800011504  
 Derived STCTY FIPS : 39091  
 Derived Zip : 43357  
 Derived CD113 : 04  
 Derived CB2010 : 390910048003050  
 MYRTK Universe : NNN  
 NPDES IDs : N/R  
 CWA Permit Types : N/R  
 CWA Compliance Tracking : N/R  
 CWA NAICS : N/R  
 CWA SICS : N/R  
 CWA Inspection Count : N/R  
 CWA Last Inspection Days : N/R  
 CWA Informal Count : N/R  
 CWA Formal Action Count : N/R  
 CWA Last Formal Action Date : N/R  
 CWA Penalties : N/R  
 CWA Last Penalty Date : N/R  
 CWA Last Penalty Amount : N/R  
 CWA Quarters IN NC : N/R  
 CWA Current Compliance Status : N/R  
 CWA Current SNC Flag : N  
 CWA 13 Quarters Compliance Status : N/R  
 CWA 13 Quarters Effluent Exceedances: N/R  
 CWA Three-Year QNCR Codes : N/R  
 DFR URL : [Click here for hyperlink provided by the agency.](#)  
 Facility SIC : N/R  
 Facility NAICS : N/R

Map Id: 1  
Direction: SE  
Distance: 0.198 mi., 1044 ft.  
Elevation: 1081 ft.  
Relative: Lower

<b>Site Name :</b>	HOLDREN BROTHERS INC 301 RUNKLE ST WEST LIBERTY, OH 43357
<b>Database(s) :</b>	[ECHO, FRS, HIST MANIFEST - NY, RCRA_NONGEN] <b>(cont.)</b>

EnviroSite ID: 5344978  
EPA ID: N/R

## ECHO (cont.)

Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date :	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	40.25124
Longitude :	-83.7589
Last Date in Agency List :	2024-07-12

## FRS

Facility Name :	HOLDREN BROTHERS INC
Facility Address :	301 RUNKLE ST, WEST LIBERTY, OH 43357
County :	LOGAN

## Site Details

Registry ID :	110004595787
FRS Facility URL :	<a href="#">Click here for hyperlink provided by the agency.</a>
Last Date in Agency List :	2024-08-21

## Source Description

### Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Map Id: 1  
 Direction: SE  
 Distance: 0.198 mi., 1044 ft.  
 Elevation: 1081 ft.  
 Relative: Lower

**Site Name :** HOLDREN BROTHERS INC  
 301 RUNKLE ST  
 WEST LIBERTY, OH 43357

**Database(s) :** [ECHO, FRS, HIST MANIFEST - NY,  
 RCRA\_NONGEN] **(cont.)**

EnviroSite ID: 5344978  
 EPA ID: N/R

**FRS (cont.)**

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : OH-CORE - 240344  
 RCRAINFO - OHD004299467

HIST MANIFEST - NY

Facility Name : HOLDREN BROTHERS INC  
 Facility Address : 301 RUNKLE STREET, WEST LIBERTY, OH 43357  
 County : N/R

Site Details

Handler Name : HOLDREN BROTHERS INC  
 Contact Name : ROBERT SIMON  
 Business Phone Number : 5134657050  
 Mailing Street 1 : 301 RUNKLE STREET, WEST LIBERTY, OH 43357  
 Mailing Country : USA  
 Last Date in Agency List : 2017-03-18

Hazardous Waste Summary

Generator Shipped Date : 1996-09-26  
 Generator RCRA ID : OHD004299467  
 Manifest Number : NYB8394255  
 Manifest Status : N/R  
 Transporter 1 RCRA ID : NJD080631369  
 Transporter 1 State ID : P207083IL  
 Transporter 1 Received Date : 1996-09-26  
 Transporter 2 RCRA ID : N/R  
 Transporter 2 State ID : N/R  
 Transporter 2 Received Date : N/R  
 TSDf RCRA ID : NYD049836679  
 TSDf Received Date : 1996-09-30  
 Part A Received Date : N/R  
 Part B Received Date : N/R

Hazardous Waste Details



Map Id: 1  
 Direction: SE  
 Distance: 0.198 mi., 1044 ft.  
 Elevation: 1081 ft.  
 Relative: Lower

**Site Name :** HOLDREN BROTHERS INC  
 301 RUNKLE ST  
 WEST LIBERTY, OH 43357

**Database(s) :** [ECHO, FRS, HIST MANIFEST - NY,  
 RCRA\_NONGEN] *(cont.)*

EnviroSite ID: 5344978  
 EPA ID: N/R

HIST MANIFEST - NY *(cont.)*

Waste Code : THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE,  
 METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE,  
 BENZENE, 2-ETHOXYETHANOL, AND 2-NIT

Quantity of Waste : 120  
 Units of Quantity : Gallons (liquids only)  
 Number of Containers : 1  
 Type of Container : Cargo tank (tank trucks)  
 Handling Method : Incineration, heat recovery, burning  
 Specific Gravity : 01.00

RCRA\_NONGEN

Facility Name : HOLDREN BROTHERS INC  
 Facility Address : 301 RUNKLE ST, WEST LIBERTY, OH 43357  
 County : LOGAN

Date Form Received by Agency : 2020-07-13  
 EPA ID : OHD004299467  
 Mailing Address : N/R  
 Contact : N/R  
 Contact Address : N/R  
 Contact Country : N/R  
 Contact Telephone : N/R  
 Contact Email : N/R  
 EPA Region : 05  
 Land Type : Not Reported  
 Source Type : Implementer  
 Classification : Not a generator, verified  
 Description : Not a generator, verified  
 Last Date in Agency List : 2024-09-18

Owner/Operator Summary

Owner/Operator Name : N/R  
 Owner/Operator Address : N/R  
 Owner/Operator Country : N/R  
 Owner/Operator Telephone : N/R  
 Owner/Operator Email : N/R  
 Owner/Operator Fax : N/R  
 Legal Status : N/R  
 Owner/Operator Type : N/R  
 Owner/Operator Start Date : N/R  
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N  
 Mixed Waste (Haz. and Radioactive) : N/R  
 Recycler of Hazardous Waste : N  
 Transporter of Hazardous Waste : N  
 Treater, Storer or Disposer of HW : N  
 Underground Injection Activity : N

Map Id: 1  
Direction: SE  
Distance: 0.198 mi., 1044 ft.  
Elevation: 1081 ft.  
Relative: Lower

**Site Name :** HOLDREN BROTHERS INC  
301 RUNKLE ST  
WEST LIBERTY, OH 43357  
**Database(s) :** [ECHO, FRS, HIST MANIFEST - NY,  
RCRA\_NONGEN] (cont.)

EnviroSite ID: 5344978  
EPA ID: N/R

RCRA\_NONGEN (cont.)

On-site Burner Exemption : N  
Furnace Exemption : N  
Used Oil Fuel Burner : N  
Used Oil Processor : N  
Used Oil Refiner : N  
Used Oil Fuel Marketer to Burner : N  
Used Oil Specification Marketer : N  
Used Oil Transfer Facility : N  
Used Oil Transporter : N

Historical Generators

Date Form Received by Agency : 1989-05-11  
Facility Name : HOLDREN BROTHERS INC  
Classification : Small Quantity Generator

Notices of Violations Summary

Regulation Violated : N

Evaluation Action Summary

Evaluation Date : 2002-01-23  
Evaluation : FOCUSED COMPLIANCE INSPECTION  
Area of Violation : N/R  
Date Achieved Compliance : N/R  
Evaluation Lead Agency : State

Map Id: A2  
Direction: E  
Distance: 0.246 mi., 1301 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** WAGNER PROP  
202 N. DETROIT STREET  
WEST LIBERTY, OH 43357  
**Database(s) :** [LUST - OH]

EnviroSite ID: 54445562  
EPA ID: N/R

LUST - OH

Facility Name : WAGNER PROP  
Facility Address : 202 N. DETROIT STREET, WEST LIBERTY, OH 43357  
County : Logan

Review Date : 1992-06-25  
Release Date : 1989-03-10  
Release Number : 46009949-N00001  
LTF Status : 1 SUS/CON from regulated UST  
FR Status : NFA: No Further Action  
Facility Status : Inactive

Map Id: A2  
Direction: E  
Distance: 0.246 mi., 1301 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** WAGNER PROP  
202 N. DETROIT STREET  
WEST LIBERTY, OH 43357  
**Database(s) :** [LUST - OH] *(cont.)*

Envirosite ID: 54445562  
EPA ID: N/R

### LUST - OH *(cont.)*

Priority : 2  
Class : D  
Latitude : 40.2534352  
Longitude : -83.756157  
Last Date in Agency List : 2024-09-10

Map Id: A3  
Direction: E  
Distance: 0.256 mi., 1352 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** WAGNER PROP  
W COLUMBUS & DETROIT  
WEST LIBERTY, OH 43357  
**Database(s) :** [EPA LUST, LUST - OH]

Envirosite ID: 5227045  
EPA ID: N/R

### EPA LUST

Facility Name : WAGNER PROP  
Facility Address : W COLUMBUS & DETROIT, WEST LIBERTY, Ohio  
County : Logan

Facility ID : OH46009949  
LUST ID : OH46009949-N00001  
Reported Date : N/R  
Status : No Further Action  
Substance : N/R  
Closed With Residual Contamination (Tribal Only): N/R  
NFA\_Letter (Tribal Only) : N/R  
Tribe (Tribal Only) : N/R  
EPA Region : 5  
Estimated Population within 1500ft : 774  
Estimated Private Domestic Wells within 1500ft: 30  
Within Source Water Protection Area (SPA): No  
SPA Public Water System and Facility ID: N/R  
SPA Water Type : N/R  
SPA Facility Type : N/R  
SPA HUC12 : N/R  
Within Groundwater Wellhead Protection Area (WHPA): No  
WHPA Public Water System and Facility ID: N/R  
WHPA Water Type : N/R  
WHPA Facility Type : N/R  
WHPA HUC12 : N/R  
Within Estimated 100-year Floodplain: No  
Latitude : 40.2533  
Longitude : -83.756  
Last Date in Agency List : 2024-05-23

Map Id: A3  
Direction: E  
Distance: 0.256 mi., 1352 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** WAGNER PROP  
W COLUMBUS & DETROIT  
WEST LIBERTY, OH 43357  
**Database(s) :** [EPA LUST, LUST - OH] (*cont.*)

Envirosite ID: 5227045  
EPA ID: N/R

## LUST - OH

Facility Name : WAGNER PROP  
Facility Address : W COLUMBUS & DETROIT, WEST LIBERTY, OH 43357  
County : Logan

Review Date : 2000-06-20  
Release Date : N/R  
Release Number : 46009949-N00001  
LTF Status : 1 SUS/CON from regulated UST  
FR Status : NFA: No Further Action  
Facility Status : Inactive  
Priority : 2  
Class : D  
Latitude : 40.2533  
Longitude : -83.756  
Last Date in Agency List : 2024-01-04

Map Id: A4  
Direction: E  
Distance: 0.257 mi., 1359 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** Village of West Liberty  
201 N Detroit St  
West Liberty, OH 43357  
**Database(s) :** [DEBRIS EPA SWRCY]

Envirosite ID: 5327382  
EPA ID: N/R

## DEBRIS EPA SWRCY

Facility Name : Village of West Liberty  
Facility Address : 201 N Detroit St, West Liberty, OH 43357

Phone : 937-592-5731  
Region : 5  
Recovery : Y  
Landfill : N  
C D : N  
Composting : Y  
Demolition : N  
Electronic : N  
HHW : N  
Metals : N  
Tires : N  
Transfer Station : N  
Vehicles : N  
LF C D : N  
LF HW : N  
LF MSW : N  
Latitude : 40.253331  
Longitude : -83.755999  
Last Date in Agency List : 2024-08-30

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH]

Envirosite ID: 5256477  
 EPA ID: N/R

ARCHIVE UST - OH

Facility Name : MILLERS MARATHON  
 Facility Address : 207 N DETROIT ST, WEST LIBERTY, Ohio 43357  
 County : Logan

Site Details

Facility Number : 46000203  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-10-10

Tank Information

Installation Date : N/R  
 Tank Number : T00004  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2001-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2001-04-06  
 Tank Content : Diesel  
 UST Capacity : 1000  
 Construction : Other  
 CAS Number : 68334-30-5  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Other  
 Corrosion Protections : N/R  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMO - Alternative Method (Other, explain)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : NA - Not Applicable  
 Piping Constructions : OTH - Other (explain)  
 Piping Construction Comments : Unknown  
 Piping Corrosion Protections : OTH - Other (explain)  
 Piping Corrosion Protection Comments: N/R  
 Piping Release Detections : OTH - Other(explain)  
 Piping Release Detection Comments : N/R  
 Spill Prevention Manholes : NP - None Present  
 Spill Prevention Manhole Comments : No  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: No  
 Latitude : 40.2539002  
 Longitude : -83.755812

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

EnviroSite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Site Details

Facility Number : 46000203  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-10-10

Tank Information

Installation Date : N/R  
 Tank Number : T00001  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2001-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2001-04-06  
 Tank Content : Gasoline  
 UST Capacity : 6000  
 Construction : Other  
 CAS Number : 8006-61-9  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Other  
 Corrosion Protections : N/R  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMO - Alternative Method (Other, explain)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : NA - Not Applicable  
 Piping Constructions : OTH - Other (explain)  
 Piping Construction Comments : Unknown  
 Piping Corrosion Protections : OTH - Other (explain)  
 Piping Corrosion Protection Comments: N/R  
 Piping Release Detections : OTH - Other(explain)  
 Piping Release Detection Comments : N/R  
 Spill Prevention Manholes : NP - None Present  
 Spill Prevention Manhole Comments : No  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: No  
 Latitude : 40.2539002  
 Longitude : -83.755812

Site Details

Facility Number : 46000203  
 Facility Type : Gas Station  
 Owner Name : N/R

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

EnviroSite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Owner Address : N/R  
 Last Date in Agency List : 2024-10-10

**Tank Information**

Installation Date : N/R  
 Tank Number : T00002  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2001-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2001-04-06  
 Tank Content : Gasoline  
 UST Capacity : 6000  
 Construction : Other  
 CAS Number : 8006-61-9  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Other  
 Corrosion Protections : N/R  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMO - Alternative Method (Other, explain)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : NA - Not Applicable  
 Piping Constructions : OTH - Other (explain)  
 Piping Construction Comments : Unknown  
 Piping Corrosion Protections : OTH - Other (explain)  
 Piping Corrosion Protection Comments : N/R  
 Piping Release Detections : OTH - Other(explain)  
 Piping Release Detection Comments : N/R  
 Spill Prevention Manholes : NP - None Present  
 Spill Prevention Manhole Comments : No  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: No  
 Latitude : 40.2539002  
 Longitude : -83.755812

**Site Details**

Facility Number : 46000203  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-10-10

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] *(cont.)*

EnviroSite ID: 5256477  
 EPA ID: N/R

ARCHIVE UST - OH *(cont.)*

Tank Information

Installation Date :	N/R
Tank Number :	T00005
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06
Tank Content :	Kerosene
UST Capacity :	1000
Construction :	Other
CAS Number :	8008-20-6
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.2539002
Longitude :	-83.755812

Site Details

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-10-10

Tank Information

Installation Date :	N/R
Tank Number :	T00006
Tank Type :	UST



Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

Envirosite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06
Tank Content :	Used Oil
UST Capacity :	550
Construction :	Other
CAS Number :	N/R
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.2539002
Longitude :	-83.755812

**Site Details**

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-10-10

**Tank Information**

Installation Date :	N/R
Tank Number :	T00003
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

EnviroSite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Tank Content :	Gasoline
UST Capacity :	6000
Construction :	Other
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.2539002
Longitude :	-83.755812

Facility Name :	MILLERS MARATHON
Facility Address :	207 N DETROIT ST, W LIBERTY, Ohio 43357
County :	Logan

**Site Details**

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-01-19

**Tank Information**

Installation Date :	N/R
Tank Number :	T00006
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

Envirosite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Date Removed :	2001-04-06
Tank Content :	Used Oil
UST Capacity :	550
Construction :	Other
CAS Number :	N/R
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.250586
Longitude :	-83.755594

**Site Details**

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-01-19

**Tank Information**

Installation Date :	N/R
Tank Number :	T00001
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06
Tank Content :	Gasoline
UST Capacity :	6000
Construction :	Other

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] *(cont.)*

EnviroSite ID: 5256477  
 EPA ID: N/R

ARCHIVE UST - OH *(cont.)*

CAS Number : 8006-61-9  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Other  
 Corrosion Protections : N/R  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMO - Alternative Method (Other, explain)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : NA - Not Applicable  
 Piping Constructions : OTH - Other (explain)  
 Piping Construction Comments : Unknown  
 Piping Corrosion Protections : OTH - Other (explain)  
 Piping Corrosion Protection Comments: N/R  
 Piping Release Detections : OTH - Other(explain)  
 Piping Release Detection Comments : N/R  
 Spill Prevention Manholes : NP - None Present  
 Spill Prevention Manhole Comments : No  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: No  
 Latitude : 40.250586  
 Longitude : -83.755594

Site Details

Facility Number : 46000203  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-01-19

Tank Information

Installation Date : N/R  
 Tank Number : T00005  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2001-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2001-04-06  
 Tank Content : Kerosene  
 UST Capacity : 1000  
 Construction : Other  
 CAS Number : 8008-20-6  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

EnviroSite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.250586
Longitude :	-83.755594

**Site Details**

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-01-19

**Tank Information**

Installation Date :	N/R
Tank Number :	T00002
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06
Tank Content :	Gasoline
UST Capacity :	6000
Construction :	Other
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

Envirosite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.250586
Longitude :	-83.755594

**Site Details**

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-01-19

**Tank Information**

Installation Date :	N/R
Tank Number :	T00004
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06
Tank Content :	Diesel
UST Capacity :	1000
Construction :	Other
CAS Number :	68334-30-5
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

Envirosite ID: 5256477  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.250586
Longitude :	-83.755594

**Site Details**

Facility Number :	46000203
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-01-19

**Tank Information**

Installation Date :	N/R
Tank Number :	T00003
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2001-01-01
Date TCL Closed :	N/R
Date Removed :	2001-04-06
Tank Content :	Gasoline
UST Capacity :	6000
Construction :	Other
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable

Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] **(cont.)**

EnviroSite ID: 5256477  
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.250586
Longitude :	-83.755594

EPA LUST

Facility Name :	MILLERS MARATHON
Facility Address :	207 N DETROIT ST, W LIBERTY, Ohio
County :	Logan

Facility ID :	OH46000203
LUST ID :	OH46000203-N00001
Reported Date :	2001-04-06
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	5
Estimated Population within 1500ft :	519
Estimated Private Domestic Wells within 1500ft:	21
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	Yes
Latitude :	40.25059
Longitude :	-83.75558999999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	MILLERS MARATHON
Facility Address :	207 N DETROIT ST, W LIBERTY, Ohio



Map Id: A5  
 Direction: E  
 Distance: 0.257 mi., 1359 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
 SOHIO  
 207 N DETROIT ST  
 W LIBERTY | WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 FRS, LUST - OH] *(cont.)*

Envirosite ID: 5256477  
 EPA ID: N/R

EPA UST *(cont.)*

County : Logan

Facility ID : OH46000203  
 Facility Status : Closed UST(s)  
 Open USTs : 0  
 Closed USTs : 6  
 Temporarily Out of Service USTs : 0  
 Date of Last Inspection : N/R  
 EPA Region : 5  
 Tribe : N/R  
 Facility ID 2 : N/R  
 Latitude : 40.250586  
 Longitude : -83.755594  
 Last Date in Agency List : 2024-05-22

Tank Details

Tank ID : OH46000203\_T00001  
 Tank Status : Closed  
 Installation Date : N/R  
 Removal Date : 2001-04-06  
 Capacity : 6000  
 Substances : Gasoline  
 Tank Wall Type : Single

Tank ID : OH46000203\_T00002  
 Tank Status : Closed  
 Installation Date : N/R  
 Removal Date : 2001-04-06  
 Capacity : 6000  
 Substances : Gasoline  
 Tank Wall Type : Single

Tank ID : OH46000203\_T00003  
 Tank Status : Closed  
 Installation Date : N/R  
 Removal Date : 2001-04-06  
 Capacity : 6000  
 Substances : Gasoline  
 Tank Wall Type : Single

Tank ID : OH46000203\_T00004  
 Tank Status : Closed  
 Installation Date : N/R  
 Removal Date : 2001-04-06  
 Capacity : 1000  
 Substances : Diesel  
 Tank Wall Type : Single

Map Id: A5  
Direction: E  
Distance: 0.257 mi., 1359 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS SOHIO  
207 N DETROIT ST  
W LIBERTY | WEST LIBERTY, OH 43357  
**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST, FRS, LUST - OH] *(cont.)*

EnviroSite ID: 5256477  
EPA ID: N/R

EPA UST *(cont.)*

Tank ID : OH46000203\_T00005  
Tank Status : Closed  
Installation Date : N/R  
Removal Date : 2001-04-06  
Capacity : 1000  
Substances : Kerosene  
Tank Wall Type : Single

Tank ID : OH46000203\_T00006  
Tank Status : Closed  
Installation Date : N/R  
Removal Date : 2001-04-06  
Capacity : 550  
Substances : Used Oil  
Tank Wall Type : Single

FRS

Facility Name : MILLER BROTHERS SOHIO  
Facility Address : 207 N DETROIT ST, WEST LIBERTY, OH 43357  
County : LOGAN

Site Details

Registry ID : 110006303062  
FRS Facility URL : [Click here for hyperlink provided by the agency.](#)  
Last Date in Agency List : 2024-08-21

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

FRS Environmental Interest

Source and System ID : OH-CORE - 25834

LUST - OH

Facility Name : MILLERS MARATHON  
Facility Address : 207 N DETROIT ST, WEST LIBERTY, OH 43357  
County : Logan

Map Id: A5  
Direction: E  
Distance: 0.257 mi., 1359 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** MILLERS MARATHON | MILLER BROTHERS  
SOHIO  
207 N DETROIT ST  
W LIBERTY | WEST LIBERTY, OH 43357  
**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
FRS, LUST - OH] (cont.)

Envirosite ID: 5256477  
EPA ID: N/R

LUST - OH (cont.)

Review Date : 2001-04-23  
Release Date : 2001-04-06  
Release Number : 46000203-N00001  
LTF Status : 6 Closure of regulated UST  
FR Status : NFA: No Further Action  
Facility Status : Inactive  
Priority : 2  
Class : D  
Latitude : 40.2539002  
Longitude : -83.755812  
Last Date in Agency List : 2024-09-10

Facility Name : MILLERS MARATHON  
Facility Address : 207 N DETROIT ST, W LIBERTY, OH 43357  
County : Logan

Review Date : 2001-04-23  
Release Date : 2001-04-06  
Release Number : 46000203-N00001  
LTF Status : 6 Closure of regulated UST  
FR Status : NFA: No Further Action  
Facility Status : Inactive  
Priority : 3  
Class : D  
Latitude : 40.250586  
Longitude : -83.755594  
Last Date in Agency List : 2024-01-04

Map Id: B6  
Direction: ESE  
Distance: 0.259 mi., 1370 ft.  
Elevation: 1086 ft.  
Relative: Lower

**Site Name :** HOBART CORP W LIBERTY PLT  
CO RD 189 1/2MI OFF HWY 68  
WEST LIBERTY, OH 43357  
**Database(s) :** [CERCLIS NFRAP, SEMS\_8R\_ARCHIVED  
SITES]

Envirosite ID: 5222643  
EPA ID: OHD065979916

CERCLIS NFRAP

Facility Name : HOBART CORP W LIBERTY PLT  
Facility Address : CO RD 189 1/2MI OFF HWY 68, WEST LIBERTY, OH 43357  
County : LOGAN

Site ID : 0504410  
Epa ID : OHD065979916  
Short Name : HOBART CORP W LIBERTY PLT  
Congressional District : 07  
IFMS ID : N/R

Map Id: B6  
 Direction: ESE  
 Distance: 0.259 mi., 1370 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** HOBART CORP W LIBERTY PLT  
 CO RD 189 1/2MI OFF HWY 68  
 WEST LIBERTY, OH 43357

**Database(s) :** [CERCLIS NFRAP, SEMS\_8R\_ARCHIVED SITES] *(cont.)*

Envirosite ID: 5222643  
 EPA ID: OHD065979916

**CERCLIS NFRAP (cont.)**

SMSA Number :	N/R
USGC Hydro Unit :	05080001
Federal Facility :	N
DMNSN Number :	N/R
Site Orphan Flag :	N
RCRA ID :	N/R
USGS Quadrangle :	N/R
Site Init by Prog :	N/R
NFRAP Flag :	NFA
Parent ID :	N/R
RST Code :	N/R
EPA Region :	05
Classification :	N/R
Site Settings Code :	N/R
NPL Status :	Not on the NPL
DMNSN Unit Code :	N/R
RBRAC Code :	N/R
RResp Fed Agency Code :	N/R
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
Non NPL Status Date :	1990-02-07
Site Fips Code :	39091
CC Concurrence Date :	N/R
CC Concurrence FY :	N/R
Alias EPA ID :	N/R
Site FUDS Flag :	N/R

**CERCLIS Site Contact Name(s)**

Contact ID :	N/R
Contact Title :	N/R

Alias Comments :	N/R
Site Description :	N/R

**CERCLIS Assessment History**

Action Code :	001
Action :	DISCOVERY
Date Started :	N/R
Date Completed :	1981-06-01
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA Fund-Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	PRELIMINARY ASSESSMENT
Date Started :	N/R
Date Completed :	1987-12-16
Priority Level :	1

Map Id: B6  
Direction: ESE  
Distance: 0.259 mi., 1370 ft.  
Elevation: 1086 ft.  
Relative: Lower

**Site Name :** HOBART CORP W LIBERTY PLT  
CO RD 189 1/2MI OFF HWY 68  
WEST LIBERTY, OH 43357  
**Database(s) :** [CERCLIS NFRAP, SEMS\_8R\_ARCHIVED  
SITES] *(cont.)*

Envirosite ID: 5222643  
EPA ID: OHD065979916

## CERCLIS NFRAP *(cont.)*

Operational Unit : 00  
Primary Responsibility : State, Fund Financed  
Planning Status : N/R  
Urgency Indicator : N/R  
Action Anomaly : N/R

Action Code : 001  
Action : ARCHIVE SITE  
Date Started : N/R  
Date Completed : 1990-02-07  
Priority Level : 1  
Operational Unit : 00  
Primary Responsibility : EPA In-House  
Planning Status : N/R  
Urgency Indicator : N/R  
Action Anomaly : N/R

Action Code : 002  
Action : PRELIMINARY ASSESSMENT  
Date Started : N/R  
Date Completed : 1990-02-07  
Priority Level : 1  
Operational Unit : 00  
Primary Responsibility : State, Fund Financed  
Planning Status : N/R  
Urgency Indicator : N/R  
Action Anomaly : N/R

## SEMS\_8R\_ARCHIVED SITES

Facility Name : HOBART CORP W LIBERTY PLT  
Facility Address : CO RD 189 1/2MI OFF HWY 68, WEST LIBERTY, OH 43357  
County : LOGAN

### Site Details

Site ID : 0504410  
EPA ID : OHD065979916  
Region : 05  
Congressional District : 07  
Federal Facility : N  
Federal Facility Docket : N  
NPL Status : Not on the NPL  
Non NPL Status : NFRAP-Site does not qualify for the NPL based on existing information  
FIPS Code : 39091  
Superfund Alternative Agreement : N  
Last Date in Agency List : 2024-07-15

### Additional Information

Start Date : 1981-06-01  
Finish Date : 1981-06-01

Map Id: B6  
Direction: ESE  
Distance: 0.259 mi., 1370 ft.  
Elevation: 1086 ft.  
Relative: Lower

**Site Name :** HOBART CORP W LIBERTY PLT  
CO RD 189 1/2MI OFF HWY 68  
WEST LIBERTY, OH 43357  
**Database(s) :** [CERCLIS NFRAP, SEMS\_8R\_ARCHIVED  
SITES] *(cont.)*

EnviroSite ID: 5222643  
EPA ID: OHD065979916

### SEMS\_8R\_ARCHIVED SITES *(cont.)*

OU :	00
Action Code :	DS
Action Name :	DISCVRY
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf
Start Date :	N/R
Finish Date :	1990-02-07
OU :	00
Action Code :	VS
Action Name :	ARCH SITE
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf In-Hse
Start Date :	N/R
Finish Date :	1990-02-07
OU :	00
Action Code :	PA
Action Name :	PA
Sequence :	2
Quality :	N
Current Action Lead :	St Perf
Start Date :	N/R
Finish Date :	1987-12-16
OU :	00
Action Code :	PA
Action Name :	PA
Sequence :	1
Quality :	L
Current Action Lead :	St Perf

Map Id: B7  
Direction: ESE  
Distance: 0.292 mi., 1543 ft.  
Elevation: 1086 ft.  
Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
122 S DETROIT PO BOX 815  
WEST LIBERTY, OH 43357  
**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
LUST - OH]

EnviroSite ID: 5286624  
EPA ID: N/R

### ARCHIVE UST - OH

Facility Name :	LIBERTY OIL & GAS, INC.
Facility Address :	122 S DETROIT PO BOX 815, WEST LIBERTY, Ohio 43357
County :	Logan

Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] **(cont.)**

EnviroSite ID: 5286624  
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Site Details

Facility Number : 46000061  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-10-10

Tank Information

Installation Date : 1990-01-01  
 Tank Number : T00003  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2000-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2008-04-29  
 Tank Content : Gasoline  
 UST Capacity : 6000  
 Construction : BM - Bare Metal  
 CAS Number : 8006-61-9  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Cathodically Protected Steel  
 Corrosion Protections : FACA - Factory Installed Anodes  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMSIR - Alternative Method (SIR)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: Statistical Inventory Reconciliation / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : S - Suction  
 Piping Constructions : FRP - Fiberglass Reinforced Plastic  
 Piping Construction Comments : Fiberglass Reinforced Plastic  
 Piping Corrosion Protections : NR - None required by rule  
 Piping Corrosion Protection Comments : N/R  
 Piping Release Detections : SS - Safe Suction  
 Piping Release Detection Comments : No Monitoring Suction/Gravity System  
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)  
 Spill Prevention Manhole Comments : Yes  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: Yes  
 Latitude : 40.2514123  
 Longitude : -83.756193

Site Details

Facility Number : 46000061  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R

Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] **(cont.)**

EnviroSite ID: 5286624  
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Last Date in Agency List : 2024-10-10

Tank Information

Installation Date : 1990-01-01  
 Tank Number : T00002  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2000-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2008-04-29  
 Tank Content : Gasoline  
 UST Capacity : 6000  
 Construction : BM - Bare Metal  
 CAS Number : 8006-61-9  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Cathodically Protected Steel  
 Corrosion Protections : FACA - Factory Installed Anodes  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMSIR - Alternative Method (SIR)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: Statistical Inventory Reconciliation / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : S - Suction  
 Piping Constructions : FRP - Fiberglass Reinforced Plastic  
 Piping Construction Comments : Fiberglass Reinforced Plastic  
 Piping Corrosion Protections : NR - None required by rule  
 Piping Corrosion Protection Comments : N/R  
 Piping Release Detections : SS - Safe Suction  
 Piping Release Detection Comments : No Monitoring Suction/Gravity System  
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)  
 Spill Prevention Manhole Comments : Yes  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: Yes  
 Latitude : 40.2514123  
 Longitude : -83.756193

Site Details

Facility Number : 46000061  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-10-10



Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] *(cont.)*

Envirosite ID: 5286624  
 EPA ID: N/R

ARCHIVE UST - OH *(cont.)*

Tank Information

Installation Date :	1990-01-01
Tank Number :	T00005
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2000-01-01
Date TCL Closed :	N/R
Date Removed :	2008-04-29
Tank Content :	Diesel
UST Capacity :	2000
Construction :	BM - Bare Metal
CAS Number :	68334-30-5
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Cathodically Protected Steel
Corrosion Protections :	FACA - Factory Installed Anodes
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMSIR - Alternative Method (SIR)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Statistical Inventory Reconciliation / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	S - Suction
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	SS - Safe Suction
Piping Release Detection Comments :	No Monitoring Suction/Gravity System
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.2514123
Longitude :	-83.756193

Site Details

Facility Number :	46000061
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-10-10

Tank Information

Installation Date :	1990-01-01
Tank Number :	T00001
Tank Type :	UST
Status :	REM - Removed

Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] *(cont.)*

EnviroSite ID: 5286624  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Date Last Used : 2000-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2008-04-29  
 Tank Content : Gasoline  
 UST Capacity : 10000  
 Construction : BM - Bare Metal  
 CAS Number : 8006-61-9  
 Abandoned Approved : N/R  
 Comments : N/R  
 Regulated : YES  
 Sensitive Area : NO  
 Date of Sensitivity : N/R  
 UST Configurations : N/R  
 Construction Comments : Cathodically Protected Steel  
 Corrosion Protections : FACA - Factory Installed Anodes  
 Corrosion Protection Comments : N/R  
 Primary Release Detection : AMSIR - Alternative Method (SIR)  
 Secondary Release Detection : N/R  
 Release Detection Comments : RDTank: Statistical Inventory Reconciliation / RDLine:  
 Piping Configuration : N/R  
 Piping Configuration Comments : N/R  
 Piping Styles : S - Suction  
 Piping Constructions : FRP - Fiberglass Reinforced Plastic  
 Piping Construction Comments : Fiberglass Reinforced Plastic  
 Piping Corrosion Protections : NR - None required by rule  
 Piping Corrosion Protection Comments: N/R  
 Piping Release Detections : SS - Safe Suction  
 Piping Release Detection Comments : No Monitoring Suction/Gravity System  
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)  
 Spill Prevention Manhole Comments : Yes  
 Overfill Prevention : N/R  
 Overfill Prevention Comment : OverFill Spill: Yes  
 Latitude : 40.2514123  
 Longitude : -83.756193

**Site Details**

Facility Number : 46000061  
 Facility Type : Gas Station  
 Owner Name : N/R  
 Owner Address : N/R  
 Last Date in Agency List : 2024-10-10

**Tank Information**

Installation Date : 1990-01-01  
 Tank Number : T00004  
 Tank Type : UST  
 Status : REM - Removed  
 Date Last Used : 2000-01-01  
 Date TCL Closed : N/R  
 Date Removed : 2008-04-29  
 Tank Content : Used Oil  
 UST Capacity : 550

Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] **(cont.)**

EnviroSite ID: 5286624  
 EPA ID: N/R

**ARCHIVE UST - OH (cont.)**

Construction :	BM - Bare Metal
CAS Number :	N/R
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Cathodically Protected Steel
Corrosion Protections :	FACA - Factory Installed Anodes
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMSIR - Alternative Method (SIR)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Statistical Inventory Reconciliation / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	No Piping
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	SS - Safe Suction
Piping Release Detection Comments :	No Monitoring Suction/Gravity System
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.2514123
Longitude :	-83.756193

**Site Details**

Facility Number :	46000061
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2024-10-10

**Tank Information**

Installation Date :	1990-04-01
Tank Number :	T00006
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2000-01-01
Date TCL Closed :	N/R
Date Removed :	2008-04-29
Tank Content :	Kerosene
UST Capacity :	2000
Construction :	BM - Bare Metal
CAS Number :	8008-20-6
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES

Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] **(cont.)**

EnviroSite ID: 5286624  
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Cathodically Protected Steel
Corrosion Protections :	FACA - Factory Installed Anodes
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMSIR - Alternative Method (SIR)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Statistical Inventory Reconciliation / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	S - Suction
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	SS - Safe Suction
Piping Release Detection Comments :	No Monitoring Suction/Gravity System
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.2514123
Longitude :	-83.756193

EPA LUST

Facility Name :	LIBERTY OIL & GAS, INC.
Facility Address :	122 S DETROIT PO BOX 815, WEST LIBERTY, Ohio
County :	Logan

Facility ID :	OH46000061
LUST ID :	OH46000061-N00002
Reported Date :	2008-04-30
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	5
Estimated Population within 1500ft :	708
Estimated Private Domestic Wells within 1500ft:	30
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R

Map Id: B7  
 Direction: ESE  
 Distance: 0.292 mi., 1543 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
 122 S DETROIT PO BOX 815  
 WEST LIBERTY, OH 43357

**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
 LUST - OH] **(cont.)**

EnviroSite ID: 5286624  
 EPA ID: N/R

EPA LUST **(cont.)**

WHPA Facility Type : N/R  
 WHPA HUC12 : N/R  
 Within Estimated 100-year Floodplain: No  
 Latitude : 40.25189  
 Longitude : -83.75614  
 Last Date in Agency List : 2024-05-23

Facility ID : OH46000061  
 LUST ID : OH46000061-N00001  
 Reported Date : 1990-04-17  
 Status : No Further Action  
 Substance : N/R  
 Closed With Residual Contamination (Tribal Only): N/R  
 NFA\_Letter (Tribal Only) : N/R  
 Tribe (Tribal Only) : N/R  
 EPA Region : 5  
 Estimated Population within 1500ft : 708  
 Estimated Private Domestic Wells within 1500ft: 30  
 Within Source Water Protection Area (SPA): No  
 SPA Public Water System and Facility ID: N/R  
 SPA Water Type : N/R  
 SPA Facility Type : N/R  
 SPA HUC12 : N/R  
 Within Groundwater Wellhead Protection Area (WHPA): No  
 WHPA Public Water System and Facility ID: N/R  
 WHPA Water Type : N/R  
 WHPA Facility Type : N/R  
 WHPA HUC12 : N/R  
 Within Estimated 100-year Floodplain: No  
 Latitude : 40.25189  
 Longitude : -83.75614  
 Last Date in Agency List : 2024-05-23

EPA UST

Facility Name : LIBERTY OIL & GAS, INC.  
 Facility Address : 122 S DETROIT PO BOX 815, WEST LIBERTY, Ohio  
 County : Logan

Facility ID : OH46000061  
 Facility Status : Closed UST(s)  
 Open USTs : 0  
 Closed USTs : 6  
 Temporarily Out of Service USTs : 0  
 Date of Last Inspection : N/R  
 EPA Region : 5  
 Tribe : N/R  
 Facility ID 2 : N/R  
 Latitude : 40.251892

Map Id: B7  
Direction: ESE  
Distance: 0.292 mi., 1543 ft.  
Elevation: 1086 ft.  
Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
122 S DETROIT PO BOX 815  
WEST LIBERTY, OH 43357  
**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
LUST - OH] (*cont.*)

Envirosite ID: 5286624  
EPA ID: N/R

## EPA UST (*cont.*)

Longitude : -83.756138  
Last Date in Agency List : 2024-05-22

### Tank Details

Tank ID : OH46000061\_T00001  
Tank Status : Closed  
Installation Date : 1990-01-01  
Removal Date : 2008-04-29  
Capacity : 10000  
Substances : Gasoline  
Tank Wall Type : Single

Tank ID : OH46000061\_T00002  
Tank Status : Closed  
Installation Date : 1990-01-01  
Removal Date : 2008-04-29  
Capacity : 6000  
Substances : Gasoline  
Tank Wall Type : Single

Tank ID : OH46000061\_T00003  
Tank Status : Closed  
Installation Date : 1990-01-01  
Removal Date : 2008-04-29  
Capacity : 6000  
Substances : Gasoline  
Tank Wall Type : Single

Tank ID : OH46000061\_T00004  
Tank Status : Closed  
Installation Date : 1990-01-01  
Removal Date : 2008-04-29  
Capacity : 550  
Substances : Used Oil  
Tank Wall Type : Single

Tank ID : OH46000061\_T00005  
Tank Status : Closed  
Installation Date : 1990-01-01  
Removal Date : 2008-04-29  
Capacity : 2000  
Substances : Diesel  
Tank Wall Type : Single

Tank ID : OH46000061\_T00006  
Tank Status : Closed  
Installation Date : 1990-04-01  
Removal Date : 2008-04-29  
Capacity : 2000

Map Id: B7  
Direction: ESE  
Distance: 0.292 mi., 1543 ft.  
Elevation: 1086 ft.  
Relative: Lower

**Site Name :** LIBERTY OIL & GAS, INC.  
122 S DETROIT PO BOX 815  
WEST LIBERTY, OH 43357  
**Database(s) :** [ARCHIVE UST - OH, EPA LUST, EPA UST,  
LUST - OH] (*cont.*)

EnviroSite ID: 5286624  
EPA ID: N/R

## EPA UST (*cont.*)

Substances : Kerosene  
Tank Wall Type : Single

## LUST - OH

Facility Name : LIBERTY OIL & GAS, INC.  
Facility Address : 122 S DETROIT PO BOX 815, WEST LIBERTY, OH 43357  
County : Logan

Review Date : 2003-10-31  
Release Date : 1990-04-17  
Release Number : 46000061-N00001  
LTF Status : 1 SUS/CON from regulated UST  
FR Status : NFA: No Further Action  
Facility Status : Inactive  
Priority : 2  
Class : D  
Latitude : 40.2514123  
Longitude : -83.756193  
Last Date in Agency List : 2024-09-10

Review Date : 2008-07-24  
Release Date : 2008-04-30  
Release Number : 46000061-N00002  
LTF Status : 6 Closure of regulated UST  
FR Status : NFA: No Further Action  
Facility Status : Inactive  
Priority : 2  
Class : D  
Latitude : 40.2514123  
Longitude : -83.756193  
Last Date in Agency List : 2024-09-10

Map Id: 8  
Direction: ENE  
Distance: 0.499 mi., 2635 ft.  
Elevation: 1093 ft.  
Relative: Lower

**Site Name :** WEST LIBERTY DUMP  
40 15 30, 83 45 13  
LIBERTY TOWNSHIP, OH  
**Database(s) :** [HIST LF-LD - OH]

EnviroSite ID: 20728949  
EPA ID: N/R

## HIST LF-LD - OH

Facility Name : WEST LIBERTY DUMP  
Facility Address : 40 15 30, 83 45 13, LIBERTY TOWNSHIP, OH  
County : LOGAN

OH ID : N  
Location : NORTH OF VILLAGE LIMITS ON WEST SIDE OF US-68.

Map Id: 8  
Direction: ENE  
Distance: 0.499 mi., 2635 ft.  
Elevation: 1093 ft.  
Relative: Lower

<b>Site Name :</b> WEST LIBERTY DUMP 40 15 30, 83 45 13 LIBERTY TOWNSHIP, OH
<b>Database(s) :</b> [HIST LF-LD - OH] ( <i>cont.</i> )

EnviroSite ID: 20728949  
EPA ID: N/R

### HIST LF-LD - OH (*cont.*)

Year Closed :	<'80
Public :	Y
Waste Type :	UNKNOWN
Capacity :	UNKNOWN
SWLF ID :	N
Owner :	VILLAGE OF WEST LIBERTY
Owner Address :	WEST LIBERTY, 43357
District :	5
Latitude :	40 15 30
Longitude :	83 45 13
Last Date in Agency List :	2017-10-23



No unmappable sites reported.

## FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

AST PBS: Bulk petroleum terminals with a total bulk storage capacity of 50,000 barrels or more.

Agency Version Date: 05/10/2024	Agency: Department of Homeland Security
Agency Update Frequency: Quarterly	Agency Contact: 202-853-5361
Planned Next Contact: 10/31/2024	Most Recent Contact: 08/06/2024

EPA UST: Facilities listed in the EPA UST Finder database

Agency Version Date: 03/28/2024	Agency: EPA
Agency Update Frequency: Quarterly	Agency Contact: (202) 566-1667
Planned Next Contact: 12/13/2024	Most Recent Contact: 09/18/2024

FEMA UST: FEMA underground storage tank listing

Agency Version Date: 06/07/2023	Agency: FEMA
Agency Update Frequency: Varies	Agency Contact: 202-212-5283
Planned Next Contact: 11/08/2024	Most Recent Contact: 08/14/2024

HIST INDIAN UST R4: Historical Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 10/18/2023	Agency: U.S. Environmental Protection Agency Region 4
Agency Update Frequency: No Longer Maintained	Agency Contact: 855-246-3642
Planned Next Contact: 12/25/2024	Most Recent Contact: 09/30/2024

HIST INDIAN UST R6: Historical Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 12/03/2021	Agency: U.S. Environmental Protection Agency Region 6
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 01/03/2025	Most Recent Contact: 10/09/2024

HIST INDIAN UST R7: Historical Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 08/10/2021	Agency: U.S. Environmental Protection Agency Region 7
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 12/24/2024	Most Recent Contact: 09/27/2024

INDIAN UST R1: Underground Storage Tanks on Indian Land in EPA Region 1

Agency Version Date: 09/04/2024	Agency: U.S. Environmental Protection Agency Region 1
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 11/29/2024	Most Recent Contact: 09/04/2024

INDIAN UST R10: Underground Storage Tanks on Indian Land in EPA Region 10

Agency Version Date: 07/04/2024	Agency: U.S. Environmental Protection Agency Region 10
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 12/25/2024	Most Recent Contact: 09/30/2024

INDIAN UST R2: Underground Storage Tanks on Indian Land in EPA Region 2

Agency Version Date: 12/07/2016	Agency: U.S. Environmental Protection Agency Region 2
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 12/02/2024	Most Recent Contact: 09/05/2024

INDIAN UST R4: Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 07/04/2024	Agency: U.S. Environmental Protection Agency Region 4
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 12/25/2024	Most Recent Contact: 09/30/2024

## FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS (cont.)

INDIAN UST R5: Underground Storage Tanks on Indian Land in EPA Region 5

Agency Version Date: 06/24/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/13/2024

Agency: U.S. Environmental Protection Agency Region 5  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/18/2024

INDIAN UST R6: Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 07/17/2024  
Agency Update Frequency: Semi Annually  
Planned Next Contact: 01/07/2025

Agency: U.S. Environmental Protection Agency Region 6  
Agency Contact: 855-246-3642  
Most Recent Contact: 10/11/2024

INDIAN UST R7: Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 06/24/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/13/2024

Agency: U.S. Environmental Protection Agency Region 7  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/18/2024

INDIAN UST R8: Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 09/03/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/28/2024

Agency: U.S. Environmental Protection Agency Region 8  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/03/2024

INDIAN UST R9: Underground Storage Tanks on Indian Land in EPA Region 9

Agency Version Date: 09/02/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/27/2024

Agency: U.S. Environmental Protection Agency Region 9  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/02/2024

ARCHIVE UST - OH: Underground Storage Tanks that have been removed

Agency Version Date: 09/19/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/16/2024

Agency: Ohio EPA  
Agency Contact: (614) 752-7938  
Most Recent Contact: 09/19/2024

UST - OH: Registered Underground Storage Tanks

Agency Version Date: 07/05/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/26/2024

Agency: Ohio EPA  
Agency Contact: (614) 752-7938  
Most Recent Contact: 10/01/2024

## FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSD: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Agency Version Date: 08/14/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/08/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 215-814-2469  
Most Recent Contact: 08/14/2024

RCRA\_TSD: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Agency Version Date: 08/14/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/08/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 215-814-2469  
Most Recent Contact: 08/14/2024

## FEDERAL CERCLIS LIST

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 800-424-9346  
Most Recent Contact: 09/13/2024

CERCLIS-HIST: The CERCLIS program database contains information on the assessment and remediation of federal hazardous waste sites. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 800-424-9346  
Most Recent Contact: 09/13/2024

EPA SAA: Listing of Sites with Superfund Alternative Approach Agreements.

Agency Version Date: 06/20/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/11/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 800-424-9346  
Most Recent Contact: 09/16/2024

FEDERAL FACILITY: Sites where Federal Facilities Restoration and Reuse Office (FFRRO) arranged cleanup for Base Closure and Property Transfer at Federal Facilities

Agency Version Date: 06/19/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8712  
Most Recent Contact: 09/13/2024

SEMS\_8R\_ACTIVE SITES: The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. NPL sites include latitude and longitude information. For non-NPL sites, a brief site status is provided.

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

SEMS\_8R\_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time.

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

## FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases

Agency Version Date: 08/14/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/08/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-1667  
Most Recent Contact: 08/14/2024

HIST CORRACTS 2: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases that are no longer in current agency list.

Agency Version Date: 10/12/2018  
Agency Update Frequency: Annually  
Planned Next Contact: 01/01/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-1667  
Most Recent Contact: 10/07/2024

## FEDERAL DELISTED NPL SITE LIST

DELISTED NPL: National Priority List of sites that were delisted and no longer require action

Agency Version Date: 06/19/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Quarterly Agency Contact: 703-603-8867  
Planned Next Contact: 12/10/2024 Most Recent Contact: 09/13/2024

DELISTED PROPOSED NPL: Sites that have been delisted from the proposed National Priority List

Agency Version Date: 06/19/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Quarterly Agency Contact: 703-603-8867  
Planned Next Contact: 12/10/2024 Most Recent Contact: 09/13/2024

SEMS\_DELETED NPL: All Deleted National Priority List Sites

Agency Version Date: 06/19/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Quarterly Agency Contact: 703-603-8867  
Planned Next Contact: 12/10/2024 Most Recent Contact: 09/13/2024

## FEDERAL RCRA GENERATORS LIST

EJ HAZ WASTE: Hazardous waste facilities from Environmental Justice.

Agency Version Date: 08/02/2024 Agency: ejscreen.epa.gov  
Agency Update Frequency: Quarterly Agency Contact: (800) 962-6215  
Planned Next Contact: 10/29/2024 Most Recent Contact: 08/02/2024

HIST RCRA\_CESQG: List of Resource Conservation and Recovery Act licensed conditionally exempt small quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Annually Agency Contact: 215-814-2469  
Planned Next Contact: 01/01/2025 Most Recent Contact: 10/07/2024

HIST RCRA\_LQG: List of Resource Conservation and Recovery Act licensed large quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Annually Agency Contact: 215-814-2469  
Planned Next Contact: 01/02/2025 Most Recent Contact: 10/08/2024

HIST RCRA\_NONGEN: List of Resource Conservation and Recovery Act licensed non-generators that are no longer in current agency list.

Agency Version Date: 10/12/2018 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Annually Agency Contact: 215-814-2469  
Planned Next Contact: 01/01/2025 Most Recent Contact: 10/07/2024

HIST RCRA\_SQG: List of Resource Conservation and Recovery Act licensed small quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Annually Agency Contact: 215-814-2469  
Planned Next Contact: 01/01/2025 Most Recent Contact: 10/07/2024

RCRA\_LQG: Resource Conservation and Recovery Act listing of licensed large quantity generators

Agency Version Date: 08/14/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Quarterly Agency Contact: 215-814-2469  
Planned Next Contact: 11/08/2024 Most Recent Contact: 08/14/2024

## FEDERAL RCRA GENERATORS LIST (cont.)

RCRA\_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators

Agency Version Date: 08/14/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Varies Agency Contact: 215-814-2469  
Planned Next Contact: 11/08/2024 Most Recent Contact: 08/14/2024

RCRA\_SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators

Agency Version Date: 08/14/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Quarterly Agency Contact: 215-814-2469  
Planned Next Contact: 11/08/2024 Most Recent Contact: 08/14/2024

RCRA\_VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators.

Agency Version Date: 08/14/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Varies Agency Contact: 215-814-2469  
Planned Next Contact: 11/08/2024 Most Recent Contact: 08/14/2024

## FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

EPA LF MOP: Sites in the EPA Landfill Methane Outreach Program

Agency Version Date: 08/13/2024 Agency: U.S. Environmental Protection Agency  
Agency Update Frequency: Quarterly Agency Contact: 703-603-8867  
Planned Next Contact: 11/07/2024 Most Recent Contact: 08/13/2024

## FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST: Releases listed in the EPA UST Finder database

Agency Version Date: 03/28/2024 Agency: EPA  
Agency Update Frequency: Quarterly Agency Contact: (202) 566-1667  
Planned Next Contact: 12/13/2024 Most Recent Contact: 09/18/2024

HIST INDIAN LUST R4: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 10/18/2013 Agency: U.S. Environmental Protection Agency Region 4  
Agency Update Frequency: Quarterly Agency Contact: 855-246-3642  
Planned Next Contact: 12/24/2024 Most Recent Contact: 09/27/2024

HIST INDIAN LUST R8: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 08/16/2021 Agency: U.S. Environmental Protection Agency Region 8  
Agency Update Frequency: Quarterly Agency Contact: 855-246-3642  
Planned Next Contact: 12/16/2024 Most Recent Contact: 09/19/2024

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land in EPA Region 1

Agency Version Date: 09/04/2024 Agency: U.S. Environmental Protection Agency Region 1  
Agency Update Frequency: Quarterly Agency Contact: 855-246-3642  
Planned Next Contact: 11/29/2024 Most Recent Contact: 09/04/2024

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land in EPA Region 10

Agency Version Date: 07/04/2024 Agency: U.S. Environmental Protection Agency Region 10  
Agency Update Frequency: Quarterly Agency Contact: 855-246-3642  
Planned Next Contact: 12/25/2024 Most Recent Contact: 09/30/2024

## FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)

INDIAN LUST R2: Leaking Underground Storage Tanks on Indian Land in EPA Region 2

Agency Version Date: 12/07/2016  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/02/2024

Agency: U.S. Environmental Protection Agency Region 2  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/05/2024

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 07/04/2024  
Agency Update Frequency: Semi Annually  
Planned Next Contact: 12/25/2024

Agency: U.S. Environmental Protection Agency Region 4  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/30/2024

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land in EPA Region 5

Agency Version Date: 06/24/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/13/2024

Agency: U.S. Environmental Protection Agency Region 5  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/18/2024

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 06/26/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/17/2024

Agency: U.S. Environmental Protection Agency Region 6  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/20/2024

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 06/24/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/13/2024

Agency: U.S. Environmental Protection Agency Region 7  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/18/2024

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 06/25/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/16/2024

Agency: U.S. Environmental Protection Agency Region 8  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/19/2024

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land in EPA Region 9

Agency Version Date: 08/30/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/26/2024

Agency: U.S. Environmental Protection Agency Region 9  
Agency Contact: 855-246-3642  
Most Recent Contact: 08/30/2024

LAST - OH: Leaking Aboveground Storage Tanks

Agency Version Date: 07/29/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 10/23/2024

Agency: Ohio EPA  
Agency Contact: (614) 752-7938  
Most Recent Contact: 07/29/2024

LUST - OH: Listing of leaking tanks

Agency Version Date: 09/05/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/02/2024

Agency: Ohio EPA  
Agency Contact: (614) 752-7938  
Most Recent Contact: 09/05/2024

UNREG LTANKS - OH: Oil and other releases from the Ohio Department of Commerce

Agency Version Date: 07/29/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 10/23/2024

Agency: Ohio Department of Commerce  
Agency Contact: 614-387-7412  
Most Recent Contact: 07/29/2024

## FEDERAL ERNS LIST

ERNS: Emergency Response Notification System records of reported spills

Agency Version Date: 09/09/2024  
Agency Update Frequency: Annually  
Planned Next Contact: 12/04/2024

Agency: National Response Center United States Coast Guard  
Agency Contact: N/R  
Most Recent Contact: 09/09/2024

## FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

FED E C: Federal listing of remediation sites with engineering controls

Agency Version Date: 10/07/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 01/01/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: 800-424-9346  
Most Recent Contact: 10/07/2024

FED I C: Federal listing of remediation sites with institutional controls

Agency Version Date: 10/07/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 01/01/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: 800-424-9346  
Most Recent Contact: 10/07/2024

RCRA IC\_EC: Sites with institutional or engineering controls related to Resource Conservation and Recovery Act

Agency Version Date: 06/25/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/16/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 215-814-2469  
Most Recent Contact: 09/19/2024

## FEDERAL NPL SITE LIST

NPL: List of priority contaminated sites among identified releases or threatened releases of hazardous substances pollutants or contaminants nationally

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

NPL EPA R1 GIS: Geospatial data for the Environmental Protection Agency Region 1 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-2132  
Most Recent Contact: 09/13/2024

NPL EPA R3 GIS: Geospatial data for the Environmental Protection Agency Region 3 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-2132  
Most Recent Contact: 09/13/2024

NPL EPA R6 GIS: Geospatial data for the Environmental Protection Agency Region 6 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-2132  
Most Recent Contact: 09/13/2024



## FEDERAL NPL SITE LIST (cont.)

NPL EPA R8 GIS: Geospatial data for the Environmental Protection Agency Region 8 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-2132  
Most Recent Contact: 09/13/2024

NPL EPA R9 GIS: Geospatial data for the Environmental Protection Agency Region 9 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-2132  
Most Recent Contact: 09/13/2024

PART NPL: Sites that are a part of an National Priority List site referred to as the parent site

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

PROPOSED NPL: Sites that have been proposed for the National Priority List

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

SEMS\_FINAL NPL: All Included National Priority List Sites

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

SEMS\_PROPOSED NPL: All Proposed National Priority List Sites

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

## STATE AND TRIBAL BROWNFIELD SITES

TRIBAL BROWNFIELDS: Tribal brownfield remediation site listing

Agency Version Date: 12/10/2017  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 10/28/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 855-246-3642  
Most Recent Contact: 08/01/2024

BROWNFIELDS - OH: Sites with Brownfields

Agency Version Date: 07/30/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/23/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2285  
Most Recent Contact: 09/26/2024

## STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - OH: Sites with Engineering Controls

Agency Version Date: 05/03/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 10/24/2024

Agency: Division of Environmental Response and Revitalization  
Agency Contact: (614) 644-2309  
Most Recent Contact: 07/30/2024

## STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES (cont.)

IC - OH: Sites with Institutional Controls

Agency Version Date: 05/22/2023  
Agency Update Frequency: Varies  
Planned Next Contact: 10/24/2024

Agency: Division of Environmental Response and Revitalization  
Agency Contact: (614) 644-2309  
Most Recent Contact: 07/30/2024

IC LUC - OH: State Remedial Response Sites with Land Use Institutional Controls in Place.

Agency Version Date: 09/13/2021  
Agency Update Frequency: Varies  
Planned Next Contact: 10/22/2024

Agency: Division of Environmental Response and Revitalization  
Agency Contact: (614) 644-2924  
Most Recent Contact: 07/26/2024

## STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

HIST LF - OH: Old/abandoned Solid Waste Facilities

Agency Version Date: 07/23/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 10/17/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2782  
Most Recent Contact: 07/23/2024

HIST LF-LD - OH: Database developed from Ohio EPA staff notebooks and other information dating from the mid-1970s.

Agency Version Date: 10/23/2017  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 12/27/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2782  
Most Recent Contact: 10/02/2024

SWF/LF - OH: Solid Waste Landfills

Agency Version Date: 04/18/2023  
Agency Update Frequency: Varies  
Planned Next Contact: 12/17/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2306  
Most Recent Contact: 09/20/2024

## STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - OH: Sites with Voluntary Cleanup Program

Agency Version Date: 07/30/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 10/24/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2309  
Most Recent Contact: 07/30/2024

## LOCAL BROWNFIELD LISTS

BROWNFIELDS-ACRES: EPA Brownfields Assessment, Cleanup and Redevelopment Exchange System.

Agency Version Date: 05/03/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/24/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 855-246-3642  
Most Recent Contact: 07/30/2024

EJ BROWNFIELDS: Brownfield remediation sites listing from Environmental Justice.

Agency Version Date: 08/02/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/29/2024

Agency: ejscreen.epa.gov  
Agency Contact: (800) 962-6215  
Most Recent Contact: 08/02/2024

FED BROWNFIELDS: Federal brownfield remediation sites

Agency Version Date: 06/14/2024  
Agency Update Frequency: Semi Annually  
Planned Next Contact: 12/05/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 855-246-3642  
Most Recent Contact: 09/10/2024

## LOCAL BROWNFIELD LISTS (cont.)

HIST FED BROWNFIELDS: Historical federal brownfield remediation sites

Agency Version Date: 09/28/2023	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: No Longer Maintained	Agency Contact: 855-246-3642
Planned Next Contact: 12/05/2024	Most Recent Contact: 09/10/2024

## LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL: The U.S. Department of Justice listing of clandestine drug lab locations

Agency Version Date: 08/29/2024	Agency: U.S. Department of Justice
Agency Update Frequency: Quarterly	Agency Contact: 202-307-7610
Planned Next Contact: 11/25/2024	Most Recent Contact: 08/29/2024

US HIST CDL: The U.S. Department of Justice historical listing of clandestine drug lab locations

Agency Version Date: 08/05/2019	Agency: U.S. Department of Justice
Agency Update Frequency: Quarterly	Agency Contact: 202-307-7610
Planned Next Contact: 12/26/2024	Most Recent Contact: 10/01/2024

## LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

HIST INDIAN ODI R8: List of Region 8 Indian land open dump inventory sites maintained within the STARS program that is no longer in current agency list.

Agency Version Date: 11/12/2018	Agency: Indian Health Service
Agency Update Frequency: Annually	Agency Contact: 855-246-3642
Planned Next Contact: 11/15/2024	Most Recent Contact: 08/21/2024

INDIAN ODI R8: Region 8 Indian land open dump inventory sites maintained within the STARS program

Agency Version Date: 05/10/2024	Agency: Indian Health Service
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 10/31/2024	Most Recent Contact: 08/06/2024

ODI: Open dump inventory sites

Agency Version Date: 10/03/2017	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: No Update	Agency Contact: 855-246-3642
Planned Next Contact: 12/23/2024	Most Recent Contact: 09/26/2024

TRIBAL ODI: Indian land open dump inventory for all regions

Agency Version Date: 07/12/2024	Agency: Indian Health Service
Agency Update Frequency: Varies	Agency Contact: 301-443-3593
Planned Next Contact: 01/02/2025	Most Recent Contact: 10/08/2024

SWRCY - OH: Recycling Facilities

Agency Version Date: 05/14/2024	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2782
Planned Next Contact: 11/04/2024	Most Recent Contact: 08/08/2024

## RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT): Hazardous Material spills reported by the Department of Transportation

Agency Version Date: 08/06/2024	Agency: U.S. Department of Transportation
Agency Update Frequency: Varies	Agency Contact: (202) 366-4996
Planned Next Contact: 10/31/2024	Most Recent Contact: 08/06/2024

## RECORDS OF EMERGENCY RELEASE REPORTS (cont.)

SPILLS - OH: Incidents reported to the Emergency Response Unit

Agency Version Date: 06/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/04/2024

Agency: Ohio EPA  
Agency Contact: N/R  
Most Recent Contact: 09/09/2024

## LOCAL LAND RECORDS

LIENS 2: Comprehensive Environmental Response Compensation and Liability Act sites with liens

Agency Version Date: 05/11/2017  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 10/30/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 800-424-9346  
Most Recent Contact: 08/05/2024

## OTHER ASCERTAINABLE RECORDS

AFS: Air Facility Systems Quarterly Extract

Agency Version Date: 09/13/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 09/13/2024

ALT FUELING: Alternative Fueling Stations by fuel type.

Agency Version Date: 08/13/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/07/2024

Agency: U.S. Department of Energy  
Agency Contact: N/R  
Most Recent Contact: 08/13/2024

ARENAS: List of Arenas and Sport Venues

Agency Version Date: 04/11/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/27/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 10/02/2024

ARENAS 2: List of Convention Centers and Fairgrounds

Agency Version Date: 04/09/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/25/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/30/2024

BRS: Reporting of hazardous waste generation and management from large quantity generators

Agency Version Date: 08/14/2024  
Agency Update Frequency: Biennial  
Planned Next Contact: 11/08/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 08/14/2024

CHURCHES: List of places of worship

Agency Version Date: 04/15/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/31/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 10/04/2024

COAL ASH DOE: List of existing and planned generators with 1 megawatt or greater of combined capacity that are utilizing coal ash impoundments.

Agency Version Date: 11/15/2023  
Agency Update Frequency: Varies  
Planned Next Contact: 10/28/2024

Agency: Department of Energy  
Agency Contact: (202) 586-8800  
Most Recent Contact: 08/01/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

Agency Version Date: 03/29/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/16/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 09/19/2024

COAL GAS: Manufactured Gas Plant locations

Agency Version Date: 08/20/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/14/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 855-246-3642  
Most Recent Contact: 08/20/2024

COLLEGES: List of major Universities & Colleges

Agency Version Date: 03/14/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/29/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/04/2024

COLLEGES 2: List of Universities & Colleges

Agency Version Date: 03/20/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/05/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/10/2024

CONSENT (DECREES): Legal decisions regarding responsibility for Superfund locations

Agency Version Date: 06/19/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/10/2024

Agency: Environmental Protection Agency  
Agency Contact: (800) 424-9346  
Most Recent Contact: 09/13/2024

CORRECTIVE ACTIONS\_2020: In 2009 the EPA created the 2020 Corrective Action Baseline list of contaminated or potentially contaminated sites with a cleanup goal to complete 95% by the year 2020. The names on the list indicate the facility owners who may or may not have caused the contamination.

Agency Version Date: 12/19/2023  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 12/27/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 09/04/2024

DAYCARE: List of Daycare facilities

Agency Version Date: 06/07/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/28/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/03/2024

DEBRIS EPA LF: EPA list of designated landfill facilities for the safe disposal of disaster debris.

Agency Version Date: 08/29/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/25/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 855-246-3642  
Most Recent Contact: 08/29/2024

DEBRIS EPA SWRCY: EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris.

Agency Version Date: 08/29/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/25/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 855-246-3642  
Most Recent Contact: 08/29/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

DOD: Department of Defense sites from the Protected Areas Database (PAD-US)

Agency Version Date: 06/19/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/10/2024

Agency: United States Geologic Survey (USGS)  
Agency Contact: 1-888-275-8747  
Most Recent Contact: 09/13/2024

DOT OPS: Incident Data Report

Agency Version Date: 04/11/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/27/2024

Agency: U.S. Department of Transportation  
Agency Contact: (202) 366-4996  
Most Recent Contact: 10/02/2024

ECHO: ECHO is EPA Enforcement and Compliance History Online website to search for facilities in your community to assess their compliance with environmental regulations related to CAA, CWA, RCRA, & SDWA.

Agency Version Date: 05/15/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/05/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 202-566-1667  
Most Recent Contact: 08/09/2024

EJ CHURCH: List of places of worship from Environmental Justice.

Agency Version Date: 08/02/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/29/2024

Agency: ejscreen.epa.gov  
Agency Contact: (800) 962-6215  
Most Recent Contact: 08/02/2024

EJ HOSPITALS: Hospitals list from Environmental Justice.

Agency Version Date: 08/02/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/29/2024

Agency: ejscreen.epa.gov  
Agency Contact: (800) 962-6215  
Most Recent Contact: 08/02/2024

EJ SCHOOLS: Schools list from Environmental Justice.

Agency Version Date: 08/02/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/29/2024

Agency: ejscreen.epa.gov  
Agency Contact: (800) 962-6215  
Most Recent Contact: 08/02/2024

EJ TOXIC RELEASE: Toxic release inventory from Environmental Justice.

Agency Version Date: 08/02/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/29/2024

Agency: ejscreen.epa.gov  
Agency Contact: (800) 962-6215  
Most Recent Contact: 08/02/2024

ENOI: The Electronic Notice of Intent (eNOI) database contains construction sites and industrial facilities that submit permit requests to EPA for Construction General Permits (CGP) and Multi-Sector General Permits (MSGP).

Agency Version Date: 03/19/2021  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/21/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 07/25/2024

EPA FUELS: List of companies and facilities registered to participate in EPA Fuel Programs under Title 40 CFR Part 80.

Agency Version Date: 06/25/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/16/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: (202) 564-2307  
Most Recent Contact: 09/19/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

EPA OSC: Listing of oil spills and hazardous substance release sites requiring EPA On-Site Coordinators.

Agency Version Date: 05/08/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/29/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: (202) 564-2307  
Most Recent Contact: 08/02/2024

EPA WATCH: The EPA Watch List was used to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. EPA maintained the lists from 2011 - 2013.

Agency Version Date: 02/09/2018  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 10/28/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: (202) 564-2307  
Most Recent Contact: 08/01/2024

FA HWF: Hazardous Waste Facilities with Financial Assurance

Agency Version Date: 05/29/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/15/2024

Agency: Environmental Protection Agency  
Agency Contact: (800) 424-9346  
Most Recent Contact: 08/21/2024

FEDLAND: Federal Lands from the Protected Areas Database (PAD-US)

Agency Version Date: 09/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/10/2024

Agency: United States Geologic Survey (USGS)  
Agency Contact: 1-888-275-8747  
Most Recent Contact: 09/13/2024

FRS: Facility Registry Systems

Agency Version Date: 06/27/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/18/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 09/23/2024

FTTS: Tracking of administrative and enforcement activities related to FIFRA/TSCA

Agency Version Date: 04/06/2013  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 11/12/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-2280  
Most Recent Contact: 08/16/2024

FTTS INSP: Tracking of inspections related to FIFRA/TSCA

Agency Version Date: 05/08/2017  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 11/05/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-2280  
Most Recent Contact: 08/09/2024

FUDS: Defense sites that require cleanup

Agency Version Date: 06/28/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/19/2024

Agency: US Army Corps of Engineering  
Agency Contact: (202) 761-0011  
Most Recent Contact: 09/24/2024

GOV MANSIONS: List of Governors Mansions

Agency Version Date: 04/11/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/27/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 10/02/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

HIST AFS: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Agency Version Date: 06/19/2019  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/28/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 08/01/2024

HIST AFS 2: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Agency Version Date: 11/26/2018  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/27/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 09/02/2024

HIST DOD: Department of Defense historical sites

Agency Version Date: 06/19/2024  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 12/10/2024

Agency: Environmental Protection Agency  
Agency Contact: (800) 424-9346  
Most Recent Contact: 09/13/2024

HIST LEAD\_SMELTER: List of former lead smelter sites that is no longer in current agency list.

Agency Version Date: 12/12/2018  
Agency Update Frequency: Annually  
Planned Next Contact: 11/13/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 08/19/2024

HIST MLTS: List of sites in possession/use of radioactive materials regulated by NRC that is no longer in current agency list.

Agency Version Date: 07/13/2016  
Agency Update Frequency: Annually  
Planned Next Contact: 11/21/2024

Agency: Nuclear Regulatory Commission  
Agency Contact: (800) 397-4209  
Most Recent Contact: 08/27/2024

HIST PCB TRANS: List of PCB Disposal Facilities that are no longer in current agency list.

Agency Version Date: 01/18/2018  
Agency Update Frequency: No Update  
Planned Next Contact: 12/11/2024

Agency: Environmental Protection Agency  
Agency Contact: (703) 308-8404  
Most Recent Contact: 09/16/2024

HIST PCS ENF: List of permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Agency Version Date: 12/08/2018  
Agency Update Frequency: Annually  
Planned Next Contact: 12/25/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-6582  
Most Recent Contact: 09/30/2024

HIST PCS FACILITY: List of Permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Agency Version Date: 12/18/2018  
Agency Update Frequency: Annually  
Planned Next Contact: 12/25/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-6582  
Most Recent Contact: 09/30/2024

HIST SSTS: List of tracking of facilities who produce pesticides and their quantity that are no longer in current agency list.

Agency Version Date: 02/13/2019  
Agency Update Frequency: Annually  
Planned Next Contact: 12/13/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 09/18/2024



## OTHER ASCERTAINABLE RECORDS (cont.)

HOSPITALS: List of major Hospitals

Agency Version Date: 06/10/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/29/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/04/2024

HWC DOCKET: Listing of Federal facilities which are managing or have managed hazardous waste; or have had a release of hazardous waste.

Agency Version Date: 06/25/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/16/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: (202) 564-2307  
Most Recent Contact: 09/19/2024

ICIS: Comprised of all Federal Administrative and Judicial enforcement information [intended to replace PCS] by tracking enforcement and compliance information (also contains what used to be known as FFTS)

Agency Version Date: 08/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/07/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 08/13/2024

INACTIVE PCS: Inactive Permitted facilities to discharge wastewater

Agency Version Date: 08/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/07/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-6582  
Most Recent Contact: 08/13/2024

INDIAN RESERVATION: American Indian Lands from the Protected Areas Database (PAD-US)

Agency Version Date: 09/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/10/2024

Agency: United States Geologic Survey (USGS)  
Agency Contact: 1-888-275-8747  
Most Recent Contact: 09/13/2024

LUCIS: Land Use Control Information Systems

Agency Version Date: 03/08/2023  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/06/2024

Agency: Department of the Navy: BRAC PMO  
Agency Contact: (619) 532-0900  
Most Recent Contact: 08/12/2024

LUCIS 2: Land Use Control Information Systems

Agency Version Date: 01/17/2018  
Agency Update Frequency: No Longer Maintained  
Planned Next Contact: 12/12/2024

Agency: Department of the Navy: BRAC PMO  
Agency Contact: (619) 532-0900  
Most Recent Contact: 09/17/2024

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest)

Agency Version Date: 06/28/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/19/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 09/24/2024

MGP: Locations of all Manufactured Gas Plants

Agency Version Date: 07/05/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/26/2024

Agency: Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/01/2024

**OTHER ASCERTAINABLE RECORDS (cont.)**

MINE OPERATIONS: Mine plants and operations for commodities monitored by the National Minerals Information Center of the USGS

Agency Version Date: 07/02/2024	Agency: USGS Mineral Resources Program
Agency Update Frequency: Varies	Agency Contact: (703) 648-5953
Planned Next Contact: 12/23/2024	Most Recent Contact: 09/26/2024

MINES: Mines Master Index Files

Agency Version Date: 05/20/2024	Agency: Department of Labor
Agency Update Frequency: Varies	Agency Contact: (202) 693-9400
Planned Next Contact: 11/08/2024	Most Recent Contact: 08/14/2024

MINES USGS: Listing of all active mines and mineral plants in 2003

Agency Version Date: 07/02/2024	Agency: USGS Mineral Resources Program
Agency Update Frequency: Varies	Agency Contact: (703) 648-5953
Planned Next Contact: 12/23/2024	Most Recent Contact: 09/26/2024

MLTS: Sites in possession/use of radioactive materials regulated by NRC

Agency Version Date: 12/22/2023	Agency: Nuclear Regulatory Commission
Agency Update Frequency: Varies	Agency Contact: (800) 397-4209
Planned Next Contact: 12/04/2024	Most Recent Contact: 09/09/2024

NPL AOC: Areas of Concern related to NPL remediation sites

Agency Version Date: 06/19/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: N/R
Planned Next Contact: 12/10/2024	Most Recent Contact: 09/13/2024

NPL LIENS: National Priority List of sites with Liens

Agency Version Date: 06/19/2024	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 703-603-8867
Planned Next Contact: 12/10/2024	Most Recent Contact: 09/13/2024

NURSING HOMES: List of Nursing Homes

Agency Version Date: 06/07/2024	Agency: DHS Homeland Infrastructure Foundation
Agency Update Frequency: Varies	Agency Contact: N/R
Planned Next Contact: 11/28/2024	Most Recent Contact: 09/03/2024

PADS: Listing of generators transporters commercial store/ brokers and disposers of PCB

Agency Version Date: 09/12/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (703) 308-8404
Planned Next Contact: 12/09/2024	Most Recent Contact: 09/12/2024

PCB TRANSFORMER: Disposal and Storage of Polychlorinated Biphenyl (PCB) Waste

Agency Version Date: 07/02/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (703) 308-8404
Planned Next Contact: 12/23/2024	Most Recent Contact: 09/26/2024

PCS ENF: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Agency Version Date: 08/13/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 564-6582
Planned Next Contact: 11/07/2024	Most Recent Contact: 08/13/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

PCS FACILITY: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Agency Version Date: 08/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/07/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-6582  
Most Recent Contact: 08/13/2024

PFAS FED SITES: PFAS Detection on Federal Facilities

Agency Version Date: 07/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 01/02/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/08/2024

PFAS INDUSTRY: List of Industries potentially handling PFAS

Agency Version Date: 07/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 01/02/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/08/2024

PFAS MANIFEST: PFAS Transfer Manifest

Agency Version Date: 07/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 01/02/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/08/2024

PFAS NPL: List of NPL sites with PFAS or PFOA contamination

Agency Version Date: 08/23/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 11/19/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 08/23/2024

PFAS PROD: PFAS Production Sites

Agency Version Date: 07/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 01/02/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/08/2024

PFAS SPILLS: List of PFAS Spill Sites

Agency Version Date: 07/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 01/02/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/08/2024

PFAS TRIS: List of TRIS sites where PFAS or PFOA are used/manufactured/ treated/ transported/released.

Agency Version Date: 08/13/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/07/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 08/13/2024

PFAS UCMR3: List of PWS wells sampled for Unregulated Contaminant Monitoring Rule (UCMR)

Agency Version Date: 06/02/2022  
Agency Update Frequency: Quarterly  
Planned Next Contact: 10/21/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 07/25/2024

PFAS WQP: List of PFAS from Water Quality Portal

Agency Version Date: 07/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 01/02/2025

Agency: U.S. Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 10/08/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

PRISONS: List of Prison facilities

Agency Version Date: 05/03/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 10/24/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 07/30/2024

RAATS: Listing of major violators with enforcement actions issued under RCRA. Includes administrative and civil actions filed by the EPA. This dataset is no longer maintained.

Agency Version Date: 09/23/2019  
Agency Update Frequency: Varies  
Planned Next Contact: 11/28/2024

Agency: Environmental Protection Agency  
Agency Contact: N/R  
Most Recent Contact: 09/03/2024

RADINFO: EPA regulated facilities with radiation and radioactive materials

Agency Version Date: 08/01/2019  
Agency Update Frequency: Varies  
Planned Next Contact: 11/18/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 08/22/2024

RMP: Facilities producing/handling/ process/ distribute/ store specific chemicals report plans required by the Clean Air Act

Agency Version Date: 06/14/2023  
Agency Update Frequency: Monthly  
Planned Next Contact: 11/15/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 564-2534  
Most Recent Contact: 08/21/2024

ROD: Permanent remedy at an NPL site

Agency Version Date: 06/19/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/10/2024

Agency: Environmental Protection Agency  
Agency Contact: (800) 424-9346  
Most Recent Contact: 09/13/2024

SCHOOLS PRIVATE: List of Private Schools

Agency Version Date: 06/10/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/29/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/04/2024

SCHOOLS PUBLIC: List of Public Schools

Agency Version Date: 06/10/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/29/2024

Agency: DHS Homeland Infrastructure Foundation  
Agency Contact: N/R  
Most Recent Contact: 09/04/2024

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners

Agency Version Date: 07/22/2024  
Agency Update Frequency: No Update  
Planned Next Contact: 10/16/2024

Agency: Environmental Protection Agency  
Agency Contact: (202) 566-1667  
Most Recent Contact: 07/22/2024

SEMS\_SMELTER: This report includes sites that have smelting-related, or potentially smelting-related, indicators in the SEMS database. The report includes information on the site location as well as contaminants of concern.

Agency Version Date: 06/19/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/10/2024

Agency: U.S. Environmental Protection Agency  
Agency Contact: 703-603-8867  
Most Recent Contact: 09/13/2024

**OTHER ASCERTAINABLE RECORDS (cont.)**

SSTS: Tracking of facilities who produce pesticides and their quantity

Agency Version Date: 05/01/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: (202) 566-1667
Planned Next Contact: 10/22/2024	Most Recent Contact: 07/26/2024

STORMWATER: Permitted storm water sites

Agency Version Date: 08/06/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 10/31/2024	Most Recent Contact: 08/06/2024

TOSCA-PLANT: Plants controlled by the Toxic Substance Control Act

Agency Version Date: 08/22/2023	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 10/29/2024	Most Recent Contact: 08/02/2024

TRIS: Information regarding toxic chemicals that are being used/manufactured/ treated/ transported/released into the environment

Agency Version Date: 08/13/2024	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 11/07/2024	Most Recent Contact: 08/13/2024

UMTRA: Uranium Recovery Sites

Agency Version Date: 05/17/2024	Agency: United States Nuclear Regulatory Commission
Agency Update Frequency: Varies	Agency Contact: (301) 415-8200
Planned Next Contact: 11/07/2024	Most Recent Contact: 08/13/2024

VAPOR: EPA Vapor Intrusion Database

Agency Version Date: 03/19/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 10/22/2024	Most Recent Contact: 07/26/2024

AIRS - OH: Title V Permit listings

Agency Version Date: 06/08/2023	Agency: Ohio EPA
Agency Update Frequency: Quarterly	Agency Contact: (614) 644-2270
Planned Next Contact: 11/08/2024	Most Recent Contact: 08/14/2024

COAL ASH - OH: Sites with Coal Ash Disposal Facilities

Agency Version Date: 01/22/2018	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2782
Planned Next Contact: 10/29/2024	Most Recent Contact: 08/02/2024

COAL ASH 2 - OH: Sites with Coal Ash Disposal Facilities

Agency Version Date: 01/22/2018	Agency: Ohio EPA
Agency Update Frequency: Quarterly	Agency Contact: (614) 644-2782
Planned Next Contact: 10/29/2024	Most Recent Contact: 08/02/2024

CRO - OH: Cessation of Regulated Operations Facility Listing

Agency Version Date: 05/22/2024	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2621
Planned Next Contact: 11/12/2024	Most Recent Contact: 08/16/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

DAYCARE - OH: Daycare listing

Agency Version Date: 06/14/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/05/2024

Agency: Department of Job and Family Services  
Agency Contact: (800) 686-1556  
Most Recent Contact: 09/10/2024

DERR - OH: Sites listed in the DERR database

Agency Version Date: 07/17/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 01/07/2025

Agency: Ohio EPA  
Agency Contact: (614) 644-2304  
Most Recent Contact: 10/11/2024

DRYCLEANERS - OH: Sites with Drycleaners

Agency Version Date: 08/30/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/26/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2924  
Most Recent Contact: 08/30/2024

HIST NPDES - OH: List of Industrial & Municipal water discharge permits that are no longer in current agency list.

Agency Version Date: 07/13/2018  
Agency Update Frequency: Annually  
Planned Next Contact: 12/12/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2001  
Most Recent Contact: 07/16/2024

HIST USD - OH: Withdrawn sites

Agency Version Date: 09/12/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/09/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2924  
Most Recent Contact: 09/12/2024

MINES - OH: List of Coal & Industrial Mine locations

Agency Version Date: 06/07/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/28/2024

Agency: Division of Mineral Resources Management  
Agency Contact: (330) 339-2207  
Most Recent Contact: 09/03/2024

MINES 2 - OH: List of current & past Coal mine openings

Agency Version Date: 06/06/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 11/27/2024

Agency: Division of Mineral Resources Management  
Agency Contact: (330) 339-2207  
Most Recent Contact: 09/02/2024

MINES AUM - OH: List of Abandoned Underground Mine locations

Agency Version Date: 09/05/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/02/2024

Agency: Division of Mineral Resources Management  
Agency Contact: (330) 339-2207  
Most Recent Contact: 09/05/2024

NPDES - OH: Listing of facilities with wastewater and NPDES permits

Agency Version Date: 03/22/2024  
Agency Update Frequency: Varies  
Planned Next Contact: 12/09/2024

Agency: Ohio EPA  
Agency Contact: (614) 644-2001  
Most Recent Contact: 09/12/2024

PFAS - OH: List of wells in the statewide PFAS investigation

Agency Version Date: 06/27/2024  
Agency Update Frequency: Quarterly  
Planned Next Contact: 12/18/2024

Agency: Ohio EPA and Ohio Department of Health  
Agency Contact: (614) 644-2160  
Most Recent Contact: 09/23/2024

## OTHER ASCERTAINABLE RECORDS (cont.)

SLUDGE - OH: Database of sludge pits, ponds and lagoon sites. The SIABASE data was published by US EPA in 1980.

Agency Version Date: 12/25/2017	Agency: Ohio EPA
Agency Update Frequency: No Longer Maintained	Agency Contact: (614) 644-2782
Planned Next Contact: 12/13/2024	Most Recent Contact: 09/18/2024

STORMWATER - OH: Listing of facilities with wastewater and NPDES permits

Agency Version Date: 08/23/2024	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2001
Planned Next Contact: 11/19/2024	Most Recent Contact: 08/23/2024

TOWN GAS - OH: A list of 82 sites of coal gas generators in Ohio.

Agency Version Date: 12/25/2017	Agency: Ohio EPA
Agency Update Frequency: No Longer Maintained	Agency Contact: (614) 644-2782
Planned Next Contact: 12/20/2024	Most Recent Contact: 09/25/2024

UIC - OH: Regulated Underground Injection Controlled wells

Agency Version Date: 08/02/2024	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2752
Planned Next Contact: 10/29/2024	Most Recent Contact: 08/02/2024

USD - OH: Sites with Urban Setting Designation Sites

Agency Version Date: 09/12/2024	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2924
Planned Next Contact: 12/09/2024	Most Recent Contact: 09/12/2024

**SUBJECT PROPERTY ADDRESS:**

Old School  
420 W Columbus St  
West Liberty, OH 43357

**SUBJECT PROPERTY COORDINATES:**

Latitude(North):	40.253665 - 40°15'13.2"
Longitude(West):	-83.760832 - -83°45'39"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	265195.39
UTM Y (Meters):	4459569.18
State Plane Coordinates:	3401 - Ohio North (US Survey Feet)
X Coordinate (Feet):	1616570.508 E
Y Coordinate (Feet):	216405.257 N

**ELEVATION:**

Elevation: 1104 ft. above sea level

**USGS TOPOGRAPHIC MAP:**

Subject Property Map: 40083-C7 Bellefontaine, OH  
Most Recent Revision: 2019

**GEOHYDROLOGY DATA:**

**SUBJECT PROPERTY TOPOGRAPHY:**

Topographic Gradient: East

**DFIRM FLOOD ZONE:**

	DFIRM Flood
Subject Property County:	Electronic Data:
LOGAN	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	39021C0075D (Eff. date 11/18/2009) 39091C0294E (Eff. date 11/30/2023)
Additional Panels in search area:	39091C0313E (Eff. date 11/30/2023) 39021C0175D (Eff. date 11/18/2009) 39091C0376E (Eff. date 11/30/2023) 39021C0150D (Eff. date 11/18/2009) 39091C0357E (Eff. date 11/30/2023)

**FEMA FLOOD ZONE:**

	FEMA Flood
Subject Property County:	Electronic Data:
LOGAN	No available data.
Flood Plain Panel at Subject Property:	No available data
Additional Panels in search area:	No available data



**NATIONAL WETLAND INVENTORY:**

	NWI Electronic
<u>NWI Quad at Subject Property:</u>	<u>Data Coverage:</u>
Bellefontaine	Yes - refer to the Geological Findings Map



**LITHOSTRATIGRAPHIC INFORMATION:**

**ROCK STRATIGRAPHIC UNIT:**

**GEOLOGIC AGE IDENTIFICATION**



Era:	Paleozoic	Category: 117 S3 Upper Silurian (Cayugan)
System:	Silurian	
Series:	Upper Silurian (Cayugan)	
Code:	S3	

SURROUNDING ELEVATION PROFILES:



SUBJECT NAME: Old School  
ADDRESS: 420 W Columbus St, West Liberty, OH, 43357  
LAT/LONG: 40.253665 / -83.760832

PREPARED FOR: Hart Environmental Resources  
ORDER #: 102379  
REPORT DATE: October 14, 2024



+ Subject Property      - SSURGO      - STATSGO

**SOIL COMPOSITION IN GENERAL AREA OF SUBJECT PROPERTY:**

Agency source: Soil Conservation Service, US Department of Agriculture

**SOIL MAP ID 1**

**SSURGO**

USDA Soil Name	Miamian, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	15-25	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	25-69	Clay	Silt-Clay materials (more than 35% passing No. 200), clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in	1.41-4.23	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	25-69	Clay	Silt-Clay materials (more than 35% passing No. 200), clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
4	69-152	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

**SOIL MAP ID 2**

**SSURGO**

USDA Soil Name	Miamian, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75	1.41-4.23	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Transportation Officials, 1984.	mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	5.6-7.3
2	15-56	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.3
3	56-69	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	5.1-8.4
4	69-200	Loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	7.4-8.4

SOIL MAP ID 3

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	30-69	Clay	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
3	69-76	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	6.6-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	69-76	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
4	76-200	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

**SOIL MAP ID 4**

**SSURGO**

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	4.23-14.11	5.6-7.3



Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	30-69	Clay	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
3	69-76	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
4	76-200	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 5

SSURGO

USDA Soil Name	Rodman,Taxadjunct
USDA Soil Texture	Loam
Hydrologic Soil Group	A
Soil Drainage Class	Excessively drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.11-42.34	6.6-8.4
2	23-38	Loam	Granular materials (35% or less passing No. 200 sieve), silty or clayey gravel and sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.11-42.34	6.6-8.4
3	38-152	Sand	Granular materials (35% or less passing No. 200 sieve), silty or clayey gravel and sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly Graded Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-705	7.4-8.4

SOIL MAP ID 6

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	25-79	Clay	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is 50% or more), Fat Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	79-97	Loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	6.6-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	79-97	Loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
4	97-200	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

**SOIL MAP ID 7**

**SSURGO**

USDA Soil Name	Miamian, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Well drained
Hydric Classification	2
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	4.23-14.11	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	15-25	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	25-69	Clay	Silt-Clay materials (more than 35% passing No. 200), clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
4	69-152	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	1.41-4.23	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	69-152	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

**SOIL MAP ID 8**

**SSURGO**

USDA Soil Name	Carlisle, Series
USDA Soil Texture	Not Reported
Hydrologic Soil Group	A/D
Soil Drainage Class	Very poorly drained
Hydric Classification	100
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25		Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Highly organic soils, Peat. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-42.34	0-0
2	25-90		Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Highly organic soils, Peat. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	1.41-42.34	0-0

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	25-90		Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-42.34	0-0
3	90-200		Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Highly organic soils, Peat. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-42.34	0-0

**SOIL MAP ID 9**

**SSURGO**

USDA Soil Name	Lippincott, Series
USDA Soil Texture	Silty clay loam
Hydrologic Soil Group	B/D
Soil Drainage Class	Very poorly drained
Hydric Classification	95
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-28	Silty clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is 50% or more), Elastic Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	6.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-28	Silty clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	6.1-7.3
2	28-64	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is 50% or more), Fat Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
3	64-91	Coarse sandy loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4
4	91-200	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4



SOIL MAP ID 10

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	25-79	Clay	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is 50% or more), Fat Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	79-97	Loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	6.6-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	79-97	Loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
4	97-200	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

**SOIL MAP ID 11**

**SSURGO**

USDA Soil Name	Nineveh, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-41	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and	4.23-14.11	6.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-41	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.3
2	41-51	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.1-7.3
3	51-79	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.1-7.3
4	79-94	Loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	6.6-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	79-94	Loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
5	94-152	Sand	Granular materials (35% or less passing No. 200 sieve), silty or clayey gravel and sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly Graded Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-705	7.4-8.4

**SOIL MAP ID A**

**STATSGO**

USDA Soil Name	Eldean, Series
USDA Soil Texture	Loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	47
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-12	Loam	No data	No data	4.2343-14.1143	5.6-7.3
2	12-23	No data	No data	No data	1.4114-14.1143	5.6-7.8
3	23-30	No data	No data	No data	4.2343-14.1143	6.6-8.4
4	30-60	Sand	No data	No data	42.343-141.1433	7.4-8.4

**WATER AGENCY DATA:**

**WATER AGENCY SEARCH DISTANCES:**

<u>DATABASE:</u>	<u>SEARCH DISTANCE (MILES):</u>
NWIS	1.000
OIL & GAS WELLS - OH	1.000
PWS	1.000
WELLS - OH	1.000

<u>DISTANCE TO NEAREST:</u>	<u>DISTANCE:</u>
NWIS	0.413 mi / 2182 ft
OIL & GAS WELLS - OH	N/A
PWS	0.549 mi / 2899 ft
WELLS - OH	0.202 mi / 1066 ft

**FEDERAL WATER AGENCY DATA SUMMARY:**

<u>MAP ID:</u>	<u>WELL ID:</u>	<u>LOCATION FROM SP:</u>
4	03266600	1/4 - 1/2 Mile SE
7	OH4602412   WEST LIBERTY VILLAGE PWS- WEST LIBERTY WTP   WEST LIBERTY VILLAGE PWS	1/2 - 1 Mile E
9	03266560	1/2 - 1 Mile E
21	401510083444400	1/2 - 1 Mile E
C25	93909100104030	1/2 - 1 Mile E

Note: PWS System location is not always the same as well location.

**STATE/LOCAL WATER AGENCY DATA SUMMARY:**



<u>MAP ID:</u>	<u>WELL ID:</u>	<u>LOCATION FROM SP:</u>
1	160775	1/8 - 1/4 Mile ESE
2	29965	1/4 - 1/2 Mile S
3	3000279	1/4 - 1/2 Mile SSE
5	292209	1/4 - 1/2 Mile SE
6	7893	1/4 - 1/2 Mile NNE
8	645254	1/2 - 1 Mile NE
10	2069193	1/2 - 1 Mile WSW
11	255740	1/2 - 1 Mile ESE
12	2040419	1/2 - 1 Mile SW
13	980706	1/2 - 1 Mile W
A14	909255	1/2 - 1 Mile W
15	622828   645253	1/2 - 1 Mile SE
16	2053732	1/2 - 1 Mile W
17	292223	1/2 - 1 Mile ESE
A18	971987	1/2 - 1 Mile W
19	2030641	1/2 - 1 Mile E
B20	888301	1/2 - 1 Mile SSE
22	458701	1/2 - 1 Mile S
B23	696647	1/2 - 1 Mile SSE
24	779981	1/2 - 1 Mile E
C26	236118	1/2 - 1 Mile E
28	888204	1/2 - 1 Mile NE
29	2029759	1/2 - 1 Mile WSW
D30	2001794	1/2 - 1 Mile S
D31	147634	1/2 - 1 Mile S
32	160794	1/2 - 1 Mile SSE
E33	448337	1/2 - 1 Mile S
34	696652	1/2 - 1 Mile SSE
E35	720950	1/2 - 1 Mile S

## STATE/LOCAL WATER AGENCY DATA SUMMARY: (cont.)

<u>MAP ID:</u>	<u>WELL ID:</u>	<u>LOCATION FROM SP:</u>
36	899059	1/2 - 1 Mile NNW
37	987460	1/2 - 1 Mile S
F38	246624	1/2 - 1 Mile WSW
39	882232	1/2 - 1 Mile NNE
F40	2031718	1/2 - 1 Mile WSW
41	742162	1/2 - 1 Mile SSE

SUBJECT NAME: Old School  
 ADDRESS: 420 W Columbus St, West Liberty, OH, 43357  
 LAT/LONG: 40.253665 / -83.760832

PREPARED FOR: Hart Environmental Resources  
 ORDER #: 102379  
 REPORT DATE: October 14, 2024



- |   |   |   |  |
|---|---|---|--|
| <span style="color: red;">+</span> Subject Property | <span style="border: 1px dashed black; border-radius: 50%; padding: 2px;"> </span> Basins (No Data) | <span style="background-color: blue; color: white; padding: 2px;"> </span> Geologic Cluster with Water Well | <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">G</span> Geological Site  |
| <span style="color: blue;">~</span> NWI             | <span style="color: blue;">~</span> NWIS  | <span style="border: 1px solid black; border-radius: 50%; padding: 2px;"> </span> Oil & Gas Wells (No Data) | <span style="border-bottom: 1px dashed blue; width: 20px; display: inline-block;"></span> WetLands |

Map Id: 1  
Direction: ESE  
Distance: 0.202 mi., 1066 ft.  
Elevation: 1089 ft.  
Relative: Lower

Site Name :	160775 40.252063, -83.757631 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34139078  
EPA ID: N/R

## WELLS - OH

Well Number :	160775
Total Depth :	76
Completion Date :	1956-02-25
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1089.90002
BR Elevation :	N/R
Comp Elevation :	1013.90002
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	N/R
Driller Name :	EATON (DONALD)
Pump Type :	N/R
Completion Year :	1956
Owner First Name :	N/R
Owner Last Name :	FORTNEY'S LOCKER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	68 SR, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	10
Draw Down :	0
Draw Down Test Duration :	2
Water Level :	12
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2006-08-15
Changed by :	N/R
Sustained Yield :	N/R
Attach Status :	\\NRRAS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.252063
Longitude :	-83.757631
Last Date in Agency List :	2024-08-21



Map Id: 2  
Direction: S  
Distance: 0.250 mi., 1322 ft.  
Elevation: 1087 ft.  
Relative: Lower

Site Name :	29965
	40.250048, -83.761078
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 51096070  
EPA ID: N/R

## WELLS - OH

Well Number :	29965
Total Depth :	35
Completion Date :	1949-06-11
Bedrock Depth :	35
Comments :	N/R
DEM Elevation :	1087.90002
BR Elevation :	1052.90002
Comp Elevation :	1052.90002
Township :	LIBERTY
Aquifer Type :	ROCK
Well Use :	DOMESTIC
Driller Name :	DORSEY (WALTER R)
Pump Type :	N/R
Completion Year :	1949
Owner First Name :	QUINN
Owner Last Name :	MCADAMS
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	10
Draw Down :	10
Draw Down Test Duration :	2
Water Level :	23
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GIS\NORRISTYL
Sustained Yield :	N/R
Attach Status :	\\NRS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.250048
Longitude :	-83.761078
Last Date in Agency List :	2024-08-21

Map Id: 3  
Direction: SSE  
Distance: 0.257 mi., 1357 ft.  
Elevation: 1086 ft.  
Relative: Lower

Site Name :	3000279
	40.25, -83.76
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 51098810  
EPA ID: N/R

## WELLS - OH

Well Number :	3000279
Total Depth :	81
Completion Date :	2022-03-15
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1087.30005
BR Elevation :	N/R
Comp Elevation :	1006.29999
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL DRILLING INC
Pump Type :	N/R
Completion Year :	2022
Owner First Name :	MINDIE
Owner Last Name :	FISH
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	2021-114
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	5435 68 SR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	12
Draw Down :	N/R
Draw Down Test Duration :	N/R
Water Level :	35
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	1.39999998
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	2022-04-14
Added by :	office@eatondrillingandpumpservice.com
Date Changed :	2024-06-21
Changed by :	odnr_editor
Sustained Yield :	12
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.25
Longitude :	-83.76
Last Date in Agency List :	2024-08-21

Map Id: 4  
 Direction: SE  
 Distance: 0.413 mi., 2182 ft.  
 Elevation: 1081 ft.  
 Relative: Lower

**Site Name :** 03266600  
 40.249499, -83.755211  
 OH  
**Database(s) :** [NWIS]

Envirosite ID: 20777497  
 EPA ID: N/R

## NWIS

Site Identification Number :	03266600
Site Type :	Stream
Station Name :	Mad River at West Liberty OH - 03266600
Agency :	U.S. Geological Survey
District :	Ohio
State :	OH
County :	Logan County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	N/R
Scale of Location Map :	N/R
Altitude of Gage/Land Surface :	N/R
Method Altitude Determined :	N/R
Altitude Accuracy :	N/R
Altitude Datum :	N/R
Hydrologic Unit :	Upper Great Miami, Indiana, Ohio
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	56.0
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1983-08-26
Water-Quality Data End Date :	1983-08-26
Water-Quality Data Count :	2
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	40.249499
Longitude :	-83.755211
Last Date in Agency List :	2024-09-05

Map Id: 5  
Direction: SE  
Distance: 0.475 mi., 2509 ft.  
Elevation: 1084 ft.  
Relative: Lower

Site Name :	292209
	40.248242, -83.75529
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 51103218  
EPA ID: N/R

## WELLS - OH

Well Number :	292209
Total Depth :	21
Completion Date :	1963-04-27
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1085.5
BR Elevation :	N/R
Comp Elevation :	1064.5
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	DORSEY (WALTER R)
Pump Type :	N/R
Completion Year :	1963
Owner First Name :	MARY
Owner Last Name :	KABLER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	68 SR, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	10
Draw Down :	0
Draw Down Test Duration :	2
Water Level :	12
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GISNORRISTYL
Sustained Yield :	N/R
Attach Status :	\\NRAS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.248242
Longitude :	-83.75529
Last Date in Agency List :	2024-08-21

Map Id: 6  
Direction: NNE  
Distance: 0.487 mi., 2574 ft.  
Elevation: 1190 ft.  
Relative: Higher

<b>Site Name :</b> 7893 40.260502, -83.758555 OH
<b>Database(s) :</b> [WELLS - OH]

Envirosite ID: 34471944  
EPA ID: N/R

## WELLS - OH

Well Number :	7893
Total Depth :	77
Completion Date :	1951-07-07
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	N/R
Driller Name :	N/R
Pump Type :	N/R
Completion Year :	N/R
Owner First Name :	N/R
Owner Last Name :	SOUTH UNION CHURCH
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	OH
County :	LOGAN
Is flowing Ind :	N/R
Test Rate :	N/R
Draw Down :	N/R
Draw Down Test Duration :	N/R
Water Level :	N/R
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	N/R
Changed by :	N/R
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.260502
Longitude :	-83.758555
Last Date in Agency List :	2022-09-16

Map Id: 7  
 Direction: E  
 Distance: 0.549 mi., 2900 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** OH4602412 | WEST LIBERTY VILLAGE  
 PWS-WEST LIBERTY WTP | WEST LIBERTY  
 VILLAGE PWS  
 313 WASHINGTON ST  
 WEST LIBERTY, OH 43357

**Database(s) :** [PWS, PWS ENF]

EnviroSite ID: 5316856  
 EPA ID: N/R

**PWS**

Facility Address : 313 Washington St, WEST LIBERTY, OH 43357

PWS ID :	OH4602412
PWS Type :	Community water system
PWS Name :	WEST LIBERTY VILLAGE PWS
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2023
Submission Year Quarter :	2023Q2
Population Served Count :	1,800
Service Connections Count :	886
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	501-3,300
Population Category 11 :	1,001-3,300
Submission Quarter :	2
Submission Status Code :	Y
First Reported Date :	1981-01-30
Last Reported Date :	2023-04-20
Deactivation Date :	N/R
GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N
Primacy Agency :	Ohio
Primacy Type :	State
Org Name :	HUDSON, BRADLEY A
EPA Region :	Region 5
Admin Name :	HUDSON, BRADLEY A
Owner Type :	Local government
Phone Number :	937-465-2716
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	b.husdon@mywestliberty.com
Fax Number :	937-465-4072
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	System serving fewer than 10,000 AND not connected to a larger system
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTRC Monitoring :	N/R
Last Date in Agency List :	2023-09-13

Map Id: 7  
 Direction: E  
 Distance: 0.549 mi., 2900 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** OH4602412 | WEST LIBERTY VILLAGE  
 PWS-WEST LIBERTY WTP | WEST LIBERTY  
 VILLAGE PWS  
 313 WASHINGTON ST  
 WEST LIBERTY, OH 43357

**Database(s) :** [PWS, PWS ENF] *(cont.)*

Envirosite ID: 5316856  
 EPA ID: N/R

## PWS ENF

Facility Address : 313 Washington St, WEST LIBERTY, OH 43357

### Site Details

PWS ID :	OH4602412
PWS Name :	WEST LIBERTY VILLAGE PWS
EPA Region :	Region 5
Primacy Agency :	Ohio
PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Active
Deactivation Date :	N/R
Owner Type :	Local government
Phone Number :	937-465-2716
Last Date in Agency List :	2023-09-21

### Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosearch account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	8507912
Submission Year :	2023
Violation First Reported Date :	1985-09-30
Contaminant Name :	Gross Alpha, Excl. Radon and U
Rule Family :	Radionuclides
Rule Group :	Chemicals
Rule Name :	Radionuclides
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	313 Washington St, WEST LIBERTY, 43357
Address Line 2 :	N/R
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	State Formal Notice of Violation issued
Admin Name :	HUDSON, BRADLEY A
Email Address :	b.husdon@mywestliberty.com

RTC Enforcement ID :	N/R
Violation ID :	6855915
Submission Year :	2023
Violation First Reported Date :	2020-05-14
Contaminant Name :	Consumer Confidence Rule
Rule Family :	Consumer Confidence Rule
Rule Group :	Other

Map Id: 7  
 Direction: E  
 Distance: 0.549 mi., 2900 ft.  
 Elevation: 1091 ft.  
 Relative: Lower

**Site Name :** OH4602412 | WEST LIBERTY VILLAGE  
 PWS-WEST LIBERTY WTP | WEST LIBERTY  
 VILLAGE PWS  
 313 WASHINGTON ST  
 WEST LIBERTY, OH 43357

**Database(s) :** [PWS, PWS ENF] *(cont.)*

Envirosite ID: 5316856  
 EPA ID: N/R

**PWS ENF (cont.)**

Rule Name : Consumer Confidence Rule  
 Violation Type : Consumer Confidence Report Inadequate Reporting  
 Is Health Based : N  
 Is Major Violation : N/R  
 Severity Indicator Count : N/R  
 Public Notification Tier : 3  
 Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
 Address Line 2 : N/R  
 Compliance Status : Open  
 RTC Date : N/R  
 Enforcement Action Description : State Violation/Reminder Notice  
 Admin Name : HUDSON, BRADLEY A  
 Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : N/R  
 Violation ID : 6855924  
 Submission Year : 2023  
 Violation First Reported Date : 2022-05-24  
 Contaminant Name : Public Notice  
 Rule Family : Public Notice Rule  
 Rule Group : Other  
 Rule Name : Public Notice Rule  
 Violation Type : Public Notification Violation for NPDWR Violation  
 Is Health Based : N  
 Is Major Violation : N/R  
 Severity Indicator Count : N/R  
 Public Notification Tier : 3  
 Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
 Address Line 2 : N/R  
 Compliance Status : Open  
 RTC Date : N/R  
 Enforcement Action Description : State Violation/Reminder Notice  
 Admin Name : HUDSON, BRADLEY A  
 Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : N/R  
 Violation ID : 6855927  
 Submission Year : 2023  
 Violation First Reported Date : 2023-02-07  
 Contaminant Name : Consumer Confidence Rule  
 Rule Family : Consumer Confidence Rule  
 Rule Group : Other  
 Rule Name : Consumer Confidence Rule  
 Violation Type : Consumer Confidence Report Inadequate Reporting  
 Is Health Based : N  
 Is Major Violation : N/R  
 Severity Indicator Count : N/R  
 Public Notification Tier : 3  
 Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
 Address Line 2 : N/R  
 Compliance Status : Open  
 RTC Date : N/R  
 Enforcement Action Description : State Violation/Reminder Notice



Map Id: 7  
Direction: E  
Distance: 0.549 mi., 2900 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** OH4602412 | WEST LIBERTY VILLAGE  
PWS-WEST LIBERTY WTP | WEST LIBERTY  
VILLAGE PWS  
313 WASHINGTON ST  
WEST LIBERTY, OH 43357  
**Database(s) :** [PWS, PWS ENF] *(cont.)*

Envirosite ID: 5316856  
EPA ID: N/R

## PWS ENF *(cont.)*

Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : 493  
Violation ID : 6855893  
Submission Year : 2023  
Violation First Reported Date : 2001-06-07  
Contaminant Name : Coliform (TCR)  
Rule Family : Total Coliform Rules  
Rule Group : Microbials  
Rule Name : Total Coliform Rule  
Violation Type : Maximum Contaminant Level Violation, Acute (TCR)  
Is Health Based : Y  
Is Major Violation : N/R  
Severity Indicator Count : N/R  
Public Notification Tier : 1  
Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
Address Line 2 : N/R  
Compliance Status : Returned to Compliance  
RTC Date : 2007-04-19  
Enforcement Action Description : State Compliance achieved  
Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : 495  
Violation ID : 6855495  
Submission Year : 2023  
Violation First Reported Date : 2001-06-07  
Contaminant Name : Coliform (TCR)  
Rule Family : Total Coliform Rules  
Rule Group : Microbials  
Rule Name : Total Coliform Rule  
Violation Type : Monitoring, Routine Minor (TCR)  
Is Health Based : N  
Is Major Violation : N/R  
Severity Indicator Count : N/R  
Public Notification Tier : 3  
Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
Address Line 2 : N/R  
Compliance Status : Returned to Compliance  
RTC Date : 2007-04-19  
Enforcement Action Description : State Compliance achieved  
Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : 594  
Violation ID : 6855594  
Submission Year : 2023  
Violation First Reported Date : 2001-06-07  
Contaminant Name : Coliform (TCR)  
Rule Family : Total Coliform Rules  
Rule Group : Microbials

Map Id: 7  
Direction: E  
Distance: 0.549 mi., 2900 ft.  
Elevation: 1091 ft.  
Relative: Lower

**Site Name :** OH4602412 | WEST LIBERTY VILLAGE  
PWS-WEST LIBERTY WTP | WEST LIBERTY  
VILLAGE PWS  
313 WASHINGTON ST  
WEST LIBERTY, OH 43357  
**Database(s) :** [PWS, PWS ENF] *(cont.)*

Envirosite ID: 5316856  
EPA ID: N/R

### PWS ENF *(cont.)*

Rule Name : Total Coliform Rule  
Violation Type : Monitoring, Routine Major (TCR)  
Is Health Based : N  
Is Major Violation : N/R  
Severity Indicator Count : N/R  
Public Notification Tier : 3  
Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
Address Line 2 : N/R  
Compliance Status : Returned to Compliance  
RTC Date : 2007-04-19  
Enforcement Action Description : State Compliance achieved  
Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : 594  
Violation ID : 6855694  
Submission Year : 2023  
Violation First Reported Date : 2001-06-07  
Contaminant Name : Coliform (TCR)  
Rule Family : Total Coliform Rules  
Rule Group : Microbials  
Rule Name : Total Coliform Rule  
Violation Type : Monitoring, Routine Major (TCR)  
Is Health Based : N  
Is Major Violation : N/R  
Severity Indicator Count : N/R  
Public Notification Tier : 3  
Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
Address Line 2 : N/R  
Compliance Status : Returned to Compliance  
RTC Date : 2007-04-19  
Enforcement Action Description : State Compliance achieved  
Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : 710  
Violation ID : 6855909  
Submission Year : 2023  
Violation First Reported Date : 2009-02-18  
Contaminant Name : Coliform (TCR)  
Rule Family : Total Coliform Rules  
Rule Group : Microbials  
Rule Name : Total Coliform Rule  
Violation Type : Monitoring, Routine Major (TCR)  
Is Health Based : N  
Is Major Violation : N/R  
Severity Indicator Count : N/R  
Public Notification Tier : 3  
Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
Address Line 2 : N/R  
Compliance Status : Returned to Compliance  
RTC Date : 2009-05-27  
Enforcement Action Description : State Public Notification received

Map Id: 7  
Direction: E  
Distance: 0.549 mi., 2900 ft.  
Elevation: 1091 ft.  
Relative: Lower

Site Name : OH4602412 | WEST LIBERTY VILLAGE  
PWS-WEST LIBERTY WTP | WEST LIBERTY  
VILLAGE PWS  
313 WASHINGTON ST  
WEST LIBERTY, OH 43357  
Database(s) : [PWS, PWS ENF] (cont.)

Envirosite ID: 5316856  
EPA ID: N/R

PWS ENF (cont.)

Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

RTC Enforcement ID : 725  
Violation ID : 6855916  
Submission Year : 2023  
Violation First Reported Date : 2021-03-05  
Contaminant Name : TTHM  
Rule Family : Stage 2 Disinfectants and Disinfection Byproducts Rule  
Rule Group : Disinfectants and Disinfection Byproducts Rule  
Rule Name : Stage 2 Disinfectants and Disinfection Byproducts Rule  
Violation Type : Monitoring and Reporting (DBP)  
Is Health Based : N  
Is Major Violation : Y  
Severity Indicator Count : 2  
Public Notification Tier : 3  
Address Line 1 : 313 Washington St, WEST LIBERTY, 43357  
Address Line 2 : N/R  
Compliance Status : Returned to Compliance  
RTC Date : 2020-12-03  
Enforcement Action Description : State Compliance achieved  
Admin Name : HUDSON, BRADLEY A  
Email Address : b.husdon@mywestliberty.com

Map Id: 8  
Direction: NE  
Distance: 0.574 mi., 3033 ft.  
Elevation: 1124 ft.  
Relative: Higher

Site Name : 645254  
40.260424, -83.754494  
OH  
Database(s) : [WELLS - OH]

Envirosite ID: 50979201  
EPA ID: N/R

WELLS - OH

Well Number : 645254  
Total Depth : 28  
Completion Date : 1984-10-17  
Bedrock Depth : N/R  
Comments : N/R  
DEM Elevation : N/R  
BR Elevation : N/R  
Comp Elevation : N/R  
Township : RUSH CREEK  
Aquifer Type : GRAVEL  
Well Use : DOMESTIC  
Driller Name : TOM MYERS WELL DRILLING  
Pump Type : N/R  
Completion Year : 1984  
Owner First Name : WALTER  
Owner Last Name : AIKEN

Map Id: 8  
Direction: NE  
Distance: 0.574 mi., 3033 ft.  
Elevation: 1124 ft.  
Relative: Higher

<b>Site Name :</b> 645254 40.260424, -83.754494 OH
<b>Database(s) :</b> [WELLS - OH] ( <i>cont.</i> )

Envirosite ID: 50979201  
EPA ID: N/R

### WELLS - OH (*cont.*)

Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	7184 68 USRT, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	12
Draw Down :	0
Draw Down Test Duration :	1
Water Level :	16
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-06-09
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.260424
Longitude :	-83.754494
Last Date in Agency List :	2024-08-21

Map Id: 9  
Direction: E  
Distance: 0.597 mi., 3153 ft.  
Elevation: 1088 ft.  
Relative: Lower

<b>Site Name :</b> 03266560 40.252277, -83.749655 OH
<b>Database(s) :</b> [NWIS]

Envirosite ID: 20777130  
EPA ID: N/R

### NWIS

Site Identification Number :	03266560
Site Type :	Stream
Station Name :	Mad River at West Liberty OH - 03266560
Agency :	U.S. Geological Survey
District :	Ohio
State :	OH
County :	Logan County
Country :	USA
Land Net Location :	N/R

Map Id: 9  
 Direction: E  
 Distance: 0.597 mi., 3153 ft.  
 Elevation: 1088 ft.  
 Relative: Lower

Site Name : 03266560  
 40.252277, -83.749655  
 OH  
 Database(s) : [NWIS] (cont.)

Envirosite ID: 20777130  
 EPA ID: N/R

NWIS (cont.)

Name of Location Map :	ZANESFIELD
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	1077.29
Method Altitude Determined :	Differentially corrected Global Positioning System.
Altitude Accuracy :	.09
Altitude Datum :	North American Vertical Datum of 1988
Hydrologic Unit :	Upper Great Miami, Indiana, Ohio
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNA
Flags for Instruments at Site :	YNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	36.6
Contributing Drainage Area :	N/R
Data Reliability :	N/R
Data-Other GW Files :	NNNNNNNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	443900100
Real-Time Data Flag :	1
Peak-Streamflow Data Begin Date :	1996-05-11
Peak-Streamflow Data End Date :	2023-03-03
Peak-Streamflow Data Count :	26
Water-Quality Data Begin Date :	N/R
Water-Quality Data End Date :	N/R
Water-Quality Data Count :	0
Field Water-Level Measurements Begin Date:	N/R
Field Water-level Measurements End Date:	N/R
Field Water-Level Measurements Count:	0
Site-Visit Data Begin Date :	1993-12-07
Site-Visit Data End Date :	2024-07-18
Site-Visit Data Count :	192
Latitude :	40.252277
Longitude :	-83.749655
Last Date in Agency List :	2024-09-05

Map Id: 10  
 Direction: WSW  
 Distance: 0.627 mi., 3313 ft.  
 Elevation: 1104 ft.  
 Relative: Higher

Site Name : 2069193  
 40.248675, -83.770771  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51165723  
 EPA ID: N/R

## WELLS - OH

Well Number :	2069193
Total Depth :	50
Completion Date :	2018-07-10
Bedrock Depth :	N/R
Comments :	WATER CLEAR, NO ODOR.
DEM Elevation :	1104.80005
BR Elevation :	N/R
Comp Elevation :	1054.80005
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	KNICELEY WELL DRILLING
Pump Type :	N/R
Completion Year :	2018
Owner First Name :	JOHN
Owner Last Name :	ESCH
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	2018-27
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	974 245 SR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	10
Draw Down Test Duration :	1
Water Level :	29
Water Measure :	T
Water Level Date :	2018-07-10
Casing Height :	1.29999995
Location Ind :	N/R
Assoc Rpt Ind :	N
Date Added :	2018-08-07
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GISNORRISTYL
Sustained Yield :	20
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.248675
Longitude :	-83.770771
Last Date in Agency List :	2024-08-21

Map Id: 11  
 Direction: ESE  
 Distance: 0.628 mi., 3314 ft.  
 Elevation: 1086 ft.  
 Relative: Lower

Site Name : 255740  
 40.248523, -83.751023  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 50961147  
 EPA ID: N/R

## WELLS - OH

Well Number :	255740
Total Depth :	21
Completion Date :	1962-06-21
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1088.09998
BR Elevation :	N/R
Comp Elevation :	1067.09998
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	N/R
Pump Type :	N/R
Completion Year :	1962
Owner First Name :	GROVER
Owner Last Name :	WEAVER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	68 SR, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	N/R
Draw Down :	0
Draw Down Test Duration :	N/R
Water Level :	7
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GISNORRISTYL
Sustained Yield :	N/R
Attach Status :	\\NRS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.248523
Longitude :	-83.751023
Last Date in Agency List :	2024-08-21

Map Id: 12  
 Direction: SW  
 Distance: 0.665 mi., 3513 ft.  
 Elevation: 1116 ft.  
 Relative: Higher

Site Name : 2040419  
 40.246069, -83.768586  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51020012  
 EPA ID: N/R

## WELLS - OH

Well Number :	2040419
Total Depth :	60
Completion Date :	2012-10-17
Bedrock Depth :	N/R
Comments :	WATER CLEAR, NO ODOR.
DEM Elevation :	1118
BR Elevation :	N/R
Comp Elevation :	1058
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	AGRIC/IRRIG
Driller Name :	KNICELEY WELL DRILLING
Pump Type :	N/R
Completion Year :	2012
Owner First Name :	RICK
Owner Last Name :	COLE
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	196 TR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	8
Draw Down Test Duration :	1
Water Level :	42
Water Measure :	T
Water Level Date :	2012-10-17
Casing Height :	1.29999995
Location Ind :	N/R
Assoc Rpt Ind :	N
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GISNORRISTYL
Sustained Yield :	20
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.246069
Longitude :	-83.768586
Last Date in Agency List :	2024-08-21



Map Id: 13  
Direction: W  
Distance: 0.680 mi., 3589 ft.  
Elevation: 1092 ft.  
Relative: Lower

Site Name :	980706
	40.2538, -83.77372
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34278512  
EPA ID: N/R

## WELLS - OH

Well Number :	980706
Total Depth :	68
Completion Date :	2004-05-13
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1094.09998
BR Elevation :	N/R
Comp Elevation :	1026.09998
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	HARPEST WELL DRILLING
Pump Type :	N/R
Completion Year :	2004
Owner First Name :	PAUL
Owner Last Name :	THERMAN
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	200470
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	7573 192 RD, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N/R
Test Rate :	15
Draw Down :	30
Draw Down Test Duration :	1
Water Level :	10
Water Measure :	T
Water Level Date :	2004-05-13
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	2005-12-08
Added by :	BROWN,CLEVE
Date Changed :	2023-03-30
Changed by :	Alexis.Lanier@dnr.ohio.gov
Sustained Yield :	25
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.2538
Longitude :	-83.77372
Last Date in Agency List :	2024-08-21

Map Id: A14  
 Direction: W  
 Distance: 0.701 mi., 3704 ft.  
 Elevation: 1116 ft.  
 Relative: Higher

Site Name : 909255  
 40.251698, -83.773881  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51042501  
 EPA ID: N/R

## WELLS - OH

Well Number :	909255
Total Depth :	56
Completion Date :	2000-03-07
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	2000
Owner First Name :	KENNETH
Owner Last Name :	YODER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	2000-24
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	1115 193 TR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	10
Draw Down :	N/R
Draw Down Test Duration :	1
Water Level :	45
Water Measure :	G
Water Level Date :	2000-03-07
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-06-07
Changed by :	odnr_editor
Sustained Yield :	10
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.251698
Longitude :	-83.773881
Last Date in Agency List :	2024-08-21

Map Id: 15  
Direction: SE  
Distance: 0.710 mi., 3748 ft.  
Elevation: 1083 ft.  
Relative: Lower

<b>Site Name :</b> 622828   645253 40.244807, -83.754019 OH
<b>Database(s) :</b> [WELLS - OH]

Envirosite ID: 50925727  
EPA ID: N/R

## WELLS - OH

Well Number :	622828
Total Depth :	100
Completion Date :	1984-06-11
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	RUSH CREEK
Aquifer Type :	FILL MATERIAL
Well Use :	DOMESTIC
Driller Name :	TOM MYERS WELL DRILLING
Pump Type :	N/R
Completion Year :	1984
Owner First Name :	WALTER
Owner Last Name :	AIKEN
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	8268 N 68 USRT, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	10
Draw Down :	2
Draw Down Test Duration :	1
Water Level :	58
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-06-09
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.244807
Longitude :	-83.754019
Last Date in Agency List :	2024-08-21

Well Number :	645253
Total Depth :	35
Completion Date :	1984-10-16
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R

Map Id: 15  
 Direction: SE  
 Distance: 0.710 mi., 3748 ft.  
 Elevation: 1083 ft.  
 Relative: Lower

Site Name : 622828 | 645253  
 40.244807, -83.754019  
 OH  
 Database(s) : [WELLS - OH] (cont.)

Envirosite ID: 50925727  
 EPA ID: N/R

WELLS - OH (cont.)

BR Elevation :	N/R
Comp Elevation :	N/R
Township :	RUSH CREEK
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	TOM MYERS WELL DRILLING
Pump Type :	N/R
Completion Year :	1984
Owner First Name :	WALTRE
Owner Last Name :	AIKEN
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permiot Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	8268 68 USRT, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	12
Draw Down :	0
Draw Down Test Duration :	2
Water Level :	18
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-06-09
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.244807
Longitude :	-83.754019
Last Date in Agency List :	2024-08-21

Map Id: 16  
Direction: W  
Distance: 0.716 mi., 3779 ft.  
Elevation: 1096 ft.  
Relative: Lower

Site Name :	2053732
	40.255543, -83.774177
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34340510  
EPA ID: N/R

## WELLS - OH

Well Number :	2053732
Total Depth :	100
Completion Date :	2015-09-07
Bedrock Depth :	N/R
Comments :	CLEAR
DEM Elevation :	1096.5
BR Elevation :	N/R
Comp Elevation :	996.5
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL DRILLING INC
Pump Type :	SUBMERSIBLE
Completion Year :	2015
Owner First Name :	DAVE
Owner Last Name :	ZOOK
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	7338 192 RD, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	20
Draw Down Test Duration :	1
Water Level :	8
Water Measure :	G
Water Level Date :	2015-09-07
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N
Date Added :	N/R
Added by :	N/R
Date Changed :	N/R
Changed by :	N/R
Sustained Yield :	20
Attach Status :	N/R
Pump Type Code :	SUB
Pump Set :	50
Pitless Type :	ADAPTER
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.255543
Longitude :	-83.774177
Last Date in Agency List :	2024-08-21

Map Id: 17  
Direction: ESE  
Distance: 0.727 mi., 3838 ft.  
Elevation: 1084 ft.  
Relative: Lower

Site Name :	292223
	40.248371, -83.748924
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34436119  
EPA ID: N/R

## WELLS - OH

Well Number :	292223
Total Depth :	21
Completion Date :	1963-08-30
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1084.19995
BR Elevation :	N/R
Comp Elevation :	1063.19995
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	DORSEY (WALTER R)
Pump Type :	N/R
Completion Year :	1963
Owner First Name :	RAY
Owner Last Name :	RICKETTS
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	175, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	8
Draw Down :	0
Draw Down Test Duration :	1
Water Level :	11.5
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2006-08-15
Changed by :	N/R
Sustained Yield :	N/R
Attach Status :	\\NRS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.248371
Longitude :	-83.748924
Last Date in Agency List :	2024-08-21

Map Id: A18  
Direction: W  
Distance: 0.743 mi., 3924 ft.  
Elevation: 1112 ft.  
Relative: Higher

Site Name :	971987
	40.251832, -83.774719
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 50948349  
EPA ID: N/R

## WELLS - OH

Well Number :	971987
Total Depth :	61
Completion Date :	2004-04-09
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	2004
Owner First Name :	JOHN
Owner Last Name :	THORNBURG
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	38
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	1183 193 TR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N/R
Test Rate :	15
Draw Down :	N/R
Draw Down Test Duration :	1
Water Level :	40
Water Measure :	G
Water Level Date :	2004-04-09
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	2004-05-07
Added by :	BROWN,CLEVE
Date Changed :	2022-06-07
Changed by :	odnr_editor
Sustained Yield :	15
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.251832
Longitude :	-83.774719
Last Date in Agency List :	2024-08-21

Map Id: 19  
Direction: E  
Distance: 0.758 mi., 4004 ft.  
Elevation: 1086 ft.  
Relative: Lower

Site Name :	2030641
	40.251958, -83.746627
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34218482  
EPA ID: N/R

## WELLS - OH

Well Number :	2030641
Total Depth :	80
Completion Date :	2010-10-25
Bedrock Depth :	N/R
Comments :	CLEAR
DEM Elevation :	1087.80005
BR Elevation :	N/R
Comp Elevation :	1007.79999
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	PUBLIC/SEMI-PUB
Driller Name :	EATON WELL DRILLING INC
Pump Type :	SUBMERSIBLE
Completion Year :	2010
Owner First Name :	N/R
Owner Last Name :	WEST LIBERTY
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	WEST LIBERTY LIONS PARK, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	500
Draw Down :	15
Draw Down Test Duration :	1
Water Level :	5
Water Measure :	G
Water Level Date :	2010-10-25
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N
Date Added :	N/R
Added by :	N/R
Date Changed :	2023-06-06
Changed by :	Douglas.Aden@dnr.ohio.gov
Sustained Yield :	250
Attach Status :	N/R
Pump Type Code :	SUB
Pump Set :	40
Pitless Type :	ADAPTER
Assoc Well Number :	0
Project Well ID :	N/R
Latitude :	40.251958
Longitude :	-83.746627
Last Date in Agency List :	2024-08-21



Map Id: B20  
 Direction: SSE  
 Distance: 0.808 mi., 4267 ft.  
 Elevation: 1085 ft.  
 Relative: Lower

Site Name : 888301  
 40.243238, -83.753892  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 50946950  
 EPA ID: N/R

## WELLS - OH

Well Number :	888301
Total Depth :	61
Completion Date :	1999-02-02
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	1999
Owner First Name :	REV RICHARD
Owner Last Name :	JOHNSON
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permiot Number :	183
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	26
Address :	8994 N 68 USRT, WEST LIBERTY, OH 43357
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	15
Draw Down :	N/R
Draw Down Test Duration :	1
Water Level :	11
Water Measure :	G
Water Level Date :	1999-02-02
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	1999-02-23
Added by :	CUTLER
Date Changed :	2022-07-22
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.243238
Longitude :	-83.753892
Last Date in Agency List :	2024-08-21

Map Id: 21  
 Direction: E  
 Distance: 0.811 mi., 4283 ft.  
 Elevation: 1088 ft.  
 Relative: Lower

<b>Site Name :</b>	401510083444400 40.252833, -83.745488 OH
<b>Database(s) :</b>	[NWIS]

Envirosite ID: 20781650  
 EPA ID: N/R

NWIS

Site Identification Number :	401510083444400
Site Type :	Well
Station Name :	LO-3 OH
Agency :	Ohio Department of Natural Resources
District :	Ohio
State :	OH
County :	Logan County
Country :	USA
Land Net Location :	N/R
Name of Location Map :	ZANESFIELD, OH
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	1087
Method Altitude Determined :	Interpolated from Digital Elevation Model
Altitude Accuracy :	1.6
Altitude Datum :	North American Vertical Datum of 1988
Hydrologic Unit :	Upper Great Miami, Indiana, Ohio
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	ANNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Flags for Instruments at Site :	NYNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	1994-05-27
Date Site Established or Inventoried:	1995-01-13
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNYNN
National Aquifer :	Sand and gravel aquifers (glaciated regions)
Local Aquifer :	Outwash
Local Aquifer Type :	Unconfined single aquifer
Well Depth :	71
Hole Depth :	71
Source of Depth Data :	S
Project Number :	443900200
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1997-06-10
Water-Quality Data End Date :	1997-06-10
Water-Quality Data Count :	1
Field Water-Level Measurements Begin Date:	1994-05-27
Field Water-level Measurements End Date:	2024-04-15
Field Water-Level Measurements Count:	56
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	40.252833
Longitude :	-83.745488
Last Date in Agency List :	2024-09-05

Map Id: 22  
 Direction: S  
 Distance: 0.821 mi., 4335 ft.  
 Elevation: 1078 ft.  
 Relative: Lower

Site Name : 458701  
 40.241784, -83.760659  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51051944  
 EPA ID: N/R

## WELLS - OH

Well Number :	458701
Total Depth :	120
Completion Date :	1973-06-13
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1078
BR Elevation :	N/R
Comp Elevation :	958
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON (DONALD)
Pump Type :	N/R
Completion Year :	1973
Owner First Name :	WARREN
Owner Last Name :	KAUFFMAN
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	26
Address :	PIMTOWN RD, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	12
Draw Down :	0
Draw Down Test Duration :	2
Water Level :	104
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-25
Changed by :	GISNORRISTYL
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.241784
Longitude :	-83.760659
Last Date in Agency List :	2024-08-21

Map Id: B23  
Direction: SSE  
Distance: 0.821 mi., 4338 ft.  
Elevation: 1085 ft.  
Relative: Lower

Site Name :	696647 40.242974, -83.754016 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 52355905  
EPA ID: N/R

## WELLS - OH

Well Number :	696647
Total Depth :	65
Completion Date :	1989-05-04
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	1989
Owner First Name :	LARRY
Owner Last Name :	THANBURG
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	26
Address :	8966 N 68 SR, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	5
Draw Down Test Duration :	1
Water Level :	11
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-08-12
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.242974
Longitude :	-83.754016
Last Date in Agency List :	2024-08-21

Map Id: 24  
Direction: E  
Distance: 0.822 mi., 4343 ft.  
Elevation: 1088 ft.  
Relative: Lower

Site Name :	779981 40.253854, -83.745237 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 54519099  
EPA ID: N/R

## WELLS - OH

Well Number :	779981
Total Depth :	72
Completion Date :	1994-06-07
Bedrock Depth :	N/R
Comments :	CLEAR
DEM Elevation :	1088.59998
BR Elevation :	N/R
Comp Elevation :	1016.59998
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	OBSERVATION
Driller Name :	SPROWLS DRILLING CO
Pump Type :	N/R
Completion Year :	1994
Owner First Name :	N/R
Owner Last Name :	CITY W LIBERTY (LIONS CLUB)
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	245 SR, WEST LIBERTY, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	200
Draw Down :	20
Draw Down Test Duration :	1
Water Level :	8.3
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2023-06-06
Changed by :	Douglas.Aden@dnr.ohio.gov
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	0
Project Well ID :	N/R
Latitude :	40.253854
Longitude :	-83.745237
Last Date in Agency List :	2024-08-21



Map Id: C26  
Direction: E  
Distance: 0.826 mi., 4361 ft.  
Elevation: 1088 ft.  
Relative: Lower

<b>Site Name :</b> 236118 40.255364, -83.745331 OH
<b>Database(s) :</b> [WELLS - OH]

Envirosite ID: 34227012  
EPA ID: N/R

## WELLS - OH

Well Number :	236118
Total Depth :	70
Completion Date :	1960-05-21
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1088.59998
BR Elevation :	N/R
Comp Elevation :	1018.59998
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	N/R
Driller Name :	G M BAKER & SON
Pump Type :	N/R
Completion Year :	1960
Owner First Name :	N/R
Owner Last Name :	VILLAGE OF WEST LIBE
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permiot Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	OH
County :	LOGAN
Is flowing Ind :	Y
Test Rate :	8
Draw Down :	9
Draw Down Test Duration :	8
Water Level :	N/R
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2006-08-15
Changed by :	N/R
Sustained Yield :	N/R
Attach Status :	\\NRRAS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.255364
Longitude :	-83.745331
Last Date in Agency List :	2024-08-21

Map Id: 27  
Direction: SE  
Distance: 0.835 mi., 4407 ft.  
Elevation: 1083 ft.  
Relative: Lower

<b>Site Name :</b> TOWER 40.243458, -83.752372 WEST LIBERTY, OH
<b>Database(s) :</b> [DIGITAL OBSTACLE]

Envirosite ID: 5309132  
EPA ID: N/R

## DIGITAL OBSTACLE

Date of Action :	2014-04-15
Action :	Add
FAA Study Number :	2013AGL011620E
OBS Number :	39-025148
Obstacle Type :	TOWER
City Name :	WEST LIBERTY
State Identifier :	OH
Country Identifier :	USA
Type of Lighting :	Medium Intensity White Strobe & Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00315
Above Mean Sea Level Height (Feet) :	01397
Horizontal Accuracy :	+ -50'
Vertical Accuracy :	+ -20'
Latitude :	40 14 36.45N
Longitude :	083 45 08.54W

Map Id: 28  
Direction: NE  
Distance: 0.840 mi., 4436 ft.  
Elevation: 1096 ft.  
Relative: Lower

<b>Site Name :</b> 888204 40.26448, -83.75355 OH
<b>Database(s) :</b> [WELLS - OH]

Envirosite ID: 34236118  
EPA ID: N/R

## WELLS - OH

Well Number :	888204
Total Depth :	83
Completion Date :	1999-06-02
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1096.90002
BR Elevation :	N/R
Comp Elevation :	1013.90002
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	HARPEST WELL DRILLING
Pump Type :	N/R
Completion Year :	1999
Owner First Name :	DUANE
Owner Last Name :	SMITH
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	9994
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	8892 5 CR, WEST LIBERTY, OH 43357



Map Id: 28  
Direction: NE  
Distance: 0.840 mi., 4436 ft.  
Elevation: 1096 ft.  
Relative: Lower

<b>Site Name :</b>	888204 40.26448, -83.75355 OH
<b>Database(s) :</b>	[WELLS - OH] ( <i>cont.</i> )

Envirosite ID: 34236118  
EPA ID: N/R

### WELLS - OH (*cont.*)

County :	LOGAN
Is flowing Ind :	N/R
Test Rate :	20
Draw Down :	70
Draw Down Test Duration :	1
Water Level :	51
Water Measure :	T
Water Level Date :	1999-06-02
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	2005-12-08
Added by :	BROWN,CLEVE
Date Changed :	2023-03-30
Changed by :	Alexis.Lanier@dnr.ohio.gov
Sustained Yield :	20
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.26448
Longitude :	-83.75355
Last Date in Agency List :	2024-08-21

Map Id: 29  
Direction: WSW  
Distance: 0.854 mi., 4511 ft.  
Elevation: 1141 ft.  
Relative: Higher

<b>Site Name :</b>	2029759 40.248058, -83.775271 OH
<b>Database(s) :</b>	[WELLS - OH]

Envirosite ID: 51213297  
EPA ID: N/R

### WELLS - OH

Well Number :	2029759
Total Depth :	81
Completion Date :	2010-10-18
Bedrock Depth :	N/R
Comments :	WATER CLEAR, NO ODOR.
DEM Elevation :	1139.90002
BR Elevation :	N/R
Comp Elevation :	1058.90002
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	KNICELEY WELL DRILLING
Pump Type :	N/R
Completion Year :	2010
Owner First Name :	JAY
Owner Last Name :	SMITH
Subdivision Name :	N/R

Map Id: 29  
Direction: WSW  
Distance: 0.854 mi., 4511 ft.  
Elevation: 1141 ft.  
Relative: Higher

Site Name : 2029759  
40.248058, -83.775271  
OH  
Database(s) : [WELLS - OH] (cont.)

Envirosite ID: 51213297  
EPA ID: N/R

WELLS - OH (cont.)

Subdivision Map Year : N/R  
Subdivision Number : N/R  
Permit Number : 2010-66  
Sec Owner Name : N/R  
Lot Number : N/R  
Section Number : N/R  
Address : 1218 W 245 SR, WEST LIBERTY, OH 43357  
County : LOGAN  
Is flowing Ind : N  
Test Rate : 20  
Draw Down : 1  
Draw Down Test Duration : 1  
Water Level : 65  
Water Measure : T  
Water Level Date : 2010-10-18  
Casing Height : 1.29999995  
Location Ind : N/R  
Assoc Rpt Ind : N  
Date Added : N/R  
Added by : N/R  
Date Changed : 2020-03-24  
Changed by : GIS\NORRISTYL  
Sustained Yield : 20  
Attach Status : N/R  
Pump Type Code : N/R  
Pump Set : N/R  
Pitless Type : N/R  
Assoc Well Number : N/R  
Project Well ID : N/R  
Latitude : 40.248058  
Longitude : -83.775271  
Last Date in Agency List : 2024-08-21

Map Id: D30  
Direction: S  
Distance: 0.884 mi., 4666 ft.  
Elevation: 1079 ft.  
Relative: Lower

Site Name : 2001794  
40.240888, -83.760134  
OH  
Database(s) : [WELLS - OH]

Envirosite ID: 51213027  
EPA ID: N/R

WELLS - OH

Well Number : 2001794  
Total Depth : 50  
Completion Date : 2006-02-27  
Bedrock Depth : N/R  
Comments : WATER CLEAR, NO ODOR.  
DEM Elevation : 1079.30005  
BR Elevation : N/R  
Comp Elevation : 1029.30005  
Township : SALEM  
Aquifer Type : SAND & GRAVEL

Map Id: D30  
Direction: S  
Distance: 0.884 mi., 4666 ft.  
Elevation: 1079 ft.  
Relative: Lower

Site Name : 2001794  
40.240888, -83.760134  
OH  
Database(s) : [WELLS - OH] (cont.)

Envirosite ID: 51213027  
EPA ID: N/R

WELLS - OH (cont.)

Well Use : DOMESTIC  
Driller Name : KNICELEY WELL DRILLING  
Pump Type : SUBMERSIBLE  
Completion Year : 2006  
Owner First Name : BRAD  
Owner Last Name : ODER  
Subdivision Name : N/R  
Subdivision Map Year : N/R  
Subdivision Number : N/R  
Permiot Number : 157  
Sec Owner Name : N/R  
Lot Number : N/R  
Section Number : N/R  
Address : 430 PIMTOWN RD, WEST LIBERTY, OH 43357  
County : CHAMPAIGN  
Is flowing Ind : N  
Test Rate : 50  
Draw Down : 4  
Draw Down Test Duration : 1  
Water Level : 12  
Water Measure : T  
Water Level Date : 2006-02-27  
Casing Height : 1.29999995  
Location Ind : N/R  
Assoc Rpt Ind : N  
Date Added : N/R  
Added by : N/R  
Date Changed : 2020-03-25  
Changed by : GIS\NORRISTYL  
Sustained Yield : 50  
Attach Status : N/R  
Pump Type Code : SUB  
Pump Set : 35  
Pitless Type : DICKEN JRS-10  
Assoc Well Number : N/R  
Project Well ID : N/R  
Latitude : 40.240888  
Longitude : -83.760134  
Last Date in Agency List : 2024-08-21

Map Id: D31  
Direction: S  
Distance: 0.895 mi., 4727 ft.  
Elevation: 1082 ft.  
Relative: Lower

Site Name : 147634  
40.240726, -83.75997  
OH  
Database(s) : [WELLS - OH]

Envirosite ID: 50949364  
EPA ID: N/R

WELLS - OH

Well Number : 147634  
Total Depth : 25  
Completion Date : 1955-11-12

Map Id: D31  
 Direction: S  
 Distance: 0.895 mi., 4727 ft.  
 Elevation: 1082 ft.  
 Relative: Lower

Site Name : 147634  
 40.240726, -83.75997  
 OH  
 Database(s) : [WELLS - OH] (*cont.*)

Envirosite ID: 50949364  
 EPA ID: N/R

WELLS - OH (*cont.*)

Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1081.30005
BR Elevation :	N/R
Comp Elevation :	1056.30005
Township :	SALEM
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	BUSHONG DRILLING
Pump Type :	N/R
Completion Year :	1955
Owner First Name :	IRVIN
Owner Last Name :	KAUFFMAN
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	PIMTOWN RD, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	8
Draw Down :	0
Draw Down Test Duration :	0.5
Water Level :	16
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-25
Changed by :	GISNORRISTYL
Sustained Yield :	N/R
Attach Status :	\NRRAS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.240726
Longitude :	-83.75997
Last Date in Agency List :	2024-08-21

Map Id: 32  
 Direction: SSE  
 Distance: 0.916 mi., 4839 ft.  
 Elevation: 1084 ft.  
 Relative: Lower

Site Name : 160794  
 40.241653, -83.753466  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51035080  
 EPA ID: N/R

## WELLS - OH

Well Number :	160794
Total Depth :	49
Completion Date :	1956-06-21
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1084.19995
BR Elevation :	N/R
Comp Elevation :	1035.19995
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	1956
Owner First Name :	ARTHUR
Owner Last Name :	HARTZLER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	26
Address :	68 SR, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	10
Draw Down :	0
Draw Down Test Duration :	2
Water Level :	12
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-25
Changed by :	GIS\NORRISTYL
Sustained Yield :	N/R
Attach Status :	\\NRS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.241653
Longitude :	-83.753466
Last Date in Agency List :	2024-08-21

Map Id: E33  
 Direction: S  
 Distance: 0.933 mi., 4925 ft.  
 Elevation: 1081 ft.  
 Relative: Lower

Site Name : 448337  
 40.240208, -83.759434  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51049073  
 EPA ID: N/R

## WELLS - OH

Well Number :	448337
Total Depth :	30
Completion Date :	1972-12-27
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1082.5
BR Elevation :	N/R
Comp Elevation :	1052.5
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON (DONALD)
Pump Type :	N/R
Completion Year :	1972
Owner First Name :	HARVEY
Owner Last Name :	YODER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	26
Address :	PIMTOWN RD, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	5
Draw Down Test Duration :	2
Water Level :	6
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-25
Changed by :	GISNORRISTYL
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.240208
Longitude :	-83.759434
Last Date in Agency List :	2024-08-21

Map Id: 34  
Direction: SSE  
Distance: 0.938 mi., 4955 ft.  
Elevation: 1081 ft.  
Relative: Lower

Site Name :	696652 40.240919, -83.75469 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 52352210  
EPA ID: N/R

## WELLS - OH

Well Number :	696652
Total Depth :	58
Completion Date :	1989-05-11
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	0
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	SALEM
Aquifer Type :	SAND & GRAVEL
Well Use :	COMMERCIAL
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	1989
Owner First Name :	N/R
Owner Last Name :	EATON WELL DRILLING
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	28
Address :	8800 N 68 SR, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	200
Draw Down :	10
Draw Down Test Duration :	2
Water Level :	N/R
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2023-06-07
Changed by :	Douglas.Aden@dnr.ohio.gov
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	0
Project Well ID :	N/R
Latitude :	40.240919
Longitude :	-83.75469
Last Date in Agency List :	2024-08-21

Map Id: E35  
Direction: S  
Distance: 0.943 mi., 4977 ft.  
Elevation: 1081 ft.  
Relative: Lower

Site Name :	720950 40.240077, -83.759247 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 43834225  
EPA ID: N/R

## WELLS - OH

Well Number :	720950
Total Depth :	50
Completion Date :	1990-10-16
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	1990
Owner First Name :	JOHN
Owner Last Name :	ODER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	26
Address :	116 PIMTOWN RD, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	3
Draw Down :	10
Draw Down Test Duration :	2.5
Water Level :	12
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-07-22
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.240077
Longitude :	-83.759247
Last Date in Agency List :	2024-08-21



Map Id: 36  
Direction: NNW  
Distance: 0.947 mi., 5000 ft.  
Elevation: 1168 ft.  
Relative: Higher

Site Name :	899059
	40.267097, -83.764395
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 51187476  
EPA ID: N/R

## WELLS - OH

Well Number :	899059
Total Depth :	101
Completion Date :	1999-07-14
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1168.80005
BR Elevation :	N/R
Comp Elevation :	1067.80005
Township :	LIBERTY
Aquifer Type :	GRAVEL & SAND
Well Use :	DOMESTIC
Driller Name :	QUINTER WELL DRILLING LLC
Pump Type :	N/R
Completion Year :	1999
Owner First Name :	RICHARD
Owner Last Name :	GARLAND
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	99-108
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	34
Address :	6718 14 CR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	12
Draw Down Test Duration :	1
Water Level :	70
Water Measure :	G
Water Level Date :	1999-07-14
Casing Height :	2
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-10-26
Changed by :	ID\10114768
Sustained Yield :	20
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.267097
Longitude :	-83.764395
Last Date in Agency List :	2024-08-21

Map Id: 37  
 Direction: S  
 Distance: 0.952 mi., 5028 ft.  
 Elevation: 1074 ft.  
 Relative: Lower

Site Name : 987460  
 40.239888, -83.760404  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51048449  
 EPA ID: N/R

## WELLS - OH

Well Number :	987460
Total Depth :	45
Completion Date :	2005-05-25
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1073.80005
BR Elevation :	N/R
Comp Elevation :	1028.80005
Township :	SALEM
Aquifer Type :	N/R
Well Use :	AGRIC/IRRIG
Driller Name :	KNICELEY WELL DRILLING
Pump Type :	N/R
Completion Year :	2005
Owner First Name :	JOHN
Owner Last Name :	ODER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	407 PIMTOWN RD, WEST LIBERTY, OH 43357
County :	CHAMPAIGN
Is flowing Ind :	N/R
Test Rate :	75
Draw Down :	4
Draw Down Test Duration :	2
Water Level :	10
Water Measure :	T
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	2005-08-01
Added by :	BROWN,CLEVE
Date Changed :	2020-03-25
Changed by :	GISNORRISTYL
Sustained Yield :	75
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.239888
Longitude :	-83.760404
Last Date in Agency List :	2024-08-21

Map Id: F38  
Direction: WSW  
Distance: 0.956 mi., 5049 ft.  
Elevation: 1151 ft.  
Relative: Higher

Site Name :	246624 40.247697, -83.777191 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 51014108  
EPA ID: N/R

## WELLS - OH

Well Number :	246624
Total Depth :	89
Completion Date :	1960-04-20
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1154
BR Elevation :	N/R
Comp Elevation :	1065
Township :	LIBERTY
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON (DONALD)
Pump Type :	N/R
Completion Year :	1960
Owner First Name :	ROBERT
Owner Last Name :	RABENSTEIN
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	33
Address :	275 SR, OH
County :	LOGAN
Is flowing Ind :	N
Test Rate :	6
Draw Down :	0
Draw Down Test Duration :	2
Water Level :	79
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	Y
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GISNORRISTYL
Sustained Yield :	N/R
Attach Status :	\\NRS1\
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.247697
Longitude :	-83.777191
Last Date in Agency List :	2024-08-21

Map Id: 39  
Direction: NNE  
Distance: 0.970 mi., 5120 ft.  
Elevation: 1098 ft.  
Relative: Lower

Site Name :	882232
	40.26658, -83.75364
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34234519  
EPA ID: N/R

## WELLS - OH

Well Number :	882232
Total Depth :	79
Completion Date :	1998-08-04
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	1098.09998
BR Elevation :	N/R
Comp Elevation :	1019.09998
Township :	MONROE
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL & PUMP
Pump Type :	N/R
Completion Year :	1998
Owner First Name :	RAYMOND
Owner Last Name :	HUNSICKER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	98-135
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	8264 5 CR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	15
Draw Down :	N/R
Draw Down Test Duration :	1
Water Level :	28
Water Measure :	G
Water Level Date :	1998-08-04
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	N/R
Changed by :	N/R
Sustained Yield :	15
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.26658
Longitude :	-83.75364
Last Date in Agency List :	2024-08-21

Map Id: F40  
 Direction: WSW  
 Distance: 0.980 mi., 5175 ft.  
 Elevation: 1157 ft.  
 Relative: Higher

Site Name : 2031718  
 40.247921, -83.777824  
 OH  
 Database(s) : [WELLS - OH]

Envirosite ID: 51133144  
 EPA ID: N/R

## WELLS - OH

Well Number :	2031718
Total Depth :	141
Completion Date :	2011-04-07
Bedrock Depth :	N/R
Comments :	CLEAR
DEM Elevation :	1158.19995
BR Elevation :	N/R
Comp Elevation :	1017.20001
Township :	LIBERTY
Aquifer Type :	SAND & GRAVEL
Well Use :	DOMESTIC
Driller Name :	EATON WELL DRILLING INC
Pump Type :	SUBMERSIBLE
Completion Year :	2011
Owner First Name :	REBECCA
Owner Last Name :	TRETOLA
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	2011-007
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	33
Address :	1358 245 SR, WEST LIBERTY, OH 43357
County :	LOGAN
Is flowing Ind :	N
Test Rate :	20
Draw Down :	0
Draw Down Test Duration :	1
Water Level :	96
Water Measure :	G
Water Level Date :	2011-04-07
Casing Height :	1
Location Ind :	N/R
Assoc Rpt Ind :	N
Date Added :	N/R
Added by :	N/R
Date Changed :	2020-03-24
Changed by :	GISNORRISTYL
Sustained Yield :	20
Attach Status :	N/R
Pump Type Code :	SUB
Pump Set :	120
Pitless Type :	ADAPTER
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.247921
Longitude :	-83.777824
Last Date in Agency List :	2024-08-21

Map Id: 41  
Direction: SSE  
Distance: 0.998 mi., 5272 ft.  
Elevation: 1084 ft.  
Relative: Lower

Site Name :	742162
	40.240761, -83.752316
	OH
Database(s) :	[WELLS - OH]

Envirosite ID: 52356669  
EPA ID: N/R

## WELLS - OH

Well Number :	742162
Total Depth :	30
Completion Date :	1992-06-01
Bedrock Depth :	N/R
Comments :	N/R
DEM Elevation :	N/R
BR Elevation :	N/R
Comp Elevation :	N/R
Township :	SALEM
Aquifer Type :	GRAVEL
Well Use :	DOMESTIC
Driller Name :	KNICELEY WELL DRILLING
Pump Type :	N/R
Completion Year :	1992
Owner First Name :	JOHN
Owner Last Name :	ODER
Subdivision Name :	N/R
Subdivision Map Year :	N/R
Subdivision Number :	N/R
Permit Number :	N/R
Sec Owner Name :	N/R
Lot Number :	N/R
Section Number :	N/R
Address :	8849 68 SR, OH
County :	CHAMPAIGN
Is flowing Ind :	N
Test Rate :	25
Draw Down :	2
Draw Down Test Duration :	2
Water Level :	11
Water Measure :	N/R
Water Level Date :	N/R
Casing Height :	N/R
Location Ind :	N/R
Assoc Rpt Ind :	N/R
Date Added :	N/R
Added by :	N/R
Date Changed :	2022-08-12
Changed by :	odnr_editor
Sustained Yield :	N/R
Attach Status :	N/R
Pump Type Code :	N/R
Pump Set :	N/R
Pitless Type :	N/R
Assoc Well Number :	N/R
Project Well ID :	N/R
Latitude :	40.240761
Longitude :	-83.752316
Last Date in Agency List :	2024-08-21

## RADON DATA:

STATE SOURCE: No Available Data

FEDERAL AREA RADON INFORMATION FOR: 43357

NUMBER OF SAMPLE SITES: 1

<u>Area:</u>	<u>Average Activity:</u>	<u>% &lt;4 pCi/L:</u>	<u>% 4-20 pCi/L:</u>	<u>% &gt;20 pCi/L:</u>
basement	24.1 pCi/L	0%	0%	100%

FEDERAL EPA RADON ZONE FOR LOGAN COUNTY: Zone = 1

Note: Zone 1 indoor average level > 4 pCi/L

: Zone 2 indoor average level > = 2 pCi/L and <= 4 pCi/L

: Zone 3 indoor average < 2 pCi/L

## HIST PWS ENF

Historical Public Water Supply locations with Enforcement Violations

Environmental Protection Agency

(800) 426-4791

List of Safe Drinking Water Information Systems (SDWIS) with enforcement violations that are no longer in current agency list.

## NWIS

National Water Information Systems

United States Geological Society

(703) 648-5953

Information on all water resources for the United States. This database contains all current and historical data for the nation.

## PWS

Public Water Supply

Environmental Protection Agency

(800) 426-4791

Safe drinking water information Systems

## PWS ENF

Public Water Supply locations with Enforcement Violations

Environmental Protection Agency

(800) 426-4791

Safe drinking water information Systems with enforcement violations

## WELLS - OH

Wells

Ohio Department of Natural Resources

Water Wells

## FLOOD Q3

Flood data

Environmental Protection Agency

(202) 566-1667

Q3 Flood Data

## HYDROLOGIC UNIT

Hydrologic Unit Maps

USGS

The United States Geological Survey created a hierarchical system of hydrologic units originally called regions, sub-regions, accounting units, and cataloging units. Each unit was assigned a unique Hydrologic Unit Code (HUC). As first implemented the system had 21 regions, 221 subregions, 378 accounting units, and 2,264 cataloging units. Over time the system was changed and expanded. As of 2010 there are six levels in the hierarchy, represented by hydrologic unit codes from 2 to 12 digits long, called regions, subregions, basins, subbasins, watersheds, and subwatersheds. The table below describes the system's hydrologic unit levels and their characteristics, along with example names and codes.

## WETLANDS NWI

National Wetland Inventory

U.S. Fish and Wildlife Service

(703) 358-2171

Wetland Inventory for the United States



## WETLANDS - OH

Wetlands

U.S. Fish and Wildlife Service

Wetlands Inventory

## SSURGO

Detailed Soil Data Map

Natural Resources Conservation Service: U.S. Department of Agriculture

(202) 690-4985

Detailed Soil Data Map

## STATSGO & MUI

General Soil Data Map

Natural Resources Conservation Service: U.S. Department of Agriculture

(202) 690-4985

General Soil Data Map

## USGS GEOLOGIC AGE

USGS Digital Data Series DDS

Natural Resources Conservation Service: U.S. Department of Agriculture

(202) 690-4985

USGS Digital Data Series DDS: Geologic Age and Rock Stratigraphic Unit

## OIL & GAS WELLS - OH

Oil and Gas Well Data

Division of Oil & Gas Resources

614.265.6923

Oil and gas well locations and detail for all 6 districts

## RADON

National Radon Database

U.S. Environmental Protection Agency

215-814-2469

A study of the EPA/State Residential Radon Survey and the National Residential Radon Survey.

## RADON EPA

RADON EPA

U.S. Environmental Protection Agency

215-814-2469

EPA list of Radon zones

## AIRPORT FACILITIES

Airport landing facilities

Federal Aviation Administration

(866) 835-5322

Airport landing facilities

## BASINS

Better Assessment Science Integrating point & Non-point Sources

U.S. Environmental Protection Agency

855-246-3642

Integrated geographical information system national watershed data and environmental assessment known as Better Assessment Science Integrating point & Non-point Sources

## DIGITAL OBSTACLE

Obstacles of interest to aviation users

Federal Aviation Administration

855-379-6518

The Digital Obstacle File describes all known obstacles of interest to aviation users in the U.S. with limited coverage of the Pacific the Caribbean Canada and Mexico. The obstacles are assigned unique numerical identifiers; accuracy codes and listed in order of ascending latitude within each state or area by FAA Region.

## EPICENTERS

National Geographical Data Center

National Geographical Data Center

303-497-6826

List of recent and historic earthquakes and information.

## FLOOD DFIRM

National Flood Hazard Layer Database

Federal Emergency Management Agency

The National Flood Hazard Layer Database (NFHL) is a computer database that contains the flood hazard map information from FEMA's Flood Map Modernization program. These map data are from Digital Flood Insurance Rate Map (DFIRM) databases and Letters of Map Revision.

**APPENDIX 6**

**SITE CHECKLIST**



**PHASE I ESA - ON-SITE INSPECTION SURVEY**

Owned By Whom: <u>Scott O'Donnell</u>	Phone: <u>937-772-7068</u>
Property Address: <u>420 W. Columbus St.</u>	City: <u>West Liberty</u>
State: <u>OH</u> Zip: <u>43367</u> County: <u>Logan</u>	
Property Is: <u>Unoccupied: X</u> Improved: <u>      </u> Underdeveloped: <u>      </u>	
Interviewee: <u>Ms. Cindy Boyd</u> Owner: <u>      </u> Mngr: <u>      </u> Other: <u>City Clerk</u>	
Interviewee Phone: <u>937-465-2716</u> Purchased: <u>      </u> Built: <u>1916</u>	
Prepared for: <u>Ms. Cindy Boyd</u> Company: <u>Village of West Liberty</u>	
Address: <u>PO Box 187</u>	
City: <u>West Liberty</u> State: <u>OH</u> Zip Code: <u>43357</u>	
Phone: <u>937-465-2716</u> E-Mail: <u>vowclerk@mywestliberty.com</u>	
Environmental Inspector: <u>Ralph Ranard</u> Date: <u>28-Oct-24</u>	

**Part A (Questions to Client)**

Need by Date: ASAP

1. Which fire department supports this location? Comments: <u>West Liberty Vol. Fire Dept.</u>
2. Has fill dirt been brought onto the property from a contaminated site or that is of an unknown origin? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
3. Are there currently, or have there previously been, any storage tanks (above or underground) on the property? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
4. Is there any reason to suspect Radon may be a problem, or has the structure been tested for Radon? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
5. Is a private well the primary or sole source of drinking water for the property? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
6. If the property has a private well or non-public water system, have contaminants been identified in the well or system that exceed guidelines applicable to the water system or has the well been designated as contaminated by any government environmental/health agency? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
7. Does the property owner or occupant have any knowledge of environmental liens or governmental notification relating to past or recurrent violations of environmental laws with respect to the property? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
8. Has the owner or occupant of the property been informed of the past or current existence of hazardous substances or petroleum products or environmental violations with respect to the property? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
9. Does the owner or occupant of the property have any knowledge of any environmental site assessment of the property that indicated the presence of hazardous substances or petroleum products on, or contamination of, the property or recommended further assessment of the property? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>
10. Does the owner or occupant of the property know of any past, threatened, or pending lawsuits or administrative proceedings concerning a release or threatened release of any hazardous substance or petroleum products on the property by any owner or occupant of the property? Observed: Yes <u>      </u> No <u>X</u> Unk <u>      </u> Comments: <u>      </u>

## Part B (Site Observations)

11. Is the property or any adjoining property being used as an industrial site or does the property or any adjoining property appear to have been used as an industrial site in the past?

Observed: Yes  No  Unk

Comments:

12. Is the subject site or any adjoining property used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard or landfill, or as a waste treatment, storage, disposal, processing, or recycling facility?

Observed: Yes  No  Unk

Comments:

13. Are there currently, or does there appear to have been, any damaged or discarded automotive or industrial batteries, pesticides, paints, or other chemicals in individual containers greater than 5 gallons (19 L) in volume or 50 gallons (190 L) in the aggregate, stored on or used at the site?

Observed: Yes  No  Unk

Comments:

14. Are there currently, or does there appear to have been previously, any industrial drums (typically 55 gallon) or sacks of chemicals located on the property?

Observed: Yes  No  Unk

Comments:

15. Are there currently, or indications to have been, any pits, ponds, or lagoons located on the property in connection with waste treatment or waste disposal or an oily sheen observed on any water on the site?

Observed: Yes  No  Unk

Comments:

16. Is there currently any stained soil or evidence of damaged vegetation on the property?

Observed: Yes  No  Unk

Comments:

17. Are there currently any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the property or adjacent to any structure located on the property?

Observed: Yes  No  Unk

Comments:

18. Are there any signs of pesticide or herbicide use or is the property used for agricultural purposes?

Observed: Yes  No  Unk

Comments:

19. Are there currently, or indications that there have been, any flooring drains, or walls located within the structure that are stained by substances other than water or are emitting foul odors?

Observed: Yes  No  Unk

Comments:

20. Are there any signs of asbestos such as pipe insulation or floor tile, or was structure built before 1979?

Observed: Yes  No  Unk

Comments:

21. Are there any signs of UREA Formaldehyde Foam Insulation (UFFI) in the structure?

Observed: Yes  No  Unk

Comments:

22. Is there any evidence of lead paint or peeling, cracking, or flaking paint observed in the structure?

Observed: Yes  No  Unk

Comments:

23. Is there any evidence of lead pipes or lead soldered pipes on the property?

Observed: Yes  No  Unk

Comments:

24. Does the property discharge waste water on or adjacent to the property other than storm water into a sanitary sewer system?

Observed: Yes  No  Unk

Comments:

25. Does there appear to have been any hazardous substances or petroleum products, unidentified waste materials, tires, batteries or any other waste materials dumped, buried or burned on the property?

Observed: Yes  No  Unk

Comments:

26. Is there a transformer, capacitor, or any hydraulic equipment which there are any records indicating the presence of PCB's?

Observed: Yes  No  Unk

### Part C (Tanks)

27. Any tanks on the property?

Observed: Yes  No  Unk

Comments: \_\_\_\_\_

28. Is this site a gas station?

Observed: Yes  No  Unk

Comments: \_\_\_\_\_

29. If this site is a gas station, are the tanks monitored electronically?

Observed: Yes  No  N/A

Comments: \_\_\_\_\_

Tank #	1	2	3	4	5	6	7	8
AST/UST	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Tank #	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Product?	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Size?	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
In OTTR?	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
NOV?	No	No	No	N/A	N/A	N/A	N/A	N/A
NFA?	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Date Tested	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Passed?	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
UST Monitor Name:	N/A							
Tested by:	N/A							

## **APPENDIX 7**

### **MISCELLANEOUS DOCUMENTS**

# **County Tax Documents**





Parcel: 20-144-12-07-006-000

Year: 2023

JACK RESER

Logan County Auditor | Logan County, Ohio



**SUMMARY**

Deeded Name	SCOTT D O'DONNELL		Taxpayer	O'DONNELL SCOTT D	
Owner	O'DONNELL SCOTT D 420 W COLUMBUS ST WEST LIBERTY OH 43357-9223			420 W COLUMBUS ST WEST LIBERTY OH 43357-9223	
Tax District	20-LIBERTY WEST LIBERTY CORP		Land Use	499-OTHER COMMERCIAL STRUCTURES	
School District	WEST LIBERTY SALEM S D		Subdivision		
Neighborhood	01800-WLIBERTY		Legal	0004 104 105 106	
Location	W COLUMBUS AVE		14412	Routing Number	07006
CD Year	2019	Map Number	12/20/2017	Sales Amount	22,000.00
Acres	0.0000	Sold			

**VALUE**

District	20-LIBERTY WEST LIBERTY CORP	
Land Use	499-OTHER COMMERCIAL STRUCTURES	
	Appraised	Assessed
Land	8,240	2,880
Improvement	16,540	5,790
<b>Total</b>	<b>24,780</b>	<b>8,670</b>
CAUV	N 0	0
Homestead	N 0	0
OOC	N 0	0
<b>Taxable</b>	<b>24,780</b>	<b>8,670</b>

**CURRENT CHARGES**

Full Rate	66.650000			
Effective Rate	48.882100			
Qualifying Rate	45.711915			
	Prior	First	Second	Total
Tax	2,862.13	211.89	211.89	3,285.91
Special	0.00	0.00	0.00	0.00
Penalty	336.84	21.18	44.50	402.52
<b>Total</b>	<b>3,198.97</b>	<b>233.07</b>	<b>256.39</b>	<b>3,688.43</b>
Paid	0.00	0.00	0.00	0.00
<b>Due</b>	<b>3,198.97</b>	<b>233.07</b>	<b>256.39</b>	<b>3,688.43</b>

**TRANSFER HISTORY**

Date	Conveyance	Deed Type	Sales Amount	Valid	# of Properties
12/20/2017	Buyer: O'DONNELL SCOTT D Seller: TWELVE BASKETS MINISTRIES INC	1348	WARRANTY DEED	\$22,000.00	Y 1

**LAND**

Type	Dimensions	Description	Value
L1-FRONT LOT	150.0000 X 150.0000	Effective - Frontage / Depth	8,240
		<b>Total</b>	<b>8,240</b>

**COMMERCIAL BUILDING**

Card	Name	Year Built	Year Remodeled	Condition	Gross Area	Value
1		1955		F-FAIR	6,216	16,540

**UTILITIES**

Water	Y	Sewer	Y	Electric	Y	Gas	Y	Well	Y	Septic	N
-------	---	-------	---	----------	---	-----	---	------	---	--------	---

# **Radon Information**

## ***Detailed Radon Zip Code Statistics***

**These EPA statistics are based on 406,875 data points for 1,479 Ohio zip codes.**

**The other 1,478 zip codes are not listed to avoid clutter.**

<b>ZIP code</b>	<b>No.</b>	<b>Max</b>	<b>Min</b>	<b>AM</b>	<b>GM</b>	<b>SD</b>	<b>CV</b>	<b>Md</b>	<b>Q1</b>	<b>Q3</b>
<b>43357</b>	473	1404	0.1	22.3	9.9	68	3.1	11.4	4.6	25

# **City Directories**

**City Directories not requested since the entire neighborhood is residential homes**

# **Fire Department Response**

## Fire Department Response

*The West Liberty Fire Department was contacted via phone on 19 Oct 2024. Fire Chief Darin Leach stated this building has been abandoned since the 1980s. We told him the Logan County Auditors site listed the building as being built in 1955. He said this was in error, and that's around the time the adjoining High School was built. He thought the target site was built either in the late 1800s or early 1900s. He said they have not had any runs to include spills, fires, or hazmat responses to this site. His records also show there are no USTs on-site. He said the only issue he was aware of is asbestos on the property.*

# **Asbestos Report**





2699 East CR 50 Tiffin. OH 44883  
Tiffin Office: 419-618-3072 Fax: 419-443-0539  
Huntsville Office: 937-539-0094 Fax 937-843-3079  
hhenvironmental@yahoo.com



**Asbestos Survey**  
**420 W. Columbus St.**  
**West Liberty, OH 43357**  
Village of West Liberty



2699 East CR 50 Tiffin. OH 44883  
Tiffin Office: 419-618-3072 Fax: 419-443-0539  
Huntsville Office: 937-539-0094 Fax 937-843-3079  
hhenvironmental@yahoo.com

Village of West Liberty

5-13-22

PO Box 187

West Liberty, OH 43357

Phone: 937-465-2716

Email: [vowlclerk@mywestliberty.com](mailto:vowlclerk@mywestliberty.com)

Asbestos Survey: 420 W. Columbus St. West Liberty, OH 43357

Cindee,

H&H Environmental, LLC. has completed an inspection for asbestos-containing materials (ACM) at 420 W. Columbus St. West Liberty, OH 43357. This inspection was performed by Tyler Rister (Certification # 35958) on May 11<sup>th</sup> in West Liberty, OH. Tyler Rister maintains a current Ohio Department of Health Asbestos Inspector Certification. Proof of this certification is attached.

Enclosed:

1. Asbestos Survey Cover
2. Asbestos Survey Letter
3. Purpose and Procedure
4. ACM Summary and Notice
5. Sample Chain-of-custody
6. Sample Site Pictures
7. Laboratory Analysis Report (and point-count analysis if applicable)
8. Asbestos Inspector Certifications

**Purpose of Inspection:**

The ACM inspection was conducted in accordance and observation of EPA NESHAP and OSHA regulations pertaining to the demolition/renovation of regulated structures. This inspection included all applicable and accessible areas of the structure.

**Procedure:**

The inspection, conducted on 5-11-22, was completed utilizing applicable Federal and Ohio State regulations pertaining to asbestos: Federal OSHA (29 CFR 1910.1001 and 29 CFR 1926.1101), EPA (40 CFR Part 61), and TSCA Title II AHERA/ASHARA (40 CFR Part 763) Asbestos Regulations. The findings in this report are consistent with accepted principles and practice established and prescribed by the EPA and AHERA.

All accessible areas of the buildings in West Liberty, OH, were inspected physically, functional space by functional space, and homogeneous area by homogeneous area to determine the presence of asbestos-containing materials. Suspected asbestos-containing materials were grouped per homogeneous area. Suspect materials that may be present inside wall cavities, electrical wiring or which were otherwise inaccessible were not included in the scope of this inspection. Core samples of friable and non-friable suspect asbestos-containing materials were collected to be analyzed for asbestos content. Those materials considered to be non-suspect (concrete, wood, fiberglass, carpeting, metal, etc.) were not sampled for analysis. Each location for sample collection, chosen at random, were representative of the suspect materials. The bulk samples were placed in zip-lock bags, sealed, and labeled with an identifying code. The samples, along with the chain-of-custody, were then submitted to the laboratory, McCall and Spero Environmental, Inc., to be analyzed for asbestos content. A copy of the chain-of-custody is attached.

26 bulk samples of suspected ACM, were submitted to a laboratory for analysis using Polarized Light Microscopy. Laboratory results are attached.

**Analytical Results:**

<b>H&amp;H Sample # Lab Sample #</b>	<b>Homogenous Area</b>	<b>Layers</b>	<b>Description/ Sample Location</b>	<b>PLM Result</b>
W-01 P5122HHE-001	1	1	Transite roof outside attic wall C	15% Chryostile
W-02 P5122HHE-002	1	1	Transite roof inside attic debris near stairs wall D	15% Chryostile
W-03 P5122HHE-003	2	1	Window glae attic wall C	ND
W-04 P5122HHE-004	2	1	Window glae attic wall C	ND
W-05 P5122HHE-005	3	2	Plaster 3 <sup>rd</sup> floor room 39 wall B	ND
W-06 P5122HHE-006	3	2	Plaster 3 <sup>rd</sup> floor room 47 wall D	ND
W-07 P5122HHE-007	3	2	Plaster 2 <sup>nd</sup> floor room 31 wall C	ND
W-08 P5122HHE-008	3	2	Plaster 2 <sup>nd</sup> floor room 27 wall B	ND
W-09 P5122HHE-009	3	2	Plaster 2 <sup>nd</sup> floor room 21 wall B	ND
W-10 P5122HHE-010	3	2	Plaster 1 <sup>st</sup> /basement room 1 wall B	ND

W-11 P5122HHE-011	3	2	Plaster 1 <sup>st</sup> /basement room 6 wall D	ND
W-12 P5122HHE-012	4	2	Drywall/joint-compound 3 <sup>rd</sup> floor room 38 near wall A debris	ND
W-13 P5122HHE-013	4	2	Drywall/joint-compound 2 <sup>nd</sup> floor room 20 near wall A debris	ND
W-14 P5122HHE-014	5	2	9" tile/mastic (tan/brown) 3 <sup>rd</sup> floor room 46 near wall D	2% Chryostile-Tile 2% Chryostile-Mastic
W-15 P5122HHE-015	5	2	9" tile/mastic (tan/brown) 2 <sup>nd</sup> floor room 20 near wall C	2% Chryostile-Tile 2% Chryostile-Mastic
W-16 P5122HHE-016	6	2	9" tile/mastic (green) 3 <sup>rd</sup> floor room 35 near wall C	2% Chryostile-Tile 2% Chryostile-Mastic
W-17 P5122HHE-017	6	2	9" tile/mastic (green) 3 <sup>rd</sup> floor room 35 near wall C	2% Chryostile-Tile 2% Chryostile-Mastic
W-18 P5122HHE-018	7	1	Acoustic ceiling 1 <sup>st</sup> /basement room 6 debris near wall D	5% Chryostile
W-19 P5122HHE-019	7	1	Acoustic ceiling 1 <sup>st</sup> /basement room 6 debris near wall D	5% Chryostile
W-20 P5122HHE-020	7	1	Acoustic ceiling 1 <sup>st</sup> /basement room 6 debris near wall A	5% Chryostile
W-21	8	1	TSI fittings 1 <sup>st</sup> /basement	ND

P5122HHE-021			room 12	
W-22 P5122HHE-022	8	1	TSI fittings 1 <sup>st</sup> /basement room 6	ND
W-23 P5122HHE-023	9	1	TSI pipe insulation 1 <sup>st</sup> /basement room 3	25% Chryostile
W-24 P5122HHE-024	9	1	TSI pipe insulation 1 <sup>st</sup> /basement room 3	25% Chryostile
W-25 P5122HHE-025	10	1	Transite ceiling 1 <sup>st</sup> /basement room 13 near wall B	15% Chryostile
W-26 P5122HHE-026	10	1	Transite ceiling 1 <sup>st</sup> /basement room 13 near wall B	15% Chryostile

**Summary:**

Based the analysis of suspected ACM samples, a number of the samples of homogenous areas were determined to be asbestos-containing.

The approximate total of asbestos-containing materials are as follows:

<b>Asbestos Transite Roof</b>	<b>7,500 sq. ft.</b>
<b>Asbestos 9" tan/brown tile and mastic (throughout)</b>	<b>9,340 sq. ft.</b>
<b>Asbestos 9" green tile and mastic (3<sup>rd</sup> floor)</b>	<b>760 sq. ft.</b>
<b>Asbestos Acoustic Ceiling (1<sup>st</sup> floor/basement)</b>	<b>760 sq. ft.</b>
<b>Asbestos TSI Pipe Insulation (1<sup>st</sup> floor/basement above ceiling)</b>	<b>34 ln. ft.</b>
<b>Asbestos Transite Ceiling/electrical panel material (1<sup>st</sup> floor/basement)</b>	<b>1,810 sq. ft.</b>

Among the material noted above, the **transite roof, 9" tan/brown tile and mastic, 9" green tile and mastic, acoustic ceiling, TSI pipe insulation, and transite ceiling/electrical panel material**

must be removed by a licensed asbestos abatement contractor prior to demolition or renovation where such renovation activities would impact this material.

\*Note: footage are approximate values and should be field verified prior to providing an abatement estimate.

Per Current Ohio regulations materials 1% (or below) are considered to be non-asbestos containing materials. However are still subject to OSHA regulations 29 CFR 1926.1101 in which wet methods, or wetting agents, to control employee exposures during asbestos handling, mixing, removal, cutting, application, and cleanup, except where employers demonstrate that the use of wet methods is infeasible due to for example, the creation of electrical hazards, equipment malfunction, and, in roofing, except as provide in paragraph (g)(8)(ii) of this section; and prompt clean-up and disposal of wastes and debris contaminated with asbestos in leak-tight containers except in roofing operations, where the procedures specified in paragraph (g)(8)(ii) of this section apply.

**Notice:**

An Ohio EPA Notification of Demolition and Renovation form must be completed and submitted to the Ohio EPA at least ten working days prior to the commencement of any abatement or demolition activity. The amount, type and condition of the asbestos-containing materials found in this inspection, as well as the materials assumed to be asbestos-containing materials, must be noted on the form. The name and certification number of the asbestos inspector must be included.

If any additional materials are encountered in these locations, these materials should be left intact and undisturbed until they can be inspected and and sampled by a licensed Asbestos Abatement Evaluation Specialist. H&H Environmental would be happy to return to the site if additional suspect materials are encountered during demolition activity. The other option is to assume that the material is asbestos-containing and have it abated as such.

This report, and the supporting findings, data, conclusions, and recommendations represents H&H Environmental's efforts on behalf of the client. This report is not an asbestos abatement specification and shouldn't be used for specifying removal techniques or methods. The assessments, conclusions, results, and recommendations stated in this report are representative of the circumstances and conditions observed by the inspector at the date of the inspection. We cannot assume responsibility for any change in conditions or circumstances that occurred after inspection. The findings in this report, if implemented by the client, should not be construed as as an assurance or implied warranty for the continuing safety, performance, or cost-effectiveness of any equipment, system, product, procedure, facility, or policy recommended or discussed herein.

The recommendations in this report are based on the professional judgment of the inspector and the results of the samples collected and analyzed. H&H Environmental makes no warranty, expressed or implied, and accepts no liability for the presence or absence of asbestos or other hazardous materials in or on home products, materials, and areas. H&H Environmental assumes no responsibility for the cost of repairing, removing, or replacing any undiscovered or unreported condition or defect, or any future condition or defect.

If you have any questions or concerns please feel free to contact H&H Environmental's Charles E. Hurt at 419-618-3072.

Thank you,

Tyler Rister


A handwritten signature in black ink, appearing to read 'Tyler Rister', written over the printed name.

ODH License # ES 35958 H&H Environmental




420 W. Columbus St. West Liberty OH 43357


1st / Basement




2nd (Main Floor)



3rd Floor



Attic



Site 420 W. Columbus St. City West Liberty State OH Zip 43357

HA #	Material	Room Location	Color	Condition	Quantity
#1	Asbestos Roof	Roofing	Grey	G/F	7,500 sq/ft
#2	Window Glaze (Wood)	Attic, 1 <sup>st</sup> /Basement	white	G/F	11 windows
#3	Plaster	Through out	NA	F/P	38,900 sq/ft
#4	Drywall/Compound	17, 20, 21, 31, 38	white	F	3,135 sq/ft
#5	9" tile / Mastic	Through out	Tan/Brown	F/P	9,340 sq/ft
#6	9" tile / Mastic	3 <sup>rd</sup> floor (35)	Green	P	760 sq/ft
#7	Acoustic Ceiling (Keeps full of junk)	1 <sup>st</sup> /Basement (6)	white	F/P	760 sq/ft
#8	T.S.I. fittings	1 <sup>st</sup> /Basement (Through out)	white	F	30 fittings
#8	T.S.I. Pipe insulation (above ceiling (2x4 studs))	1 <sup>st</sup> /Basement (Through out)	white	F	34 L-Ft
#9	Asbestos Ceiling/ Electric Panel	1 <sup>st</sup> /Basement rooms 8, 9, 10, 12, 13, 16	Grey	G	1,812 sq/ft
* Flooring	can remain for Demo				
* Asbestos	Debris in attic from holes in the roof (some maybe hard to clean/reach)				

\* G = Good F = Fair P = Poor FR = Friable NF = Non Friable

## Notes:

Building Clean Out:  Yes  No


- \* Old stone/Block school
- \* Asbestos Roof
- \* 2<sup>nd</sup>/3<sup>rd</sup> Floor pore shape from roof leaks
- \* Many items/belongings throughout from old owners
- \* 1<sup>st</sup>/Basement full of junk
- \* T.S.I. Pipe & fittings throughout 1<sup>st</sup>/Basement area (incl 34 L-Ft, 30 Mod fittings)
- \* Ceiling tile on 2<sup>nd</sup> floor rooms 24, 25, 26, 27 No suspect (Fiberglass)
- \* Plaster through out
- \* 9" tile throughout
- \* Most Windows are newer


- \* Roof is estimated roughly 7,500 sq/ft (would suggest visiting site to confirm footage)
- \* Areas that are to be abated will need cleaned before any work is performed


Inspector Tyler Rister


Certification # ES35958


Date 5.11.22









































**McCall and Spero**  
**Environmental, Inc.**

Specialists in Microanalysis

1831 Williamson Court • Suite 100 • Louisville, KY 40223  
Phone (502) 244-7135 • FAX (502) 244-7136

E-mail: [customerservice@mselabs.com](mailto:customerservice@mselabs.com) • Website: [www.mselabs.com](http://www.mselabs.com)

Date: May 12, 2022

Attention: Chuck Hurt  
H & H Environmental

Subject: Analysis of bulk samples for asbestos mineral fibers by Polarized Light  
Microscopy (PLM) with Dispersion Staining (EPA/600/R-93/116)

RE: MSE-P5122HHE  
420 W. Columbus Street; West Liberty, OH 43357 Project  
HHE# 937-465-2716

Dear Mr. Hurt:

McCall & Spero Environmental, Inc. has completed the analyses of the bulk samples we received from your offices on May 12, 2022. These samples represent the bulk samples from the 420 W. Columbus Street; West Liberty, OH 43357 Project.

The PLM bulk analysis was performed according to the "Method of the Determination of Asbestos in Bulk Building Materials", R. L. Perkins and B. W. Harvey (EPA/600/R-93/116).

The results for the thirty-nine (39) samples are summarized in the following report. Please note that for samples consisting of two or more distinct components, each component is analyzed and reported individually (EPA 40 CFR Part 61 [FRL-4821-71]).

Thank you for consulting McCall & Spero Environmental, Inc. Should you have any questions concerning these results, please contact our office.

Sincerely,

Amber D. Schultz, B.A.  
Senior Analyst

## SUMMARY OF PLM BULK ANALYSIS RESULTS

Page 1

Project Name: 420 W. Columbus Street; West Liberty, OH 43357 Project  
McCall & Spero Environmental Project No. MSE-P5122HHE

MSE # P5122HHE	SAMPLE # DESCRIPTION	ASBESTOS TYPE & %	OTHER FIBROUS MATERIAL & %	% NON-FIBROUS MATERIAL	COLOR
001	W-01 Transite	CH / 15%	ND	85%	Gray
002	W-02 Transite	CH / 15%	ND	85%	Gray
003	W-03 Window Glaze	ND**	Cellulose / 2%	98%	Gray
004	W-04 Window Glaze	ND**	Cellulose / 2%	98%	Gray
005 (A)	W-05 (A) Plaster	ND**	Cellulose / 4%	96%	Gray
005 (B)	W-05 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
006 (A)	W-06 (A) Plaster	ND**	Cellulose / 4%	96%	Gray
006 (B)	W-06 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
007 (A)	W-07 (A) Plaster	ND**	Cellulose / 4%	96%	Gray
007 (B)	W-07 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
008 (A)	W-08 (A) Plaster	ND**	Cellulose / 4%	96%	Gray
008 (B)	W-08 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
009 (A)	W-09 (A) Plaster	ND**	Cellulose / 4%	96%	Gray
009 (B)	W-09 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
010 (A)	W-10 (A) Plaster	ND**	Cellulose / 4%	96%	Gray

McCall & Spero Environmental, Inc.

## SUMMARY OF PLM BULK ANALYSIS RESULTS

Page 2

MSE # P5122HHE	SAMPLE # DESCRIPTION	ASBESTOS TYPE & %	OTHER FIBROUS MATERIAL & %	% NON-FIBROUS MATERIAL	COLOR
010 (B)	W-10 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
011 (A)	W-11 (A) Plaster	ND**	Cellulose / 4%	96%	Gray
011 (B)	W-11 (B) Skim Coat	ND**	Cellulose / 2%	98%	White
012 (A)	W-12 (A) Drywall	ND	Cellulose / 15%	85%	White
012 (B)	W-12 (B) Compound	ND	Cellulose / 3%	97%	White
013 (A)	W-13 (A) Drywall	ND	Cellulose / 15%	85%	White
013 (B)	W-13 (B) Compound	ND	Cellulose / 3%	97%	White
014 (A)	W-14 (A) 9" Tile	CH / 2%	Cellulose / 2%	96%	Tan/Brown
014 (B)	W-14 (B) Mastic	CH / 2%	Cellulose / 3%	95%	Black
015 (A)	W-15 (A) 9" Tile	CH / 2%	Cellulose / 2%	96%	Tan/Brown
015 (B)	W-15 (B) Mastic	CH / 2%	Cellulose / 3%	95%	Black
016 (A)	W-16 (A) 9" Tile	CH / 2%	Cellulose / 2%	96%	Green
016 (B)	W-16 (B) Mastic	CH / 2%	Cellulose / 4%	94%	Black
017 (A)	W-17 (A) 9" Tile	CH / 2%	Cellulose / 2%	96%	Green
017 (B)	W-17 (B) Mastic	CH / 2%	Cellulose / 4%	94%	Black

McCall & Spero Environmental, Inc.

## SUMMARY OF PLM BULK ANALYSIS RESULTS

Page 3

MSE # P5122HHE	SAMPLE # DESCRIPTION	ASBESTOS TYPE & %	OTHER FIBROUS MATERIAL & %	% NON-FIBROUS MATERIAL	COLOR
018	W-18 Acoustic Ceiling	CH / 5%	Cellulose / 5% Glass / 10%	80%	Beige
019	W-19 Acoustic Ceiling	CH / 5%	Cellulose / 5% Glass / 10%	80%	Beige
020	W-20 Acoustic Ceiling	CH / 5%	Cellulose / 5% Glass / 10%	80%	Beige
021	W-21 TSI Fittings	ND	Cellulose / 2% Glass / 13%	85%	Light Gray
022	W-22 TSI Fittings	ND	Cellulose / 2% Glass / 13%	85%	Light Gray
023	W-23 TSI Pipe Insulation	CH / 25%	Cellulose / 5%	70%	Beige
024	W-24 TSI Pipe Insulation	CH / 25%	Cellulose / 5%	70%	Beige
025	W-25 Transite Ceiling	CH / 15%	Cellulose / 5%	80%	Gray
026	W-26 Transite Ceiling	CH / 15%	Cellulose / 5%	80%	Gray

## SUMMARY OF PLM BULK ANALYSIS RESULTS

Page 4

### NOTES:

ND = None Detected  
CR = Crocidolite

CH = Chrysotile  
AN = Anthophyllite

A = Amosite

AC = Actinolite

TR = Tremolite

For samples consisting of separate components, each component is analyzed and reported separately.

Results apply only to items tested. Quantification is accurate to within  $\pm 10\%$ . Results from this report must not be reproduced, except in full, with the approval of McCall & Spero Environmental, Inc. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government.

\*\* EPA recommends that bulk materials found negative for asbestos or less than one percent asbestos by polarized light microscopy that fall into one of five dominantly nonfriable categories be reanalyzed by an additional method, such as transmission electron microscopy. (EPA Notice of Advisory, FR Vol. 59, No. 146 & Test Method EPA 600/ R-93/ 116).

Analyst: Amber D. Schultz, B.A.





**McCall and Spero**  
Environmental, Inc.

Specialists in Microanalysis

1831 Williamson Court • Suite 100 • Louisville, KY 40223  
Phone (502) 244-7135 • (800) 841-0180 • FAX (502) 244-7136

E-mail: customerservice@mse-labs.com • Website: www.mse-labs.com

## BULK SAMPLE CHAIN OF CUSTODY FORM

Company: <u>H&amp;H Environmental</u>	Telephone # <u>419-618-3072</u>	Fax #: <u>419-443-0539</u>
Contact: <u>Chuck Hurt</u>	Client Project Number: <u>937-465-2716</u>	
Relinquished by: <u>Tyler Rister</u>	Date: <u>5-11-22</u>	Time: <u>8<sup>30</sup></u>
Written Report To: <u>Ike Hurt</u>		
Project Name: <u>426 W. Columbus St. West Liberty OH 43357</u>		
Turn-Around (Circle One): <u>Same Day</u> 24 Hour 2-3 Day 4-5 Day Weekend Rush After Hour Rush		
Analysis Requested (Circle One): <u>PLM Bulk Analysis</u> TEM Qualitative Analysis TEM Quantitative Analysis (4-5 Day)		

*For Laboratory Use Only*

MSE Project # <u>PS122HHE</u>	Method: <u>EPA/600/R-93/116</u>
Samples Received by: <u>[Signature]</u>	Date: <u>5/12/22</u> Time: <u>1:55pm</u>

Client Sample Number	Location	Sample Description	Sampled By
W-01	Traverse Roof outside Attic wall C		
W-02	Traverse Roof inside Attic Debris near shales wall D		
W-03	Window Glaze Attic wall C		
W-04	Window Glaze Attic wall C		
W-05	Plaster 3 <sup>rd</sup> floor room 39 wall B		
W-06	Plaster 3 <sup>rd</sup> floor room 47 wall D		
W-07	Plaster 2 <sup>nd</sup> floor room 31 wall C		
W-08	Plaster 2 <sup>nd</sup> floor room 27 wall B		
W-09	Plaster 2 <sup>nd</sup> floor room 21 wall B		
W-10	Plaster 1 <sup>st</sup> / Basement room 1 wall B		
W-11	Plaster 1 <sup>st</sup> / Basement room 6 wall D		
W-12	Drywall / Compound 3 <sup>rd</sup> floor Room 38 near wall A Debris		
W-13	Drywall / Compound 2 <sup>nd</sup> floor Room 20 near wall A Debris		
W-14	9" tile / Mortar (Tan/Brown) 3 <sup>rd</sup> floor Room 46 near wall D		
W-15	9" tile / Mortar (Tan/Brown) 2 <sup>nd</sup> floor Room 20 near wall C		





# TRAINING SERVICES INTERNATIONAL

## Asbestos Building Inspector Refresher

### Certificate


This is to certify

# Tyler Rister

XXX-XX-1478



has attended and successfully completed the Asbestos Hazard Emergency Response Act mandatory course for the Asbestos Building Inspector Refresher and has passed an examination in that course with a minimum score of 70% or better. Training was in accordance with 40 CFR Part 763 (AHERA). The above student received the requisite training for asbestos accreditation under Title II of the Toxic Substances Control Act and State of Indiana requirements under 326 IAC 18-2 and Chapter 3745-22 Ohio Administrative Code. and the Illinois Department of Public Health (IDPH) under section 855.120 of Title 77. IDPH recognition based on student request.

	12/1/22	12/1/21	12/1/21	Columbus, OH
Training Manager	Expiration Date	Date(s) of Course	Examination Date	Course Location

33150 Lakeland Blvd.  
Cleveland, OH 44095  
www.TSItraining.com

Course Certificate No. **21 TSI 88509** ir





# TRAINING SERVICES INTERNATIONAL

## Asbestos Management Planner Refresher

### Certificate

This is to certify

**Tyler Rister**

XXX-XX-1478



has attended and successfully completed the Asbestos Hazard Emergency Response Act mandatory course for the Asbestos Management Planner Refresher and has passed an examination in that course with a minimum score of 70% or better. Training was in accordance with 40 CFR Part 763 (AHERA). The above student received the requisite training for asbestos accreditation under Title II of the Toxic Substances Control Act and State of Indiana requirements under 326 IAC 18-2 and Chapter 3745-22 Ohio Administrative Code. and the Illinois Department of Public Health (IDPH) under section 855.120 of Title 77. IDPH recognition based on student request.

	12/1/22	12/1/21	12/1/21	Columbus, OH
Training Manager	Expiration Date	Date(s) of Course	Examination Date	Course Location

33150 Lakeland Blvd.  
Cleveland, OH 44095  
www.TSITraining.com


Course Certificate No. **21 TSI 88515 mpr**

**APPENDIX 8**

**ENVIRONMENTAL PROFESSIONAL  
DECLARATION  
&  
INSPECTOR QUALIFICATIONS**

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in §312.10 of this part.

I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.



Lynda M. Hart, REM

President

Hart Environmental Resources

*Registered Environmental Manager #7928*

*Asbestos Hazards Evaluation Specialist, State of Ohio, #RA-32558*

*Lead Risk Assessor, State of Ohio, #LA-002457*



Ralph G. Ranard

Environmental Inspector

*Registered Associate Environmental Professional*

*Asbestos Hazards Evaluation Specialist, Ohio, #ES-36260*



# HART ENVIRONMENTAL RESOURCES

4139 Chico Court. Springfield, OH 45502 (937) 408-5864 (937) 324-0288 FAX

## President

**Lynda M. Hart, REM**

**4139 Chico Court**

**Springfield, OH 45502**

**(937) 408-5864**

[hartenv@who.rr.com](mailto:hartenv@who.rr.com)

- Formal Education** Bachelor of Science, Miami University, Oxford, Ohio  
 Zoology and Chemistry  
 Graduates Studies, Wright State University, Dayton, Ohio  
 Hydrogeology and Business Administration  
 University of Cincinnati, Cincinnati, Ohio  
 Certified Asbestos Inspector and Management Planner  
 Certified Lead Risk Assessor  
 Numerous hours in hydrogeology through the National Water Well Association (NWWA), and Kepner-Trego Business Management Training
- Work Experience** Ms. Hart has been in the industrial environmental field since 1979. Prior to forming Hart Environmental Resources, in 1993, Ms. Hart was Vice President of Technical Operations for Springfield Environmental, Inc. Duties included the directing of the engineering and consulting staff, as well as the sales and marketing functions. Lynda also managed numerous environmental projects, including Phase I, II and III environmental site assessments, EPA management plans, asbestos inspections and facility audits.
- Ms. Hart joined SEI after thirteen years at the Yellow Springs Instrument Co. where she served as a Project Manager and Technical Marketing Manager for the Water Quality Group. She has also served as a panel member for the Dayton area Environmental '95 Task Force, the Water Technology Federation, and the American Society for Testing and Materials (ASTM).
- Responsibilities** Responsible for the day-to-day operations of the company, environmental site assessments, asbestos & lead inspections, project management and the marketing/sales functions.
- Certifications** Registered Environmental Manager - National Registry of Environmental Professionals, #7928  
 Ohio EPA - Asbestos Hazard Evaluation Specialist, #32558  
 Ohio Department of Health - Lead Risk Assessor, #RA002457  
 Environmental Assessment Association - Certified Environmental



# HART ENVIRONMENTAL RESOURCES

4139 Chico Court. Springfield, OH 45502 (937) 408-5864 (937) 324-0288 FAX

## Site Inspector

**Ralph Ranard, AEP**

**92 Fay Drive**

**Enon, OH 45323**

**(937) 543-8577**

[Ranardr@gmail.com](mailto:Ranardr@gmail.com)

- Formal Education** Bachelor of Science, Park College, Fairborn, Ohio  
Accounting and Management  
Graduates Studies, Wright State University, Dayton, Ohio  
Community Planning
- Work Experience** Mr. Ranard retired from Wright-Patterson AFB after working 21 years as an environmental community planner. His primary job focused on hazardous materials, waste processes, and programming & executing many environmental projects.
- He also retired from the Springfield Ohio Air National Guard 178<sup>th</sup> Civil Engineering Squadron, after 21 years' service in the Fire Department. In the home station he supervised over 30 firefighters as a Station Captain and on his later deployments often became the Fire Operations Chief.
- Responsibilities** Responsible for environmental site assessments, project management, and various environmental plans/permits.
- Certifications** Associate Environmental Professional  
Community Planner  
Emergency Response Incident Commander  
HazWoper  
Fire Inspector  
Facilities Engineering level II  
ISO 14001  
Environmental Inspector  
Ohio EPA - Asbestos Hazard Evaluation Specialist, #ES36260